



# Richtlinien fuer Lohndatentransmitter

## Lohnstandard-CH (ELM) / SalaryDeclaration

Eine Gemeinschaftsarbeit der / En cooperation avec / In collaborazione con eAHV, SUVA,  
SSK/Stv-BE, BFS und SVV.

### Technical Schemadocumentation (TechDoc)

**Filename:** SalaryDeclarationContainerTechDoc\_de.pdf

**Status:** final

**Schema:** SalaryDeclarationContainer.xsd

**Namespace:**

<http://www.swissdec.ch/schema/sd/20200220/SalaryDeclarationContainer>

**Schemaversion:** 20200220 / 0.0 ( major / minor )

Generated with an adaption of xs3p (<http://titanium.dstc.edu.au/xml/xs3p/>)

Ausgabe / Edition 30.04.2020 17:32

## Table of Contents

1. SchemaDocumentProperties.....	5
3. GlobalDefinitions.....	5
2. 11 Complex Type : AddresseeContextType .....	5
2. 95 Complex Type : AddresseeDeclareMonthTotalType .....	6
2. 5 Complex Type : AddresseeType .....	6
2. 104 Complex Type : AHV-AVS-DeclareMonthTotalSalaryResultType .....	7
2. 106 Complex Type : AHV-AVS-DeclareMonthTotalSuccessType .....	8
2. 114 Complex Type : AHV-AVS-DialogType .....	8
2. 63 Complex Type : AHV-AVS-MinimalResultStateType .....	8
2. 64 Complex Type : AHV-AVS-ProcessingType .....	9
2. 110 Complex Type : AHV-AVS-ReducedDeclareMonthTotalSalaryResultType .....	9
2. 134 Complex Type : AHV-AVS-ReducedDialogType .....	10
2. 52 Complex Type : AHV-AVS-ReducedSalaryResultType .....	10
2. 40 Complex Type : AHV-AVS-SalaryResultType .....	11
2. 115 Complex Type : AHV-AVS-SuccessDialogType .....	11
2. 65 Complex Type : AHV-AVS-SuccessType .....	12
2. 124 Complex Type : BVG-LPP-DialogType .....	12
2. 78 Complex Type : BVG-LPP-MinimalResultStateType .....	13
2. 79 Complex Type : BVG-LPP-ProcessingType .....	13
2. 139 Complex Type : BVG-LPP-ReducedDialogType .....	13
2. 57 Complex Type : BVG-LPP-ReducedSalaryResultType .....	14
2. 45 Complex Type : BVG-LPP-SalaryResultType .....	14
2. 125 Complex Type : BVG-LPP-SuccessDialogType .....	15
2. 80 Complex Type : BVG-LPP-SuccessType .....	15
2. 25 Complex Type : CompletionAndResultType .....	16
2. 7 Complex Type : ControlsMultiType .....	16
2. 6 Complex Type : ControlsType .....	16
2. 101 Complex Type : DeclareMonthTotalDomainIdentificationType .....	17
2. 97 Complex Type : DeclareMonthTotalPlausibilityStateType .....	17
2. 98 Complex Type : DeclareMonthTotalPlausibleNotificationsType .....	17
2. 103 Complex Type : DeclareMonthTotalSalaryResultType .....	18
2. 14 Complex Type : DeclareSalaryResponseType .....	18
2. 18 Complex Type : DelayedResponseType .....	19
2. 113 Complex Type : DialogType .....	19
2. 37 Complex Type : DomainIdentificationType .....	19
2. 17 Complex Type : ErrorResponseType .....	20
2. 105 Complex Type : FAK-CAF-DeclareMonthTotalSalaryResultType .....	20
2. 107 Complex Type : FAK-CAF-DeclareMonthTotalSuccessType .....	21
2. 116 Complex Type : FAK-CAF-DialogType .....	21
2. 66 Complex Type : FAK-CAF-MinimalResultStateType .....	22
2. 67 Complex Type : FAK-CAF-ProcessingType .....	22
2. 111 Complex Type : FAK-CAF-ReducedDeclareMonthTotalSalaryResultType .....	22
2. 135 Complex Type : FAK-CAF-ReducedDialogType .....	23
2. 53 Complex Type : FAK-CAF-ReducedSalaryResultType .....	23
2. 41 Complex Type : FAK-CAF-SalaryResultType .....	24
2. 117 Complex Type : FAK-CAF-SuccessDialogType .....	24
2. 68 Complex Type : FAK-CAF-SuccessType .....	25
2. 12 Complex Type : FaultContextType .....	25
2. 112 Complex Type : GetDialogResponseType .....	26
2. 102 Complex Type : GetResultFromDeclareMonthTotalResponseType .....	26
2. 100 Complex Type : GetResultFromDeclareMonthTotalType .....	27
2. 38 Complex Type : GetResultFromDeclareSalaryResponseType .....	27
2. 36 Complex Type : GetResultFromDeclareSalaryType .....	27
2. 96 Complex Type : GetStatusFromDeclareMonthTotalResponseType .....	28

2.3	Complex Type: GetStatusFromDeclareSalaryType .....	28
2.94	Complex Type: JobDeclareMonthTotalType .....	29
2.99	Complex Type: JobStateMonthTotal .....	29
2.16	Complex Type: JobStateType .....	30
2.4	Complex Type: JobType .....	30
2.122	Complex Type: KTG-AMC-DialogType .....	31
2.75	Complex Type: KTG-AMC-MinimalResultStateType .....	32
2.76	Complex Type: KTG-AMC-ProcessingType .....	32
2.138	Complex Type: KTG-AMC-ReducedDialogType .....	32
2.56	Complex Type: KTG-AMC-ReducedSalaryResultType .....	33
2.44	Complex Type: KTG-AMC-SalaryResultType .....	33
2.123	Complex Type: KTG-AMC-SuccessDialogType .....	34
2.77	Complex Type: KTG-AMC-SuccessType .....	34
2.93	Complex Type: MonthTotalDeclarationRequestType .....	35
2.108	Complex Type: MonthTotalSalaryResultConsumerType .....	35
2.34	Complex Type: PlausibilityStateType .....	36
2.35	Complex Type: PlausibleNotificationsType .....	36
2.109	Complex Type: ReducedDeclareMonthTotalSalaryResultType .....	36
2.133	Complex Type: ReducedDialogType .....	37
2.132	Complex Type: ReducedGetDialogResponse .....	37
2.51	Complex Type: ReducedSalaryResultType .....	38
2.33	Complex Type: ReducedTaxWorkingStateType .....	38
2.29	Complex Type: ReducedWorkingStateMultiType .....	39
2.28	Complex Type: ReducedWorkingStateType .....	39
2.143	Complex Type: ReplyDialogType .....	39
2.1	Complex Type: RequestContextType .....	40
2.10	Complex Type: ResponseContextType .....	40
2.20	Complex Type: ResponseStateType .....	41
2.85	Complex Type: ResultCompanyNameType .....	41
2.62	Complex Type: ResultStateBaseType .....	42
2.24	Complex Type: ResultType .....	42
2.13	Complex Type: SalaryDeclarationFaultType .....	42
2.2	Complex Type: SalaryDeclarationRequestType .....	43
2.15	Complex Type: SalaryDeclarationStatusResponseType .....	43
2.50	Complex Type: SalaryResultConsumerType .....	44
2.39	Complex Type: SalaryResultType .....	44
2.22	Complex Type: StateSuccessBaseType .....	45
2.130	Complex Type: StatisticDialogType .....	45
2.90	Complex Type: StatisticProcessingType .....	45
2.89	Complex Type: StatisticQuittanceType .....	46
2.142	Complex Type: StatisticReducedDialogType .....	46
2.61	Complex Type: StatisticReducedSalaryResultType .....	47
2.49	Complex Type: StatisticSalaryResultType .....	47
2.131	Complex Type: StatisticSuccessDialogType .....	48
2.91	Complex Type: StatisticSuccessType .....	48
2.9	Complex Type: SubstitutionType .....	48
2.19	Complex Type: SuccessResponseType .....	49
2.128	Complex Type: TaxAtSourceDialogType .....	49
2.84	Complex Type: TaxAtSourceMinimalResultStateType .....	50
2.86	Complex Type: TaxAtSourceProcessingType .....	50
2.141	Complex Type: TaxAtSourceReducedDialogType .....	51
2.59	Complex Type: TaxAtSourceReducedSalaryResultType .....	51
2.87	Complex Type: TaxAtSourceResultSuccessType .....	51
2.47	Complex Type: TaxAtSourceSalaryResultType .....	52
2.129	Complex Type: TaxAtSourceSuccessDialogType .....	52
2.60	Complex Type: TaxCrossborderReducedSalaryResultType .....	53
2.88	Complex Type: TaxCrossborderResultSuccessType .....	53
2.48	Complex Type: TaxCrossborderSalaryResultType .....	54

2.126	Complex Type: TaxDialogType .....	54
2.82	Complex Type: TaxNotSupportedType .....	55
2.81	Complex Type: TaxProcessingType .....	55
2.30	Complex Type: TaxQuittanceType .....	55
2.140	Complex Type: TaxReducedDialogType .....	56
2.58	Complex Type: TaxReducedSalaryResultType .....	56
2.83	Complex Type: TaxResultSuccessType .....	57
2.46	Complex Type: TaxSalaryResultType .....	57
2.31	Complex Type: TaxStateSuccessType .....	58
2.127	Complex Type: TaxSuccessDialogType .....	58
2.32	Complex Type: TaxWorkingStateType .....	59
2.8	Complex Type: UserNotificationType .....	59
2.118	Complex Type: UVG-LAA-DialogType .....	59
2.69	Complex Type: UVG-LAA-MinimalResultStateType .....	60
2.70	Complex Type: UVG-LAA-ProcessingType .....	60
2.136	Complex Type: UVG-LAA-ReducedDialogType .....	61
2.54	Complex Type: UVG-LAA-ReducedSalaryResultType .....	61
2.42	Complex Type: UVG-LAA-SalaryResultType .....	62
2.119	Complex Type: UVG-LAA-SuccessDialogType .....	62
2.71	Complex Type: UVG-LAA-SuccessType .....	63
2.120	Complex Type: UVGZ-LAAC-DialogType .....	63
2.72	Complex Type: UVGZ-LAAC-MinimalResultStateType .....	63
2.73	Complex Type: UVGZ-LAAC-ProcessingType .....	64
2.137	Complex Type: UVGZ-LAAC-ReducedDialogType .....	64
2.55	Complex Type: UVGZ-LAAC-ReducedSalaryResultType .....	65
2.43	Complex Type: UVGZ-LAAC-SalaryResultType .....	65
2.121	Complex Type: UVGZ-LAAC-SuccessDialogType .....	66
2.74	Complex Type: UVGZ-LAAC-SuccessType .....	66
2.27	Complex Type: WorkingStateMultiType .....	66
2.26	Complex Type: WorkingStateType .....	67
2.144	Model Group: GetBaseGroup .....	67
2.23	Model Group: ProcessFlowGroup .....	67
2.21	Model Group: WorkingStateGroup .....	68
2.92	Simple Type: JobKeyType .....	68

## 1. Schema Document Properties

Target Namespace	http://www.swissdec.ch/schema/sd/20200220/SalaryDeclarationContainer
Version	0.0
Element and Attribute Namespaces	Global element and attribute declarations belong to this schema's target namespace. By default, local element declarations belong to this schema's target namespace. By default, local attribute declarations have no namespace.
Schema Composition	This schema imports schema(s) from the following namespace(s): <i>http://www.swissdec.ch/schema/common/20200220/Common</i> (at Common.xsd) <i>http://www.swissdec.ch/schema/sd/20200220/SalaryDeclaration</i> (at SalaryDeclaration.xsd)

## Declared Namespaces

Prefix	Namespace
xml	http://www.w3.org/XML/1998/namespace
sd	http://www.swissdec.ch/schema/sd/20200220/SalaryDeclarationContainer
xs	http://www.w3.org/2001/XMLSchema
sd	http://www.swissdec.ch/schema/sd/20200220/SalaryDeclaration
c	http://www.swissdec.ch/schema/common/20200220/Common

## Schema Component Representation

```
<xs:schema targetNamespace="http://www.swissdec.ch/schema/sd/20200220/SalaryDeclarationContainer" elementFormDefault="qualified" attributeFormDefault="unqualified" version="0.0">
  <xs:import namespace="http://www.swissdec.ch/schema/common/20200220/Common" schemaLocation="Common.xsd"/>
  <xs:import namespace="http://www.swissdec.ch/schema/sd/20200220/SalaryDeclaration" schemaLocation="SalaryDeclaration.xsd"/>
  ...
</xs:schema>
```

## 3. Global Definitions

### 2.11 Complex Type: AddresseeContextType

Name	AddresseeContextType
------	----------------------

## Schema Component Representation

```
<xs:complexType name="AddresseeContextType">
  <xs:sequence>
```

```

<xs:element name="UserAgent" type=" c:UserAgentType "/>
<xs:element name="InstitutionName" type=" c:NotEmptyStringType "/>
<xs:element name="TransmissionDate" type=" xs:dateTime "/>
<xs:element name="ResponseID" type=" c:IDType "/>
<xs:element name="RequestID" type=" c:IDType "/>
<xs:element name="TestCase" type=" c:EmptyType " minOccurs="0"/>
</xs:sequence>
</xs:complexType>

```

## Documentation: Schema Component Representation

UserAgent	<b>Translation:</b> Applikationsinformation <b>Short:</b> Beschreibung der wesentlichen System-Identifikations-Daten <b>Technical:</b> Zur Qualitätsicherung des Übermittlungsprozesses werden die wesentlichen Informationen der beteiligten gesichert
InstitutionName	<b>Translation:</b> Institutionsname
TransmissionDate	<b>Translation:</b> Übertragungszeitpunkt
ResponseID	<b>Translation:</b> AntwortID
RequestID	<b>Translation:</b> AuftragsID
TestCase	<b>Translation:</b> Testfall <b>Short:</b> Testfall-Kennzeichnung <b>Technical:</b> Die Daten wurden empfangen und quittiert. Aber OHNE PRODUKTIVE VERARBEITUNG!!!

## 2.95 Complex Type: AddresseeDeclareMonthTotalType

Name	AddresseeDeclareMonthTotalType
------	--------------------------------

## Schema Component Representation

```

<xs:complexType name="AddresseeDeclareMonthTotalType">
  <xs:sequence>
    <xs:element name="AHV-AVS" type=" sdc:ControlsMultiType " minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="FAK-CAF" type=" sdc:ControlsMultiType " minOccurs="0" maxOccurs="unbounded"/>
  </xs:sequence>
</xs:complexType>

```

## Documentation: Schema Component Representation

AHV-AVS	<b>Translation:</b> AHV Steuerung
FAK-CAF	<b>Translation:</b> FAK Steuerung

## 2.5 Complex Type: AddresseeType

Name	AddresseeType
------	---------------

## Schema Component Representation

```

<xs:complexType name="AddresseeType">
  <xs:sequence>
    <xs:element name="AHV-AVS" type=" sdc:ControlsMultiType " minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="FAK-CAF" type=" sdc:ControlsMultiType " minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="UVG-LAA" type=" sdc:ControlsMultiType " minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="UVGZ-LAAC" type=" sdc:ControlsMultiType " minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="KTG-AMC" type=" sdc:ControlsMultiType " minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="BVG-LPP" type=" sdc:ControlsMultiType " minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="Tax" type=" sdc:ControlsType " minOccurs="0"/>
    <xs:element name="TaxAtSource" type=" sdc:ControlsMultiType " minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="TaxCrossborder" type=" sdc:ControlsMultiType " minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="Statistic" type=" sdc:ControlsMultiType " minOccurs="0"/>
  </xs:sequence>
</xs:complexType>

```

## Documentation: Schema Component Representation

AHV-AVS	Translation: AHV Steuerung
FAK-CAF	Translation: FAK Steuerung
UVG-LAA	Translation: UVG Steuerung
UVGZ-LAAC	Translation: UVGZ Steuerung
KTG-AMC	Translation: KTG Steuerung
BVG-LPP	Translation: BVG Steuerung
Tax	Translation: Kt.Stv. Steuerung
TaxAtSource	Translation: QST (Quellensteuer) Steuerung
TaxCrossborder	Translation: Grenzgänger Steuerung
Statistic	Translation: Statistik Steuerung

## 2.104 Complex Type: AHV-AVS-DeclareMonthTotalSalaryResultType

Name	AHV-AVS-DeclareMonthTotalSalaryResultType
------	---

## Schema Component Representation

```

<xs:complexType name="AHV-AVS-DeclareMonthTotalSalaryResultType">
  <xs:sequence>
    <xs:element name="Warning" type=" c:NotificationsType " minOccurs="0"/>
    <xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
    <xs:choice>
      <xs:element name="NotSupported" type=" sdc:AHV-AVS-MinimalResultStateType "/>
      <xs:element name="CompletionReleaselsMissing" type=" sdc:AHV-AVS-MinimalResultStateType "/>
      <xs:element name="Processing" type=" sdc:AHV-AVS-ProcessingType "/>
      <xs:element name="Error" type=" sdc:ErrorResponseType "/>
      <xs:element name="Success" type=" sdc:AHV-AVS-DeclareMonthTotalSuccessType "/>
    </xs:choice>
  </xs:sequence>
</xs:complexType>

```

## Documentation: Schema Component Representation

Warning	Translation: Warnungen
Info	Translation: Informationen

## 2.106 Complex Type: AHV-AVS-DeclareMonthTotalSuccessType

Name	AHV-AVS-DeclareMonthTotalSuccessType
------	--------------------------------------

### Schema Component Representation

```
<xs:complexType name="AHV-AVS-DeclareMonthTotalSuccessType">
  <xs:complexContent>
    <xs:extension base="sdc:AHV-AVS-MinimalResultStateType">
      <xs:sequence>
        <xs:element name="AHV-AVS-QuittanceWithoutCompletion" type="sd:AHV-AVS-MonthTotalType"
          minOccurs="0" maxOccurs="unbounded"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
```

### Documentation: Schema Component Representation

## 2.114 Complex Type: AHV-AVS-DialogType

Name	AHV-AVS-DialogType
------	--------------------

### Schema Component Representation

```
<xs:complexType name="AHV-AVS-DialogType">
  <xs:sequence>
    <xs:element name="Warning" type="c:NotificationsType" minOccurs="0"/>
    <xs:element name="Info" type="c:NotificationsType" minOccurs="0"/>
    <xs:choice>
      <xs:element name="NotSupported" type="sdc:AHV-AVS-MinimalResultStateType"/>
      <xs:element name="Processing" type="sdc:AHV-AVS-ProcessingType"/>
      <xs:element name="Error" type="sdc:ErrorResponseType"/>
      <xs:element name="Success" type="sdc:AHV-AVS-SuccessDialogType"/>
    </xs:choice>
  </xs:sequence>
</xs:complexType>
```

### Documentation: Schema Component Representation

Warning	Translation: Warnungen
Info	Translation: Informationen

## 2.63 Complex Type: AHV-AVS-MinimalResultStateType

Name	AHV-AVS-MinimalResultStateType
------	--------------------------------

## Schema Component Representation

```
<xs:complexType name="AHV-AVS-MinimalResultStateType">
  <xs:complexContent>
    <xs:extension base=" sdc:ResultStateBaseType ">
      <xs:sequence>
        <xs:element name="Institution" type=" sd:AHV-AVS-CustomerIdentificationConsumerType "/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
```

## Documentation: Schema Component Representation

### 2.64 Complex Type: AHV-AVS-ProcessingType

Name	AHV-AVS-ProcessingType
------	------------------------

## Schema Component Representation

```
<xs:complexType name="AHV-AVS-ProcessingType">
  <xs:complexContent>
    <xs:extension base=" sdc:AHV-AVS-MinimalResultStateType ">
      <xs:sequence>
        <xs:element name="ExpectedAvailability" type=" xs:date " minOccurs="0"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
```

## Documentation: Schema Component Representation

### 2.110 Complex Type: AHV-AVS-ReducedDeclareMonthTotalSalaryResultType

Name	AHV-AVS-ReducedDeclareMonthTotalSalaryResultType
------	--

## Schema Component Representation

```
<xs:complexType name="AHV-AVS-ReducedDeclareMonthTotalSalaryResultType">
  <xs:complexContent>
    <xs:restriction base=" sdc:AHV-AVS-DeclareMonthTotalSalaryResultType ">
      <xs:sequence>
        <xs:element name="Warning" type=" c:NotificationsType " minOccurs="0"/>
        <xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
        <xs:choice>
          <xs:element name="CompletionReleaselsMissing" type=" sdc:AHV-AVS-MinimalResultStateType "/>
          <xs:element name="Processing" type=" sdc:AHV-AVS-ProcessingType "/>
        </xs:choice>
      </xs:sequence>
    </xs:restriction>
  </xs:complexContent>
</xs:complexType>
```

```

<xs:element name="Success" type=" sdc:AHV-AVS-DeclareMonthTotalSuccessType "/>
</xs:choice>
</xs:sequence>
</xs:restriction>
</xs:complexContent>
</xs:complexType>

```

## Documentation: Schema Component Representation

### 2.134 Complex Type: **AHV-AVS-ReducedDialogType**

Name	AHV-AVS-ReducedDialogType
------	---------------------------

#### Schema Component Representation

```

<xs:complexType name="AHV-AVS-ReducedDialogType">
  <xs:complexContent>
    <xs:restriction base=" sdc:AHV-AVS-DialogType ">
      <xs:sequence>
        <xs:element name="Warning" type=" c:NotificationsType " minOccurs="0"/>
        <xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
        <xs:choice>
          <xs:element name="Processing" type=" sdc:AHV-AVS-ProcessingType "/>
          <xs:element name="Success" type=" sdc:AHV-AVS-SuccessDialogType "/>
        </xs:choice>
      </xs:sequence>
    </xs:restriction>
  </xs:complexContent>
</xs:complexType>

```

## Documentation: Schema Component Representation

### 2.52 Complex Type: **AHV-AVS-ReducedSalaryResultType**

Name	AHV-AVS-ReducedSalaryResultType
------	---------------------------------

#### Schema Component Representation

```

<xs:complexType name="AHV-AVS-ReducedSalaryResultType">
  <xs:complexContent>
    <xs:restriction base=" sdc:AHV-AVS-SalaryResultType ">
      <xs:sequence>
        <xs:element name="Warning" type=" c:NotificationsType " minOccurs="0"/>
        <xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
        <xs:choice>
          <xs:element name="CompletionReleaselsMissing" type=" sdc:AHV-AVS-MinimalResultStateType "/>
          <xs:element name="Processing" type=" sdc:AHV-AVS-ProcessingType "/>
          <xs:element name="Success" type=" sdc:AHV-AVS-SuccessType "/>
        </xs:choice>
      </xs:sequence>
    </xs:restriction>
  </xs:complexContent>
</xs:complexType>

```

```

</xs:restriction>
</xs:complexContent>
</xs:complexType>

```

## Documentation: Schema Component Representation

### 2.40 Complex Type: **AHV-AVS-SalaryResultType**

<b>Name</b>	<b>AHV-AVS-SalaryResultType</b>
-------------	---------------------------------

#### Schema Component Representation

```

<xs:complexType name="AHV-AVS-SalaryResultType">
  <xs:sequence>
    <xs:element name="Warning" type="c:NotificationsType" minOccurs="0"/>
    <xs:element name="Info" type="c:NotificationsType" minOccurs="0"/>
    <xs:choice>
      <xs:element name="NotSupported" type="sdc:AHV-AVS-MinimalResultStateType"/>
      <xs:element name="CompletionReleaselsMissing" type="sdc:AHV-AVS-MinimalResultStateType"/>
      <xs:element name="Processing" type="sdc:AHV-AVS-ProcessingType"/>
      <xs:element name="Error" type="sdc:ErrorResponseType"/>
      <xs:element name="Success" type="sdc:AHV-AVS-SuccessType"/>
    </xs:choice>
  </xs:sequence>
</xs:complexType>

```

#### Documentation: Schema Component Representation

Warning	Translation: Warnungen
Info	Translation: Informationen

### 2.115 Complex Type: **AHV-AVS-SuccessDialogType**

<b>Name</b>	<b>AHV-AVS-SuccessDialogType</b>
-------------	----------------------------------

#### Schema Component Representation

```

<xs:complexType name="AHV-AVS-SuccessDialogType">
  <xs:complexContent>
    <xs:extension base="sdc:AHV-AVS-MinimalResultStateType">
      <xs:sequence>
        <xs:element name="DialogMessages" type="c:DialogMessagesType" minOccurs="0"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>

```

#### Documentation: Schema Component Representation

## 2.65 Complex Type: **AHV-AVS-SuccessType**

Name	AHV-AVS-SuccessType
------	---------------------

### Schema Component Representation

```
<xs:complexType name="AHV-AVS-SuccessType">
  <xs:complexContent>
    <xs:extension base="sdc:AHV-AVS-MinimalResultStateType">
      <xs:choice>
        <xs:element name="AHV-AVS-QuittanceWithoutCompletion" type="sd:AHV-AVS-TotalsConsumerType" minOccurs="0"/>
        <xs:sequence>
          <xs:element name="ChangesConsideredUpTo" type="xs:date"/>
          <xs:element name="Staff" type="sd:AHV-AVS-PersonsType"/>
          <xs:element name="Summary" type="sd:AHV-AVS-SummaryType"/>
        </xs:sequence>
      </xs:choice>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
```

### Documentation: Schema Component Representation

## 2.124 Complex Type: **BVG-LPP-DialogType**

Name	BVG-LPP-DialogType
------	--------------------

### Schema Component Representation

```
<xs:complexType name="BVG-LPP-DialogType">
  <xs:sequence>
    <xs:element name="Warning" type="c:NotificationsType" minOccurs="0"/>
    <xs:element name="Info" type="c:NotificationsType" minOccurs="0"/>
    <xs:choice>
      <xs:element name="NotSupported" type="sdc:BVG-LPP-MinimalResultStateType"/>
      <xs:element name="Processing" type="sdc:BVG-LPP-ProcessingType"/>
      <xs:element name="Error" type="sdc:ErrorResponseType"/>
      <xs:element name="Success" type="sdc:BVG-LPP-SuccessDialogType"/>
    </xs:choice>
  </xs:sequence>
</xs:complexType>
```

### Documentation: Schema Component Representation

Warning	Translation: Warnungen
Info	Translation: Informationen

## 2.78 Complex Type: **BVG-LPP-MinimalResultStateType**

Name	BVG-LPP-MinimalResultStateType
------	--------------------------------

### Schema Component Representation

```
<xs:complexType name="BVG-LPP-MinimalResultStateType">
  <xs:complexContent>
    <xs:extension base="sdc:ResultStateBaseType">
      <xs:sequence>
        <xs:element name="Institution" type="sd:BVG-LPP-CustomerIdentificationMultiType"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
```

### Documentation: Schema Component Representation

## 2.79 Complex Type: **BVG-LPP-ProcessingType**

Name	BVG-LPP-ProcessingType
------	------------------------

### Schema Component Representation

```
<xs:complexType name="BVG-LPP-ProcessingType">
  <xs:complexContent>
    <xs:extension base="sdc:BVG-LPP-MinimalResultStateType">
      <xs:sequence>
        <xs:element name="ExpectedAvailability" type="xs:date" minOccurs="0"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
```

### Documentation: Schema Component Representation

## 2.139 Complex Type: **BVG-LPP-ReducedDialogType**

Name	BVG-LPP-ReducedDialogType
------	---------------------------

### Schema Component Representation

```
<xs:complexType name="BVG-LPP-ReducedDialogType">
  <xs:complexContent>
    <xs:restriction base="sdc:BVG-LPP-DialogType">
      <xs:sequence>
        <xs:element name="Warning" type="c:NotificationsType" minOccurs="0"/>
      </xs:sequence>
    </xs:restriction>
  </xs:complexContent>
</xs:complexType>
```

```

<xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
<xs:choice>
<xs:element name="Processing" type=" sdc:BVG-LPP-ProcessingType "/>
<xs:element name="Success" type=" sdc:BVG-LPP-SuccessDialogType "/>
</xs:choice>
</xs:sequence>
</xs:restriction>
</xs:complexContent>
</xs:complexType>

```

## Documentation: Schema Component Representation

### 2.57 Complex Type: **BVG-LPP-ReducedSalaryResultType**

Name	BVG-LPP-ReducedSalaryResultType
------	---------------------------------

#### Schema Component Representation

```

<xs:complexType name="BVG-LPP-ReducedSalaryResultType">
  <xs:complexContent>
    <xs:restriction base=" sdc:BVG-LPP-SalaryResultType ">
      <xs:sequence>
        <xs:element name="Warning" type=" c:NotificationsType " minOccurs="0"/>
        <xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
        <xs:choice>
          <xs:element name="CompletionReleaselsMissing" type=" sdc:BVG-LPP-MinimalResultStateType "/>
          <xs:element name="Processing" type=" sdc:BVG-LPP-ProcessingType "/>
          <xs:element name="Success" type=" sdc:BVG-LPP-SuccessType "/>
        </xs:choice>
      </xs:sequence>
    </xs:restriction>
  </xs:complexContent>
</xs:complexType>

```

## Documentation: Schema Component Representation

### 2.45 Complex Type: **BVG-LPP-SalaryResultType**

Name	BVG-LPP-SalaryResultType
------	--------------------------

#### Schema Component Representation

```

<xs:complexType name="BVG-LPP-SalaryResultType">
  <xs:sequence>
    <xs:element name="Warning" type=" c:NotificationsType " minOccurs="0"/>
    <xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
    <xs:choice>
      <xs:element name="NotSupported" type=" sdc:BVG-LPP-MinimalResultStateType "/>
      <xs:element name="CompletionReleaselsMissing" type=" sdc:BVG-LPP-MinimalResultStateType "/>
      <xs:element name="Processing" type=" sdc:BVG-LPP-ProcessingType "/>
    </xs:choice>
  </xs:sequence>
</xs:complexType>

```

```

<xs:element name="Error" type=" sdc:ErrorResponse " />
<xs:element name="Success" type=" sdc:BVG-LPP-SuccessType " />
</xs:choice>
</xs:sequence>
</xs:complexType>

```

## Documentation: Schema Component Representation

Warning	Translation: Warnungen
Info	Translation: Informationen

### 2.125 Complex Type: **BVG-LPP-SuccessDialogType**

Name	BVG-LPP-SuccessDialogType
------	---------------------------

#### Schema Component Representation

```

<xs:complexType name="BVG-LPP-SuccessDialogType">
  <xs:complexContent>
    <xs:extension base=" sdc:BVG-LPP-MinimalResultStateType ">
      <xs:sequence>
        <xs:element name="DialogMessages" type=" c:DialogMessagesType " minOccurs="0"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>

```

## Documentation: Schema Component Representation

### 2.80 Complex Type: **BVG-LPP-SuccessType**

Name	BVG-LPP-SuccessType
------	---------------------

#### Schema Component Representation

```

<xs:complexType name="BVG-LPP-SuccessType">
  <xs:complexContent>
    <xs:extension base=" sdc:BVG-LPP-MinimalResultStateType ">
      <xs:sequence>
        <xs:element name="ChangesConsideredUpTo" type=" xs:date " />
        <xs:element name="Staff" type=" sd:ContributionsStaffType " minOccurs="0"/>
        <xs:element name="Warning" type=" c:NotificationsType " minOccurs="0"/>
        <xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>

```

## Documentation: Schema Component Representation

## 2.25 Complex Type: **CompletionAndResultType**

Name	CompletionAndResultType
------	-------------------------

### Schema Component Representation

```
<xs:complexType name="CompletionAndResultType">
  <xs:complexContent>
    <xs:extension base="sdc:ResultType">
      <xs:sequence>
        <xs:element name="Completion" type="c:AccessInformationType"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
```

### Documentation: Schema Component Representation

## 2.7 Complex Type: **ControlsMultiType**

Name	ControlsMultiType
------	-------------------

### Schema Component Representation

```
<xs:complexType name="ControlsMultiType">
  <xs:complexContent>
    <xs:extension base="sdc:ControlsType">
      <xs:attribute name="institutionIDRef" type="c:InstanceRefIDType" use="required"/>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
```

### Documentation: Schema Component Representation

## 2.6 Complex Type: **ControlsType**

Name	ControlsType
------	--------------

### Schema Component Representation

```
<xs:complexType name="ControlsType">
  <xs:sequence>
    <xs:element name="ProcessByDistributor" type="c:SimpleBooleanType"/>
  </xs:sequence>
```

---

```
</xs:complexType>
```

## Documentation: Schema Component Representation

ProcessByDistributor

Translation: Verteilung durch Distributor

## 2.101 Complex Type: **DeclareMonthTotalDomainIdentificationType**

Name

DeclareMonthTotalDomainIdentificationType

### Schema Component Representation

```
<xs:complexType name="DeclareMonthTotalDomainIdentificationType">
  <xs:choice>
    <xs:element name="AHV-AVS-Identification" type="sd:AHV-AVS-IdentificationType"/>
    <xs:element name="FAK-CAF-Identification" type="sd:FAK-CAF-IdentificationType"/>
  </xs:choice>
</xs:complexType>
```

## Documentation: Schema Component Representation

---

## 2.97 Complex Type: **DeclareMonthTotalPlausibilityStateType**

Name

DeclareMonthTotalPlausibilityStateType

### Schema Component Representation

```
<xs:complexType name="DeclareMonthTotalPlausibilityStateType">
  <xs:choice>
    <xs:element name="ValidityPlausibilityChecking" type="c:EmptyType"/>
    <xs:element name="Plausible" type="sdc:DeclareMonthTotalPlausibleNotificationsType"/>
  </xs:choice>
</xs:complexType>
```

## Documentation: Schema Component Representation

---

## 2.98 Complex Type: **DeclareMonthTotalPlausibleNotificationsType**

Name

DeclareMonthTotalPlausibleNotificationsType

### Schema Component Representation

```
<xs:complexType name="DeclareMonthTotalPlausibleNotificationsType">
  <xs:sequence>
```

```

<xs:element name="Warning" type=" c:NotificationsType " minOccurs="0"/>
<xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
<xs:element name="JobStateMonthTotal" type=" sdc:JobStateMonthTotal "/>
</xs:sequence>
</xs:complexType>

```

## Documentation: Schema Component Representation

Warning	Translation: Warnungen
Info	Translation: Informationen
JobStateMonthTotal	Translation: Arbeitsauftrags-Status

## 2.103 Complex Type: DeclareMonthTotalSalaryResultType

Name	DeclareMonthTotalSalaryResultType
------	-----------------------------------

## Schema Component Representation

```

<xs:complexType name="DeclareMonthTotalSalaryResultType">
  <xs:choice>
    <xs:element name="AHV-AVS" type=" sdc:AHV-AVS-DeclareMonthTotalSalaryResultType "/>
    <xs:element name="FAK-CAF" type=" sdc:FAK-CAF-DeclareMonthTotalSalaryResultType "/>
  </xs:choice>
</xs:complexType>

```

## Documentation: Schema Component Representation

## 2.14 Complex Type: DeclareSalaryResponseType

Name	DeclareSalaryResponseType
------	---------------------------

## Schema Component Representation

```

<xs:complexType name="DeclareSalaryResponseType">
  <xs:sequence>
    <xs:element name="ResponseContext" type=" sdc:ResponseContextType "/>
    <xs:element name="JobKey" type=" sdc:JobKeyType "/>
  </xs:sequence>
</xs:complexType>

```

## Documentation: Schema Component Representation

ResponseContext	Translation: Antwort Kontext
JobKey	Translation: Auftrags-Schlüssel

## 2.18 Complex Type: **DelayedResponseType**

Name	DelayedResponseType
------	---------------------

### Schema Component Representation

```
<xs:complexType name="DelayedResponseType">
  <xs:sequence>
    <xs:element name="EndUserInformation" type="xs:string"/>
  </xs:sequence>
</xs:complexType>
```

### Documentation: Schema Component Representation

EndUserInformation      Translation: Endbenutzer-Information

## 2.113 Complex Type: **DialogType**

Name	DialogType
------	------------

### Schema Component Representation

```
<xs:complexType name="DialogType">
  <xs:choice>
    <xs:element name="AHV-AVS" type="sdc:AHV-AVS-DialogType"/>
    <xs:element name="FAK-CAF" type="sdc:FAK-CAF-DialogType"/>
    <xs:element name="UVG-LAA" type="sdc:UVG-LAA-DialogType"/>
    <xs:element name="UVGZ-LAAC" type="sdc:UVGZ-LAAC-DialogType"/>
    <xs:element name="KTG-AMC" type="sdc:KTG-AMC-DialogType"/>
    <xs:element name="BVG-LPP" type="sdc:BVG-LPP-DialogType"/>
    <xs:element name="Tax" type="sdc:TaxDialogType"/>
    <xs:element name="TaxAtSource" type="sdc:TaxAtSourceDialogType"/>
    <xs:element name="TaxCrossborder" type="sdc:TaxAtSourceDialogType"/>
    <xs:element name="Statistic" type="sdc:StatisticDialogType"/>
  </xs:choice>
</xs:complexType>
```

### Documentation: Schema Component Representation

## 2.37 Complex Type: **DomainIdentificationType**

Name	DomainIdentificationType
------	--------------------------

### Schema Component Representation

```
<xs:complexType name="DomainIdentificationType">
  <xs:choice>
    <xs:element name="AHV-AVS-Identification" type="sd:AHV-AVS-IdentificationType"/>
  </xs:choice>
</xs:complexType>
```

```

<xs:element name="FAK-CAF-Identification" type=" sd:FAK-CAF-IdentificationType "/>
<xs:element name="UVG-LAA-Identification" type=" sd:UVG-LAA-IdentificationType "/>
<xs:element name="UVGZ-LAAC-Identification" type=" sd:UVGZ-LAAC-IdentificationType "/>
<xs:element name="KTG-AMC-Identification" type=" sd:KTG-AMC-IdentificationType "/>
<xs:element name="BVG-LPP-Identification" type=" sd:BVG-LPP-IdentificationType "/>
<xs:element name="TaxIdentification" type=" sd:TaxIdentificationType "/>
<xs:element name="TaxAtSourceIdentification" type=" sd:TaxAtSourceIdentificationType "/>
<xs:element name="TaxCrossborderIdentification" type=" sd:TaxAtSourceIdentificationType "/>
<xs:element name="StatisticIdentification" type=" sd:RequestIdentificationBaseType "/>
</xs:choice>
</xs:complexType>

```

## Documentation: Schema Component Representation

### 2.17 Complex Type: **ErrorResponseType**

Name	ErrorResponseType
------	-------------------

#### Schema Component Representation

```

<xs:complexType name="ErrorResponseType">
  <xs:sequence>
    <xs:element name="EndUserInformation" type=" xs:string "/>
    <xs:element name="DetailInformation" type=" xs:string " minOccurs="0"/>
    <xs:element name="FaultInformation" type=" sdc:SalaryDeclarationFaultType " minOccurs="0"/>
  </xs:sequence>
</xs:complexType>

```

#### Documentation: Schema Component Representation

EndUserInformation	Translation: Endbenutzer-Information
DetailInformation	Translation: DetailInformation
FaultInformation	Translation: FehlerInformation des Empfängers

### 2.105 Complex Type: **FAK-CAF-DeclareMonthTotalSalaryResultType**

Name	FAK-CAF-DeclareMonthTotalSalaryResultType
------	---

#### Schema Component Representation

```

<xs:complexType name="FAK-CAF-DeclareMonthTotalSalaryResultType">
  <xs:sequence>
    <xs:element name="Warning" type=" c:NotificationsType " minOccurs="0"/>
    <xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
    <xs:choice>
      <xs:element name="NotSupported" type=" sdc:FAK-CAF-MinimalResultStateType "/>
      <xs:element name="CompletionReleasesMissing" type=" sdc:FAK-CAF-MinimalResultStateType "/>
      <xs:element name="Processing" type=" sdc:FAK-CAF-ProcessingType "/>
      <xs:element name="Error" type=" sdc:ErrorResponseType "/>
      <xs:element name="Success" type=" sdc:FAK-CAF-DeclareMonthTotalSuccessType "/>
    </xs:choice>
  </xs:sequence>
</xs:complexType>

```

```

</xs:choice>
</xs:sequence>
</xs:complexType>

```

## Documentation: Schema Component Representation

Warning

Translation: Warnungen

Info

Translation: Informationen

## 2.107 Complex Type: **FAK-CAF-DeclareMonthTotalSuccessType**

Name

FAK-CAF-DeclareMonthTotalSuccessType

## Schema Component Representation

```

<xs:complexType name="FAK-CAF-DeclareMonthTotalSuccessType">
  <xs:complexContent>
    <xs:extension base="sdc:FAK-CAF-MinimalResultStateType">
      <xs:sequence>
        <xs:element name="FAK-CAF-QuittanceWithoutCompletion" type="sd:FAK-CAF-MonthTotalType"
          minOccurs="0" maxOccurs="unbounded"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>

```

## Documentation: Schema Component Representation

## 2.116 Complex Type: **FAK-CAF-DialogType**

Name

FAK-CAF-DialogType

## Schema Component Representation

```

<xs:complexType name="FAK-CAF-DialogType">
  <xs:sequence>
    <xs:element name="Warning" type="c:NotificationsType" minOccurs="0"/>
    <xs:element name="Info" type="c:NotificationsType" minOccurs="0"/>
    <xs:choice>
      <xs:element name="NotSupported" type="sdc:FAK-CAF-MinimalResultStateType"/>
      <xs:element name="Processing" type="sdc:FAK-CAF-ProcessingType"/>
      <xs:element name="Error" type="sdc:ErrorResponseType"/>
      <xs:element name="Success" type="sdc:FAK-CAF-SuccessDialogType"/>
    </xs:choice>
  </xs:sequence>
</xs:complexType>

```

## Documentation: Schema Component Representation

Warning

Translation: Warnungen

Info

Translation: Informationen

**2.66 Complex Type: FAK-CAF-MinimalResultStateType****Name****FAK-CAF-MinimalResultStateType****Schema Component Representation**

```

<xs:complexType name="FAK-CAF-MinimalResultStateType">
  <xs:complexContent>
    <xs:extension base="sdc:ResultStateBaseType">
      <xs:sequence>
        <xs:element name="Institution" type="sd:FAK-CAF-CustomerIdentificationConsumerType"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>

```

**Documentation: Schema Component Representation****2.67 Complex Type: FAK-CAF-ProcessingType****Name****FAK-CAF-ProcessingType****Schema Component Representation**

```

<xs:complexType name="FAK-CAF-ProcessingType">
  <xs:complexContent>
    <xs:extension base="sdc:FAK-CAF-MinimalResultStateType">
      <xs:sequence>
        <xs:element name="ExpectedAvailability" type="xs:date" minOccurs="0"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>

```

**Documentation: Schema Component Representation****2.111 Complex Type: FAK-CAF-ReducedDeclareMonthTotalSalaryResultType****Name****FAK-CAF-ReducedDeclareMonthTotalSalaryResultType****Schema Component Representation**

```

<xs:complexType name="FAK-CAF-ReducedDeclareMonthTotalSalaryResultType">
  <xs:complexContent>
    <xs:restriction base=" sdc:FAK-CAF-DeclareMonthTotalSalaryResultType ">
      <xs:sequence>
        <xs:element name="Warning" type=" c:NotificationsType " minOccurs="0"/>
        <xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
        <xs:choice>
          <xs:element name="CompletionReleaselsMissing" type=" sdc:FAK-CAF-MinimalResultStateType "/>
          <xs:element name="Processing" type=" sdc:FAK-CAF-ProcessingType "/>
          <xs:element name="Success" type=" sdc:FAK-CAF-DeclareMonthTotalSuccessType "/>
        </xs:choice>
      </xs:sequence>
    </xs:restriction>
  </xs:complexContent>
</xs:complexType>

```

## Documentation: Schema Component Representation

### 2.135 Complex Type: **FAK-CAF-ReducedDialogType**

Name	FAK-CAF-ReducedDialogType
------	---------------------------

#### Schema Component Representation

```

<xs:complexType name="FAK-CAF-ReducedDialogType">
  <xs:complexContent>
    <xs:restriction base=" sdc:FAK-CAF-DialogType ">
      <xs:sequence>
        <xs:element name="Warning" type=" c:NotificationsType " minOccurs="0"/>
        <xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
        <xs:choice>
          <xs:element name="Processing" type=" sdc:FAK-CAF-ProcessingType "/>
          <xs:element name="Success" type=" sdc:FAK-CAF-SuccessDialogType "/>
        </xs:choice>
      </xs:sequence>
    </xs:restriction>
  </xs:complexContent>
</xs:complexType>

```

## Documentation: Schema Component Representation

### 2.53 Complex Type: **FAK-CAF-ReducedSalaryResultType**

Name	FAK-CAF-ReducedSalaryResultType
------	---------------------------------

#### Schema Component Representation

```

<xs:complexType name="FAK-CAF-ReducedSalaryResultType">
  <xs:complexContent>
    <xs:restriction base=" sdc:FAK-CAF-SalaryResultType ">

```

```

<xs:sequence>
  <xs:element name="Warning" type=" c:NotificationsType " minOccurs="0"/>
  <xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
  <xs:choice>
    <xs:element name="CompletionReleaselsMissing" type=" sdc:FAK-CAF-MinimalResultStateType "/>
    <xs:element name="Processing" type=" sdc:FAK-CAF-ProcessingType "/>
    <xs:element name="Success" type=" sdc:FAK-CAF-SuccessType "/>
  </xs:choice>
</xs:sequence>
</xs:restriction>
</xs:complexContent>
</xs:complexType>

```

## Documentation: Schema Component Representation

### 2.41 Complex Type: **FAK-CAF-SalaryResultType**

<b>Name</b>	<b>FAK-CAF-SalaryResultType</b>
-------------	---------------------------------

#### Schema Component Representation

```

<xs:complexType name="FAK-CAF-SalaryResultType">
  <xs:sequence>
    <xs:element name="Warning" type=" c:NotificationsType " minOccurs="0"/>
    <xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
    <xs:choice>
      <xs:element name="NotSupported" type=" sdc:FAK-CAF-MinimalResultStateType "/>
      <xs:element name="CompletionReleaselsMissing" type=" sdc:FAK-CAF-MinimalResultStateType "/>
      <xs:element name="Processing" type=" sdc:FAK-CAF-ProcessingType "/>
      <xs:element name="Error" type=" sdc:ErrorResponseType "/>
      <xs:element name="Success" type=" sdc:FAK-CAF-SuccessType "/>
    </xs:choice>
  </xs:sequence>
</xs:complexType>

```

#### Documentation: Schema Component Representation

Warning	Translation: Warnungen
Info	Translation: Informationen

### 2.117 Complex Type: **FAK-CAF-SuccessDialogType**

<b>Name</b>	<b>FAK-CAF-SuccessDialogType</b>
-------------	----------------------------------

#### Schema Component Representation

```

<xs:complexType name="FAK-CAF-SuccessDialogType">
  <xs:complexContent>
    <xs:extension base=" sdc:FAK-CAF-MinimalResultStateType ">
      <xs:sequence>

```

```

<xs:element name="DialogMessages" type="c:DialogMessagesType" minOccurs="0"/>
</xs:sequence>
</xs:extension>
</xs:complexContent>
</xs:complexType>

```

## Documentation: Schema Component Representation

### 2.68 Complex Type: **FAK-CAF-SuccessType**

Name	FAK-CAF-SuccessType
------	---------------------

#### Schema Component Representation

```

<xs:complexType name="FAK-CAF-SuccessType">
  <xs:complexContent>
    <xs:extension base="sdc:FAK-CAF-MinimalResultStateType">
      <xs:choice>
        <xs:element name="FAK-CAF-QuittanceWithoutCompletion" type="sd:FAK-CAF-TotalsConsumerType" minOccurs="0"/>
        <xs:sequence>
          <xs:element name="ChangesConsideredUpTo" type="xs:date"/>
          <xs:element name="Staff" type="sd:AHV-AVS-PersonsType"/>
          <xs:element name="Summary" type="sd:AHV-AVS-SummaryType"/>
        </xs:sequence>
      </xs:choice>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>

```

## Documentation: Schema Component Representation

### 2.12 Complex Type: **FaultContextType**

Name	FaultContextType
------	------------------

#### Schema Component Representation

```

<xs:complexType name="FaultContextType">
  <xs:sequence>
    <xs:element name="UserAgent" type="c:UserAgentType"/>
    <xs:element name="InstitutionName" type="xs:string"/>
    <xs:element name="TransmissionDate" type="xs:dateTime"/>
    <xs:element name="ResponseID" type="c:IDType"/>
    <xs:element name="RequestID" type="c:IDType"/>
    <xs:element name="TestCase" type="c:EmptyType" minOccurs="0"/>
  </xs:sequence>
</xs:complexType>

```

## Documentation: Schema Component Representation

UserAgent	<b>Translation:</b> Applikationsinformation <b>Short:</b> Beschreibung der wesentlichen System-Identifikations-Daten <b>Technical:</b> Zur Qualitätsicherung des Übermittlungsprozesses werden die wesentlichen Informationen der beteiligten gesichert
InstitutionName	<b>Translation:</b> Institutionsname
TransmissionDate	<b>Translation:</b> Übertragungszeitpunkt
ResponseID	<b>Translation:</b> AntwortID
RequestID	<b>Translation:</b> AuftragsID
TestCase	<b>Translation:</b> Testfall <b>Short:</b> Testfall-Kennzeichnung <b>Technical:</b> Die Daten wurden empfangen und quittiert. Aber OHNE PRODUKTIVE VERARBEITUNG!!!

### 2.112 Complex Type: **GetDialogResponseType**

Name	GetDialogResponseType
------	-----------------------

#### Schema Component Representation

```
<xs:complexType name="GetDialogResponseType">
  <xs:sequence>
    <xs:element name="ResponseContext" type="sdc:ResponseContextType"/>
    <xs:element name="Dialog" type="sdc:DialogType"/>
  </xs:sequence>
</xs:complexType>
```

## Documentation: Schema Component Representation

ResponseContext	<b>Translation:</b> Antwort Kontext
Dialog	<b>Translation:</b> Dialog Messages

### 2.102 Complex Type: **GetResultFromDeclareMonthTotalResponseType**

Name	GetResultFromDeclareMonthTotalResponseType
------	--

#### Schema Component Representation

```
<xs:complexType name="GetResultFromDeclareMonthTotalResponseType">
  <xs:sequence>
    <xs:element name="ResponseContext" type="sdc:ResponseContextType"/>
    <xs:element name="SalaryResultMonthTotal" type="sdc:DeclareMonthTotalSalaryResultType"/>
  </xs:sequence>
</xs:complexType>
```

## Documentation: Schema Component Representation

ResponseContext	<b>Translation:</b> Antwort Kontext
SalaryResultMonthTotal	<b>Translation:</b> Resultat für eine monatliche Meldung

## 2.100 Complex Type: **GetResultFromDeclareMonthTotalType**

<b>Name</b>	<b>GetResultFromDeclareMonthTotalType</b>
-------------	---

### Schema Component Representation

```
<xs:complexType name="GetResultFromDeclareMonthTotalType">
  <xs:sequence>
    <xs:element name="RequestContext" type="sdc:RequestContextType"/>
    <xs:element name="DomainMonthTotal" type="sdc:DeclareMonthTotalDomainIdentificationType"/>
  </xs:sequence>
</xs:complexType>
```

### Documentation: Schema Component Representation

RequestContext	<b>Translation:</b> Anfrage Kontext
DomainMonthTotal	<b>Translation:</b> Domäne gemäss swissdec

## 2.38 Complex Type: **GetResultFromDeclareSalaryResponseType**

<b>Name</b>	<b>GetResultFromDeclareSalaryResponseType</b>
-------------	---

### Schema Component Representation

```
<xs:complexType name="GetResultFromDeclareSalaryResponseType">
  <xs:sequence>
    <xs:element name="ResponseContext" type="sdc:ResponseContextType"/>
    <xs:element name="SalaryResult" type="sdc:SalaryResultType"/>
  </xs:sequence>
</xs:complexType>
```

### Documentation: Schema Component Representation

ResponseContext	<b>Translation:</b> Antwort Kontext
SalaryResult	<b>Translation:</b> Resultat zur Lohnmeldung

## 2.36 Complex Type: **GetResultFromDeclareSalaryType**

<b>Name</b>	<b>GetResultFromDeclareSalaryType</b>
-------------	---------------------------------------

### Schema Component Representation

```
<xs:complexType name="GetResultFromDeclareSalaryType">
  <xs:sequence>
    <xs:group ref="sdc:GetBaseGroup"/>
  </xs:sequence>
</xs:complexType>
```

## Documentation: Schema Component Representation

### 2.96 Complex Type: **GetStatusFromDeclareMonthTotalResponseType**

<b>Name</b>	<b>GetStatusFromDeclareMonthTotalResponseType</b>
-------------	---

#### Schema Component Representation

```
<xs:complexType name="GetStatusFromDeclareMonthTotalResponseType">
  <xs:sequence>
    <xs:element name="ResponseContext" type="sdc:ResponseContextType"/>
    <xs:element name="PlausibilityStateMonthTotal" type="sdc:DeclareMonthTotalPlausibilityStateType"/>
    <xs:element name="JobFinished" type="c:SimpleBooleanType"/>
  </xs:sequence>
</xs:complexType>
```

#### Documentation: Schema Component Representation

ResponseContext	<b>Translation:</b> Antwort Kontext
PlausibilityStateMonthTotal	<b>Translation:</b> Pausibilitäts-Status
JobFinished	<b>Translation:</b> Arbeitsauftrag beendet

### 2.3 Complex Type: **GetStatusFromDeclareSalaryType**

<b>Name</b>	<b>GetStatusFromDeclareSalaryType</b>
-------------	---------------------------------------

#### Schema Component Representation

```
<xs:complexType name="GetStatusFromDeclareSalaryType">
  <xs:sequence>
    <xs:element name="RequestContext" type="sdc:RequestContextType"/>
    <xs:element name="JobKey" type="sdc:JobKeyType"/>
  </xs:sequence>
</xs:complexType>
```

#### Documentation: Schema Component Representation

RequestContext	<b>Translation:</b> Anfrage Kontext
JobKey	<b>Translation:</b> Auftrags-Schlüssel <b>Short:</b> Auftrags-Schlüssel für die zweite Operation: GetStatusFromDeclaration

## 2.94 Complex Type: **JobDeclareMonthTotalType**

Name	JobDeclareMonthTotalType
------	--------------------------

### Schema Component Representation

```
<xs:complexType name="JobDeclareMonthTotalType">
  <xs:sequence>
    <xs:element name="Addressees" type=" sdc:AddresseeDeclareMonthTotalType ">
      <xs:unique name="AHV-AVS-Ctrl2">
        <xs:selector xpath="sdc:AHV-AVS"/>
        <xs:field xpath="@institutionIDRef"/>
      </xs:unique>
      <xs:unique name="FAK-CAF-Ctrl2">
        <xs:selector xpath="sdc:FAK-CAF"/>
        <xs:field xpath="@institutionIDRef"/>
      </xs:unique>
    </xs:element>
    <xs:element name="EndUserNotification" type=" sdc:UserNotificationType " minOccurs="0"/>
  </xs:sequence>
</xs:complexType>
```

### Documentation: Schema Component Representation

Addressees	<b>Translation:</b> Adressen <b>Short:</b> Adressen der Empfänger
EndUserNotification	<b>Translation:</b> Endbenutzer-Benachrichtigung <b>Short:</b> Benachrichtigung des Endbenutzer mittels eMail über das Ende der Verteilung (Distributor)

## 2.99 Complex Type: **JobStateMonthTotal**

Name	JobStateMonthTotal
------	--------------------

### Schema Component Representation

```
<xs:complexType name="JobStateMonthTotal">
  <xs:sequence>
    <xs:element name="AHV-AVS" type=" sdc:WorkingStateMultiType " minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="FAK-CAF" type=" sdc:WorkingStateMultiType " minOccurs="0" maxOccurs="unbounded"/>
  </xs:sequence>
</xs:complexType>
```

### Documentation: Schema Component Representation

AHV-AVS	<b>Translation:</b> AHV
FAK-CAF	<b>Translation:</b> FAK

## 2.16 Complex Type: **JobStateType**

<b>Name</b>	<b>JobStateType</b>
-------------	---------------------

### Schema Component Representation

```
<xs:complexType name="JobStateType">
  <xs:sequence>
    <xs:element name="AHV-AVS" type=" sdc:WorkingStateMultiType " minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="FAK-CAF" type=" sdc:WorkingStateMultiType " minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="UVG-LAA" type=" sdc:WorkingStateMultiType " minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="UVGZ-LAAC" type=" sdc:WorkingStateMultiType " minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="KTG-AMC" type=" sdc:WorkingStateMultiType " minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="BVG-LPP" type=" sdc:WorkingStateMultiType " minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="Tax" type=" sdc:TaxWorkingStateType " minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="TaxAtSource" type=" sdc:WorkingStateMultiType " minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="TaxCrossborder" type=" sdc:WorkingStateMultiType " minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="Statistic" type=" sdc:WorkingStateType " minOccurs="0"/>
  </xs:sequence>
</xs:complexType>
```

### Documentation: Schema Component Representation

AHV-AVS	Translation: AHV
FAK-CAF	Translation: FAK
UVG-LAA	Translation: UVG
UVGZ-LAAC	Translation: UVGZ
KTG-AMC	Translation: KTG
BVG-LPP	Translation: BVG
Tax	Translation: Lohnausweis, Rentenbescheinigung
TaxAtSource	Translation: QST (Quellensteuer)
TaxCrossborder	Translation: Grenzgänger
Statistic	Translation: Statistik

## 2.4 Complex Type: **JobType**

<b>Name</b>	<b>JobType</b>
-------------	----------------

### Schema Component Representation

```
<xs:complexType name="JobType">
  <xs:sequence>
    <xs:element name="Addressees" type=" sdc:AddresseeType ">
      <xs:unique name="AHV-AVS-Ctrl">
        <xs:selector xpath="sdc:AHV-AVS"/>
        <xs:field xpath="@institutionIDRef"/>
      </xs:unique>
      <xs:unique name="FAK-CAF-Ctrl">
        <xs:selector xpath="sdc:FAK-CAF"/>
      </xs:unique>
    </xs:sequence>
  </xs:complexType>
```

```

<xs:field xpath="@institutionIDRef"/>
</xs:unique>
<xs:unique name="UVG-LAA-Ctrl">
<xs:selector xpath="sdc:UVG-LAA"/>
<xs:field xpath="@institutionIDRef"/>
</xs:unique>
<xs:unique name="UVGZ-LAAC-Ctrl">
<xs:selector xpath="sdc:UVGZ-LAAC"/>
<xs:field xpath="@institutionIDRef"/>
</xs:unique>
<xs:unique name="KTG-AMC-Ctrl">
<xs:selector xpath="sdc:KTG-AMC"/>
<xs:field xpath="@institutionIDRef"/>
</xs:unique>
<xs:unique name="BVG-LPP-Ctrl">
<xs:selector xpath="sdc:BVG-LPP"/>
<xs:field xpath="@institutionIDRef"/>
</xs:unique>
<xs:unique name="TaxAtSourceCtrl">
<xs:selector xpath="sdc:TaxAtSource"/>
<xs:field xpath="@institutionIDRef"/>
</xs:unique>
<xs:unique name="TaxCrossborderCtrl">
<xs:selector xpath="sdc:TaxCrossborder"/>
<xs:field xpath="@institutionIDRef"/>
</xs:unique>
</xs:element>
<xs:element name="EndUserNotification" type=" sdc:UserNotificationType " minOccurs="0"/>
</xs:sequence>
</xs:complexType>

```

## Documentation: Schema Component Representation

Addressees	<b>Translation:</b> Adressen <b>Short:</b> Adressen der Empfänger
EndUserNotification	<b>Translation:</b> Endbenutzer-Benachrichtigung <b>Short:</b> Benachrichtigung des Endbenutzer mittels eMail über das Ende der Verteilung (Distributor)

## 2.122 Complex Type: KTG-AMC-DialogType

Name	KTG-AMC-DialogType
------	--------------------

## Schema Component Representation

```

<xs:complexType name="KTG-AMC-DialogType">
  <xs:sequence>
    <xs:element name="Warning" type=" c:NotificationsType " minOccurs="0"/>
    <xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
    <xs:choice>
      <xs:element name="NotSupported" type=" sdc:KTG-AMC-MinimalResultStateType "/>
      <xs:element name="Processing" type=" sdc:KTG-AMC-ProcessingType "/>
      <xs:element name="Error" type=" sdc:ErrorResponseType "/>
      <xs:element name="Success" type=" sdc:KTG-AMC-SuccessDialogType "/>
    </xs:choice>
  </xs:sequence>
</xs:complexType>

```

---

```
</xs:complexType>
```

## Documentation: Schema Component Representation

Warning

Translation: Warnungen

Info

Translation: Informationen

## 2.75 Complex Type: **KTG-AMC-MinimalResultStateType**

Name

KTG-AMC-MinimalResultStateType

## Schema Component Representation

```
<xs:complexType name="KTG-AMC-MinimalResultStateType">
  <xs:complexContent>
    <xs:extension base="sdc:ResultStateBaseType">
      <xs:sequence>
        <xs:element name="Institution" type="sd:BaseCustomerIdentificationMultiConsumerType"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
```

## Documentation: Schema Component Representation

---

## 2.76 Complex Type: **KTG-AMC-ProcessingType**

Name

KTG-AMC-ProcessingType

## Schema Component Representation

```
<xs:complexType name="KTG-AMC-ProcessingType">
  <xs:complexContent>
    <xs:extension base="sdc:KTG-AMC-MinimalResultStateType">
      <xs:sequence>
        <xs:element name="ExpectedAvailability" type="xs:date" minOccurs="0"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
```

## Documentation: Schema Component Representation

---

## 2.138 Complex Type: **KTG-AMC-ReducedDialogType**

Name	KTG-AMC-ReducedDialogType
------	---------------------------

### Schema Component Representation

```
<xs:complexType name="KTG-AMC-ReducedDialogType">
  <xs:complexContent>
    <xs:restriction base="sdc:KTG-AMC-DialogType">
      <xs:sequence>
        <xs:element name="Warning" type="c:NotificationsType" minOccurs="0"/>
        <xs:element name="Info" type="c:NotificationsType" minOccurs="0"/>
        <xs:choice>
          <xs:element name="Processing" type="sdc:KTG-AMC-ProcessingType"/>
          <xs:element name="Success" type="sdc:KTG-AMC-SuccessDialogType"/>
        </xs:choice>
      </xs:sequence>
    </xs:restriction>
  </xs:complexContent>
</xs:complexType>
```

### Documentation: Schema Component Representation

## 2.56 Complex Type: KTG-AMC-ReducedSalaryResultType

Name	KTG-AMC-ReducedSalaryResultType
------	---------------------------------

### Schema Component Representation

```
<xs:complexType name="KTG-AMC-ReducedSalaryResultType">
  <xs:complexContent>
    <xs:restriction base="sdc:KTG-AMC-SalaryResultType">
      <xs:sequence>
        <xs:element name="Warning" type="c:NotificationsType" minOccurs="0"/>
        <xs:element name="Info" type="c:NotificationsType" minOccurs="0"/>
        <xs:choice>
          <xs:element name="CompletionReleaselsMissing" type="sdc:KTG-AMC-MinimalResultStateType"/>
          <xs:element name="Processing" type="sdc:KTG-AMC-ProcessingType"/>
          <xs:element name="Success" type="sdc:KTG-AMC-SuccessType"/>
        </xs:choice>
      </xs:sequence>
    </xs:restriction>
  </xs:complexContent>
</xs:complexType>
```

### Documentation: Schema Component Representation

## 2.44 Complex Type: KTG-AMC-SalaryResultType

Name	KTG-AMC-SalaryResultType
------	--------------------------

## Schema Component Representation

```
<xs:complexType name="KTG-AMC-SalaryResultType">
  <xs:sequence>
    <xs:element name="Warning" type="c:NotificationsType" minOccurs="0"/>
    <xs:element name="Info" type="c:NotificationsType" minOccurs="0"/>
    <xs:choice>
      <xs:element name="NotSupported" type="sdc:KTG-AMC-MinimalResultStateType"/>
      <xs:element name="CompletionReleaselsMissing" type="sdc:KTG-AMC-MinimalResultStateType"/>
      <xs:element name="Processing" type="sdc:KTG-AMC-ProcessingType"/>
      <xs:element name="Error" type="sdc:ErrorResponseType"/>
      <xs:element name="Success" type="sdc:KTG-AMC-SuccessType"/>
    </xs:choice>
  </xs:sequence>
</xs:complexType>
```

## Documentation: Schema Component Representation

Warning	Translation: Warnungen
Info	Translation: Informationen

## 2.123 Complex Type: **KTG-AMC-SuccessDialogType**

Name	KTG-AMC-SuccessDialogType
------	---------------------------

## Schema Component Representation

```
<xs:complexType name="KTG-AMC-SuccessDialogType">
  <xs:complexContent>
    <xs:extension base="sdc:KTG-AMC-MinimalResultStateType">
      <xs:sequence>
        <xs:element name="DialogMessages" type="c:DialogMessagesType" minOccurs="0"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
```

## Documentation: Schema Component Representation

## 2.77 Complex Type: **KTG-AMC-SuccessType**

Name	KTG-AMC-SuccessType
------	---------------------

## Schema Component Representation

```
<xs:complexType name="KTG-AMC-SuccessType">
  <xs:complexContent>
    <xs:extension base="sdc:KTG-AMC-MinimalResultStateType">
      <xs:sequence>
```

```

<xs:element name="KTG-AMC-QuittanceWithoutCompletion" type="sd:KTG-AMC-TotalsConsumerType" minOccurs="0"/>
</xs:sequence>
</xs:extension>
</xs:complexContent>
</xs:complexType>

```

## Documentation: Schema Component Representation

### 2.93 Complex Type: **MonthTotalDeclarationRequestType**

<b>Name</b>	<b>MonthTotalDeclarationRequestType</b>
-------------	---

#### Schema Component Representation

```

<xs:complexType name="MonthTotalDeclarationRequestType">
  <xs:sequence>
    <xs:element name="RequestContext" type="sdc:RequestContextType"/>
    <xs:element name="JobMonthTotal" type="sdc:JobDeclareMonthTotalType"/>
    <xs:element name="Substitution" type="sdc:SubstitutionType" minOccurs="0"/>
    <xs:element name="MonthTotalDeclaration" type="sd:MonthTotalDeclarationType"/>
  </xs:sequence>
</xs:complexType>

```

#### Documentation: Schema Component Representation

RequestContext	<b>Translation:</b> Anfrage Kontext
JobMonthTotal	<b>Translation:</b> Arbeitsauftrag <b>Short:</b> Arbeitsauftrag für sämtliche Empfänger (Distributor und Institutionen)
Substitution	<b>Translation:</b> Substitution <b>Short:</b> Substitution einer gültigen Meldung
MonthTotalDeclaration	<b>Translation:</b> Monatliche Lohn-Totale deklarieren

### 2.108 Complex Type: **MonthTotalSalaryResultConsumerType**

<b>Name</b>	<b>MonthTotalSalaryResultConsumerType</b>
-------------	---

#### Schema Component Representation

```

<xs:complexType name="MonthTotalSalaryResultConsumerType">
  <xs:sequence>
    <xs:element name="SalaryResultMonthTotal" type="sdc:ReducedDeclareMonthTotalSalaryResultType"/>
  </xs:sequence>
</xs:complexType>

```

#### Documentation: Schema Component Representation

SalaryResultMonthTotal	<b>Translation:</b> Gehaltsergebnis Monat Total
------------------------	---

## 2.34 Complex Type: **PlausibilityStateType**

Name	PlausibilityStateType
------	-----------------------

### Schema Component Representation

```
<xs:complexType name="PlausibilityStateType">
  <xs:choice>
    <xs:element name="ValidityPlausibilityChecking" type=" c:EmptyType "/>
    <xs:element name="Plausible" type=" sdc:PlausibleNotificationsType "/>
  </xs:choice>
</xs:complexType>
```

### Documentation: Schema Component Representation

## 2.35 Complex Type: **PlausibleNotificationsType**

Name	PlausibleNotificationsType
------	----------------------------

### Schema Component Representation

```
<xs:complexType name="PlausibleNotificationsType">
  <xs:sequence>
    <xs:element name="Warning" type=" c:NotificationsType " minOccurs="0"/>
    <xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
    <xs:element name="JobState" type=" sdc:JobStateType "/>
  </xs:sequence>
</xs:complexType>
```

### Documentation: Schema Component Representation

Warning	Translation: Warnungen
Info	Translation: Informationen
JobState	Translation: Arbeitsauftrags-Status

## 2.109 Complex Type: **ReducedDeclareMonthTotalSalaryResultType**

Name	ReducedDeclareMonthTotalSalaryResultType
------	--

### Schema Component Representation

```
<xs:complexType name="ReducedDeclareMonthTotalSalaryResultType">
  <xs:complexContent>
    <xs:restriction base=" sdc:DeclareMonthTotalSalaryResultType ">
```

```

<xs:choice>
  <xs:element name="AHV-AVS" type=" sdc:AHV-AVS-ReducedDeclareMonthTotalSalaryResultType "/>
  <xs:element name="FAK-CAF" type=" sdc:FAK-CAF-ReducedDeclareMonthTotalSalaryResultType "/>
</xs:choice>
</xs:restriction>
</xs:complexContent>
</xs:complexType>

```

## Documentation: Schema Component Representation

### 2.133 Complex Type: **ReducedDialogType**

Name	ReducedDialogType
------	-------------------

#### Schema Component Representation

```

<xs:complexType name="ReducedDialogType">
  <xs:complexContent>
    <xs:restriction base=" sdc:DialogType ">
      <xs:choice>
        <xs:element name="AHV-AVS" type=" sdc:AHV-AVS-ReducedDialogType "/>
        <xs:element name="FAK-CAF" type=" sdc:FAK-CAF-ReducedDialogType "/>
        <xs:element name="UVG-LAA" type=" sdc:UVG-LAA-ReducedDialogType "/>
        <xs:element name="UVGZ-LAAC" type=" sdc:UVGZ-LAAC-ReducedDialogType "/>
        <xs:element name="KTG-AMC" type=" sdc:KTG-AMC-ReducedDialogType "/>
        <xs:element name="BVG-LPP" type=" sdc:BVG-LPP-ReducedDialogType "/>
        <xs:element name="Tax" type=" sdc:TaxReducedDialogType "/>
        <xs:element name="TaxAtSource" type=" sdc:TaxAtSourceReducedDialogType "/>
        <xs:element name="TaxCrossborder" type=" sdc:TaxAtSourceReducedDialogType "/>
        <xs:element name="Statistic" type=" sdc:StatisticReducedDialogType "/>
      </xs:choice>
    </xs:restriction>
  </xs:complexContent>
</xs:complexType>

```

## Documentation: Schema Component Representation

### 2.132 Complex Type: **ReducedGetDialogResponse**

Name	ReducedGetDialogResponse
------	--------------------------

#### Schema Component Representation

```

<xs:complexType name="ReducedGetDialogResponse">
  <xs:sequence>
    <xs:element name="Dialog" type=" sdc:ReducedDialogType "/>
  </xs:sequence>
</xs:complexType>

```

**Documentation: Schema Component Representation**

Dialog

Translation: Resultat aus der Dialog Operation

**2.51 Complex Type: ReducedSalaryResultType**

<b>Name</b>	<b>ReducedSalaryResultType</b>
-------------	--------------------------------

**Schema Component Representation**

```

<xs:complexType name="ReducedSalaryResultType">
  <xs:complexContent>
    <xs:restriction base=" sdc:SalaryResultType ">
      <xs:choice>
        <xs:element name="AHV-AVS" type=" sdc:AHV-AVS-ReducedSalaryResultType "/>
        <xs:element name="FAK-CAF" type=" sdc:FAK-CAF-ReducedSalaryResultType "/>
        <xs:element name="UVG-LAA" type=" sdc:UVG-LAA-ReducedSalaryResultType "/>
        <xs:element name="UVGZ-LAAC" type=" sdc:UVGZ-LAAC-ReducedSalaryResultType "/>
        <xs:element name="KTG-AMC" type=" sdc:KTG-AMC-ReducedSalaryResultType "/>
        <xs:element name="BVG-LPP" type=" sdc:BVG-LPP-ReducedSalaryResultType "/>
        <xs:element name="Tax" type=" sdc:TaxReducedSalaryResultType "/>
        <xs:element name="TaxAtSource" type=" sdc:TaxAtSourceReducedSalaryResultType "/>
        <xs:element name="TaxCrossborder" type=" sdc:TaxCrossborderReducedSalaryResultType "/>
        <xs:element name="Statistic" type=" sdc:StatisticReducedSalaryResultType "/>
      </xs:choice>
    </xs:restriction>
  </xs:complexContent>
</xs:complexType>

```

**Documentation: Schema Component Representation****2.33 Complex Type: ReducedTaxWorkingStateType**

<b>Name</b>	<b>ReducedTaxWorkingStateType</b>
-------------	-----------------------------------

**Schema Component Representation**

```

<xs:complexType name="ReducedTaxWorkingStateType">
  <xs:complexContent>
    <xs:restriction base=" sdc:TaxWorkingStateType ">
      <xs:choice>
        <xs:element name="Success" type=" sdc:TaxStateSuccessType "/>
      </xs:choice>
    </xs:restriction>
  </xs:complexContent>
</xs:complexType>

```

**Documentation: Schema Component Representation**

## 2.29 Complex Type: **ReducedWorkingStateMultiType**

Name	ReducedWorkingStateMultiType
------	------------------------------

### Schema Component Representation

```
<xs:complexType name="ReducedWorkingStateMultiType">
  <xs:complexContent>
    <xs:restriction base="sdc:WorkingStateMultiType">
      <xs:choice>
        <xs:element name="Success" type="sdc:SuccessResponseType"/>
      </xs:choice>
    </xs:restriction>
  </xs:complexContent>
</xs:complexType>
```

### Documentation: Schema Component Representation

## 2.28 Complex Type: **ReducedWorkingStateType**

Name	ReducedWorkingStateType
------	-------------------------

### Schema Component Representation

```
<xs:complexType name="ReducedWorkingStateType">
  <xs:complexContent>
    <xs:restriction base="sdc:WorkingStateType">
      <xs:choice>
        <xs:element name="Success" type="sdc:SuccessResponseType"/>
      </xs:choice>
    </xs:restriction>
  </xs:complexContent>
</xs:complexType>
```

### Documentation: Schema Component Representation

## 2.143 Complex Type: **ReplyDialogType**

Name	ReplyDialogType
------	-----------------

### Schema Component Representation

```
<xs:complexType name="ReplyDialogType">
  <xs:sequence>
```

```

<xs:group ref="sdc:GetBaseGroup"/>
<xs:element name="DialogMessages" type="c:DialogMessagesType"/>
</xs:sequence>
</xs:complexType>

```

## Documentation: Schema Component Representation

DialogMessages

Translation: Dialog Messages

## 2.1 Complex Type: RequestContextType

Name	RequestContextType
------	--------------------

### Schema Component Representation

```

<xs:complexType name="RequestContextType">
  <xs:sequence>
    <xs:group ref="c:RequestContextBaseGroup"/>
    <xs:element name="TestCase" type="c:EmptyType" minOccurs="0"/>
  </xs:sequence>
</xs:complexType>

```

## Documentation: Schema Component Representation

TestCase

Translation: Testfall

Short: Testfall-Kennzeichnung

**Technical:** Die Daten wurden empfangen und quittiert. Aber OHNE PRODUKTIVE VERARBEITUNG!!!

## 2.10 Complex Type: ResponseContextType

Name	ResponseContextType
------	---------------------

### Schema Component Representation

```

<xs:complexType name="ResponseContextType">
  <xs:sequence>
    <xs:element name="UserAgent" type="c:UserAgentType"/>
    <xs:element name="InstitutionName" type="xs:string"/>
    <xs:element name="TransmissionDate" type="xs:dateTime"/>
    <xs:element name="DeclarationID" type="c:IDType"/>
    <xs:element name="ResponseID" type="c:IDType"/>
    <xs:element name="RequestID" type="c:IDType"/>
    <xs:element name="TestCase" type="c:EmptyType" minOccurs="0"/>
  </xs:sequence>
</xs:complexType>

```

## Documentation: Schema Component Representation

UserAgent

Translation: Applikationsinformation

	<b>Short:</b> Beschreibung der wesentlichen System-Identifikations-Daten <b>Technical:</b> Zur Qualitätsicherung des Übermittlungsprozesses werden die wesentlichen Informationen der beteiligten gesichert
InstitutionName	<b>Translation:</b> Institutionsname
TransmissionDate	<b>Translation:</b> Übertragungszeitpunkt
DeclarationID	<b>Translation:</b> DeclarationID <b>Short:</b> Gleiche ID in allen Requests (Distributor -> End-Empfänger), Responses (Distributor -> Transmitter), Masken und Pdf's, welche zum identischen Geschäftsvorfall gehören. Damit kann sie als Fallnummer für den Support verwendet werden.
ResponseID	<b>Translation:</b> AntwortID
RequestID	<b>Translation:</b> AuftragsID
TestCase	<b>Translation:</b> Testfall <b>Short:</b> Testfall-Kennzeichnung <b>Technical:</b> Die Daten wurden empfangen und quittiert. Aber OHNE PRODUKTIVE VERARBEITUNG!!!

## 2.20 Complex Type: ResponseStateType

Name	ResponseStateType
------	-------------------

### Schema Component Representation

```
<xs:complexType name="ResponseStateType">
  <xs:sequence>
    <xs:element name="Code" type="c:ResponseCodeType"/>
    <xs:element name="Warning" type="c:NotificationsType" minOccurs="0"/>
    <xs:element name="Info" type="c:NotificationsType" minOccurs="0"/>
  </xs:sequence>
</xs:complexType>
```

### Documentation: Schema Component Representation

Code	<b>Translation:</b> Status-Code
Warning	<b>Translation:</b> Warnungen
Info	<b>Translation:</b> Informationen

## 2.85 Complex Type: ResultCompanyNameType

Name	ResultCompanyNameType
------	-----------------------

### Schema Component Representation

```
<xs:complexType name="ResultCompanyNameType">
  <xs:sequence>
    <xs:element name="Name" type="c:CompanyNameType" minOccurs="0"/>
    <xs:element name="Owner" type="c:CompanyOwnerType" minOccurs="0"/>
    <xs:element name="UID-BFS" type="c:UID-BFS-UnknownType" minOccurs="0"/>
  </xs:sequence>
</xs:complexType>
```

```
</xs:sequence>
</xs:complexType>
```

## Documentation: Schema Component Representation

Name	<b>Translation:</b> Name <b>Short:</b> Name des Unternehmens
Owner	<b>Translation:</b> Inhaber <b>Short:</b> Inhaber des Unternehmens
UID-BFS	<b>Translation:</b> Unternehmensidentifikation BFS

## 2.62 Complex Type: **ResultStateBaseType**

<b>Name</b>	<b>ResultStateBaseType</b>
-------------	----------------------------

### Schema Component Representation

```
<xs:complexType name="ResultStateBaseType">
  <xs:sequence>
    <xs:element name="AddresseeContext" type=" sdc:AddresseeContextType "/>
  </xs:sequence>
</xs:complexType>
```

## Documentation: Schema Component Representation

AddresseeContext	<b>Translation:</b> Adress-Kontext
------------------	------------------------------------

## 2.24 Complex Type: **ResultType**

<b>Name</b>	<b>ResultType</b>
-------------	-------------------

### Schema Component Representation

```
<xs:complexType name="ResultType">
  <xs:sequence>
    <xs:element name="Credentials" type=" c:CredentialsType "/>
  </xs:sequence>
</xs:complexType>
```

## Documentation: Schema Component Representation

Credentials	<b>Translation:</b> Berechtigungsnachweis
-------------	---

## 2.13 Complex Type: **SalaryDeclarationFaultType**

<b>Name</b>	<b>SalaryDeclarationFaultType</b>
-------------	-----------------------------------

## Schema Component Representation

```
<xs:complexType name="SalaryDeclarationFaultType">
  <xs:sequence>
    <xs:element name="FaultContext" type=" sdc:FaultContextType "/>
    <xs:element name="FaultState" type=" c:FaultStateType "/>
  </xs:sequence>
</xs:complexType>
```

### Documentation: Schema Component Representation

FaultContext	Translation: Fehler-Kontext
FaultState	Translation: Fehler-Status

## 2.2 Complex Type: SalaryDeclarationRequestType

Name	SalaryDeclarationRequestType
------	------------------------------

### Schema Component Representation

```
<xs:complexType name="SalaryDeclarationRequestType">
  <xs:sequence>
    <xs:element name="RequestContext" type=" sdc:RequestContextType "/>
    <xs:element name="Job" type=" sdc:JobType "/>
    <xs:element name="Substitution" type=" sdc:SubstitutionType " minOccurs="0"/>
    <xs:element name="SalaryDeclaration" type=" sd:SalaryDeclarationType "/>
  </xs:sequence>
</xs:complexType>
```

### Documentation: Schema Component Representation

RequestContext	Translation: Anfrage Kontext
Job	Translation: Arbeitsauftrag Short: Arbeitsauftrag für sämtliche Empfänger (Distributor und Institutionen)
Substitution	Translation: Substitution Short: Substitution einer gültigen Meldung
SalaryDeclaration	Translation: Lohnmeldung Short: Nutzdaten zur Lohnmeldung

## 2.15 Complex Type: SalaryDeclarationStatusResponseType

Name	SalaryDeclarationStatusResponseType
------	-------------------------------------

### Schema Component Representation

```
<xs:complexType name="SalaryDeclarationStatusResponseType">
  <xs:sequence>
    <xs:element name="ResponseContext" type=" sdc:ResponseContextType "/>
  </xs:sequence>
</xs:complexType>
```

```

<xs:element name="PlausibilityState" type=" sdc:PlausibilityStateType "/>
<xs:element name="JobFinished" type=" c:SimpleBooleanType "/>
</xs:sequence>
</xs:complexType>

```

### Documentation: Schema Component Representation

ResponseContext	Translation: Antwort Kontext
PlausibilityState	Translation: Pausibilitäts-Status
JobFinished	Translation: Arbeitsauftrag beendet

## 2.50 Complex Type: **SalaryResultConsumerType**

Name	SalaryResultConsumerType
------	--------------------------

### Schema Component Representation

```

<xs:complexType name="SalaryResultConsumerType">
  <xs:sequence>
    <xs:element name="SalaryResult" type=" sdc:ReducedSalaryResultType "/>
  </xs:sequence>
</xs:complexType>

```

### Documentation: Schema Component Representation

SalaryResult	Translation: Resultat aus der Lohnmeldung
--------------	---

## 2.39 Complex Type: **SalaryResultType**

Name	SalaryResultType
------	------------------

### Schema Component Representation

```

<xs:complexType name="SalaryResultType">
  <xs:choice>
    <xs:element name="AHV-AVS" type=" sdc:AHV-AVS-SalaryResultType "/>
    <xs:element name="FAK-CAF" type=" sdc:FAK-CAF-SalaryResultType "/>
    <xs:element name="UVG-LAA" type=" sdc:UVG-LAA-SalaryResultType "/>
    <xs:element name="UVGZ-LAAC" type=" sdc:UVGZ-LAAC-SalaryResultType "/>
    <xs:element name="KTG-AMC" type=" sdc:KTG-AMC-SalaryResultType "/>
    <xs:element name="BVG-LPP" type=" sdc:BVG-LPP-SalaryResultType "/>
    <xs:element name="Tax" type=" sdc:TaxSalaryResultType "/>
    <xs:element name="TaxAtSource" type=" sdc:TaxAtSourceSalaryResultType "/>
    <xs:element name="TaxCrossborder" type=" sdc:TaxCrossborderSalaryResultType "/>
    <xs:element name="Statistic" type=" sdc:StatisticSalaryResultType "/>
  </xs:choice>
</xs:complexType>

```

### Documentation: Schema Component Representation

## 2.22 Complex Type: **StateSuccessBaseType**

Name	StateSuccessBaseType
------	----------------------

### Schema Component Representation

```
<xs:complexType name="StateSuccessBaseType">
  <xs:sequence>
    <xs:element name="AddresseeContext" type=" sdc:AddresseeContextType "/>
    <xs:element name="ResponseState" type=" sdc:ResponseStateType "/>
  </xs:sequence>
</xs:complexType>
```

### Documentation: Schema Component Representation

AddresseeContext	Translation: Adress-Kontext
ResponseState	Translation: Antwort-Status

## 2.130 Complex Type: **StatisticDialogType**

Name	StatisticDialogType
------	---------------------

### Schema Component Representation

```
<xs:complexType name="StatisticDialogType">
  <xs:sequence>
    <xs:element name="Warning" type=" c:NotificationsType " minOccurs="0"/>
    <xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
    <xs:choice>
      <xs:element name="NotSupported" type=" sdc:ResultStateBaseType "/>
      <xs:element name="Processing" type=" sdc:StatisticProcessingType "/>
      <xs:element name="Error" type=" sdc:ErrorResponseType "/>
      <xs:element name="Success" type=" sdc:StatisticSuccessDialogType "/>
    </xs:choice>
  </xs:sequence>
</xs:complexType>
```

### Documentation: Schema Component Representation

Warning	Translation: Warnungen
Info	Translation: Informationen

## 2.90 Complex Type: **StatisticProcessingType**

Name	StatisticProcessingType
------	-------------------------

## Schema Component Representation

```
<xs:complexType name="StatisticProcessingType">
  <xs:complexContent>
    <xs:extension base=" sdc:ResultStateBaseType ">
      <xs:sequence>
        <xs:element name="ExpectedAvailability" type=" xs:date " minOccurs="0"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
```

## Documentation: Schema Component Representation

### 2.89 Complex Type: **StatisticQuittanceType**

Name	StatisticQuittanceType
------	------------------------

## Schema Component Representation

```
<xs:complexType name="StatisticQuittanceType">
  <xs:sequence>
    <xs:element name="NumberOf-Person-Tags" type=" xs:unsignedInt "/>
  </xs:sequence>
</xs:complexType>
```

## Documentation: Schema Component Representation

NumberOf-Person-Tags	Translation: Anzahl Statistik Lohn Tags
----------------------	---

### 2.142 Complex Type: **StatisticReducedDialogType**

Name	StatisticReducedDialogType
------	----------------------------

## Schema Component Representation

```
<xs:complexType name="StatisticReducedDialogType">
  <xs:complexContent>
    <xs:restriction base=" sdc:StatisticDialogType ">
      <xs:sequence>
        <xs:element name="Warning" type=" c:NotificationsType " minOccurs="0"/>
        <xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
        <xs:choice>
          <xs:element name="Processing" type=" sdc:StatisticProcessingType "/>
          <xs:element name="Success" type=" sdc:StatisticSuccessDialogType "/>
        </xs:choice>
      </xs:sequence>
    </xs:restriction>
  </xs:complexContent>
```

---

```
</xs:complexType>
```

---

## Documentation: Schema Component Representation

---

### 2.61 Complex Type: **StatisticReducedSalaryResultType**

Name	StatisticReducedSalaryResultType
------	----------------------------------

#### Schema Component Representation

```
<xs:complexType name="StatisticReducedSalaryResultType">
  <xs:complexContent>
    <xs:restriction base="sdc:StatisticSalaryResultType">
      <xs:sequence>
        <xs:element name="Warning" type="c:NotificationsType" minOccurs="0"/>
        <xs:element name="Info" type="c:NotificationsType" minOccurs="0"/>
        <xs:choice>
          <xs:element name="CompletionReleaselsMissing" type="sdc:ResultStateBaseType"/>
          <xs:element name="Processing" type="sdc:StatisticProcessingType"/>
          <xs:element name="Success" type="sdc:StatisticSuccessType"/>
        </xs:choice>
      </xs:sequence>
    </xs:restriction>
  </xs:complexContent>
</xs:complexType>
```

## Documentation: Schema Component Representation

---

### 2.49 Complex Type: **StatisticSalaryResultType**

Name	StatisticSalaryResultType
------	---------------------------

#### Schema Component Representation

```
<xs:complexType name="StatisticSalaryResultType">
  <xs:sequence>
    <xs:element name="Warning" type="c:NotificationsType" minOccurs="0"/>
    <xs:element name="Info" type="c:NotificationsType" minOccurs="0"/>
    <xs:choice>
      <xs:element name="NotSupported" type="sdc:ResultStateBaseType"/>
      <xs:element name="CompletionReleaselsMissing" type="sdc:ResultStateBaseType"/>
      <xs:element name="Processing" type="sdc:StatisticProcessingType"/>
      <xs:element name="Error" type="sdc:ErrorResponseType"/>
      <xs:element name="Success" type="sdc:StatisticSuccessType"/>
    </xs:choice>
  </xs:sequence>
</xs:complexType>
```

## Documentation: Schema Component Representation

Warning	Translation: Warnungen
Info	Translation: Informationen

## 2.131 Complex Type: **StatisticSuccessDialogType**

Name	StatisticSuccessDialogType
------	----------------------------

### Schema Component Representation

```
<xs:complexType name="StatisticSuccessDialogType">
  <xs:complexContent>
    <xs:extension base="sdc:ResultStateBaseType">
      <xs:sequence>
        <xs:element name="DialogMessages" type="c:DialogMessagesType" minOccurs="0"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
```

### Documentation: Schema Component Representation

## 2.91 Complex Type: **StatisticSuccessType**

Name	StatisticSuccessType
------	----------------------

### Schema Component Representation

```
<xs:complexType name="StatisticSuccessType">
  <xs:complexContent>
    <xs:extension base="sdc:ResultStateBaseType">
      <xs:sequence>
        <xs:element name="Process" type="sd:StatisticProcessType"/>
        <xs:element name="ProcessDescriptions" type="sd:StatisticNotification" minOccurs="0"/>
        <xs:element name="CompanyDescription" type="c:CompanyDescriptionType"/>
        <xs:element name="Staff" type="sd:StatisticPersonsType" minOccurs="0"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
```

### Documentation: Schema Component Representation

## 2.9 Complex Type: **SubstitutionType**

Name	SubstitutionType
------	------------------

## Schema Component Representation

```
<xs:complexType name="SubstitutionType">
  <xs:sequence>
    <xs:element name="PredecessorDeclarationIDWithAcceptedState" type="c:IDType"/>
  </xs:sequence>
</xs:complexType>
```

### Documentation: Schema Component Representation

PredecessorDeclarationID- WithAcceptedState	<b>Translation:</b> MeldungsID <b>Short:</b> Die MeldungsID wird vom Distributor vergeben und verwaltet. Damit lassen sich mehrere Prozess-Schritte "verknüpfen" und ergibt dadurch eine Fall- oder Supportnummer.
--	---

## 2.19 Complex Type: **SuccessResponseType**

<b>Name</b>	<b>SuccessResponseType</b>
-------------	----------------------------

### Schema Component Representation

```
<xs:complexType name="SuccessResponseType">
  <xs:sequence>
    <xs:element name="AddresseeContext" type="sdc:AddresseeContextType"/>
    <xs:element name="ResponseState" type="sdc:ResponseStateType"/>
    <xs:group ref="sdc:ProcessFlowGroup"/>
  </xs:sequence>
</xs:complexType>
```

### Documentation: Schema Component Representation

AddresseeContext	<b>Translation:</b> Adress-Kontext
ResponseState	<b>Translation:</b> Antwort-Status

## 2.128 Complex Type: **TaxAtSourceDialogType**

<b>Name</b>	<b>TaxAtSourceDialogType</b>
-------------	------------------------------

### Schema Component Representation

```
<xs:complexType name="TaxAtSourceDialogType">
  <xs:sequence>
    <xs:element name="Warning" type="c:NotificationsType" minOccurs="0"/>
    <xs:element name="Info" type="c:NotificationsType" minOccurs="0"/>
    <xs:choice>
      <xs:element name="NotSupported" type="sdc:TaxAtSourceMinimalResultStateType"/>
      <xs:element name="Processing" type="sdc:TaxAtSourceProcessingType"/>
      <xs:element name="Error" type="sdc:ErrorResponse"/>
      <xs:element name="Success" type="sdc:TaxAtSourceSuccessDialogType"/>
    </xs:choice>
  </xs:sequence>
</xs:complexType>
```

```

</xs:choice>
</xs:sequence>
</xs:complexType>

```

## Documentation: Schema Component Representation

Warning

Translation: Warnungen

Info

Translation: Informationen

## 2.84 Complex Type: TaxAtSourceMinimalResultStateType

Name

TaxAtSourceMinimalResultStateType

### Schema Component Representation

```

<xs:complexType name="TaxAtSourceMinimalResultStateType">
  <xs:complexContent>
    <xs:extension base="sdc:ResultStateBaseType">
      <xs:sequence>
        <xs:element name="Institution" type="sd:TaxAtSourceCustomerIdentificationConsumerType"/>
        <xs:element name="Company" type="sdc:ResultCompanyNameType" minOccurs="0"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>

```

## Documentation: Schema Component Representation

## 2.86 Complex Type: TaxAtSourceProcessingType

Name

TaxAtSourceProcessingType

### Schema Component Representation

```

<xs:complexType name="TaxAtSourceProcessingType">
  <xs:complexContent>
    <xs:extension base="sdc:TaxAtSourceMinimalResultStateType">
      <xs:sequence>
        <xs:element name="ExpectedAvailability" type="xs:date" minOccurs="0"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>

```

## Documentation: Schema Component Representation

## 2.141 Complex Type: **TaxAtSourceReducedDialogType**

Name	TaxAtSourceReducedDialogType
------	------------------------------

### Schema Component Representation

```
<xs:complexType name="TaxAtSourceReducedDialogType">
  <xs:complexContent>
    <xs:restriction base="sdc:TaxAtSourceDialogType">
      <xs:sequence>
        <xs:element name="Warning" type="c:NotificationsType" minOccurs="0"/>
        <xs:element name="Info" type="c:NotificationsType" minOccurs="0"/>
        <xs:choice>
          <xs:element name="Processing" type="sdc:TaxAtSourceProcessingType"/>
          <xs:element name="Success" type="sdc:TaxAtSourceSuccessDialogType"/>
        </xs:choice>
      </xs:sequence>
    </xs:restriction>
  </xs:complexContent>
</xs:complexType>
```

### Documentation: Schema Component Representation

## 2.59 Complex Type: **TaxAtSourceReducedSalaryResultType**

Name	TaxAtSourceReducedSalaryResultType
------	------------------------------------

### Schema Component Representation

```
<xs:complexType name="TaxAtSourceReducedSalaryResultType">
  <xs:complexContent>
    <xs:restriction base="sdc:TaxAtSourceSalaryResultType">
      <xs:sequence>
        <xs:element name="Warning" type="c:NotificationsType" minOccurs="0"/>
        <xs:element name="Info" type="c:NotificationsType" minOccurs="0"/>
        <xs:choice>
          <xs:element name="CompletionReleaselsMissing" type="sdc:TaxAtSourceMinimalResultStateType"/>
          <xs:element name="Processing" type="sdc:TaxAtSourceProcessingType"/>
          <xs:element name="Success" type="sdc:TaxAtSourceResultSuccessType"/>
        </xs:choice>
      </xs:sequence>
    </xs:restriction>
  </xs:complexContent>
</xs:complexType>
```

### Documentation: Schema Component Representation

## 2.87 Complex Type: **TaxAtSourceResultSuccessType**

Name	TaxAtSourceResultSuccessType
------	------------------------------

### Schema Component Representation

```
<xs:complexType name="TaxAtSourceResultSuccessType">
  <xs:complexContent>
    <xs:extension base="sdc:TaxAtSourceMinimalResultStateType">
      <xs:choice>
        <xs:element name="TaxAtSourceQuittanceWithoutCompletion" type="sd:TaxAtSourceTotalsConsumerType"/>
      >
      <xs:sequence>
        <xs:element name="ChangesConsideredUpTo" type="xs:date"/>
        <xs:element name="Staff" type="sd:TaxAtSourcePersonsType"/>
        <xs:element name="Summary" type="sd:TaxAtSourceSummaryType"/>
        <xs:element name="TaxAtSourceDeclarationQuittance" type="sd:TaxAtSourceTotalsConsumerType"/>
      </xs:sequence>
      </xs:choice>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
```

### Documentation: Schema Component Representation

## 2.47 Complex Type: TaxAtSourceSalaryResultType

Name	TaxAtSourceSalaryResultType
------	-----------------------------

### Schema Component Representation

```
<xs:complexType name="TaxAtSourceSalaryResultType">
  <xs:sequence>
    <xs:element name="Warning" type="c:NotificationsType" minOccurs="0"/>
    <xs:element name="Info" type="c:NotificationsType" minOccurs="0"/>
  <xs:choice>
    <xs:element name="NotSupported" type="sdc:TaxAtSourceMinimalResultStateType"/>
    <xs:element name="CompletionReleaselsMissing" type="sdc:TaxAtSourceMinimalResultStateType"/>
    <xs:element name="Processing" type="sdc:TaxAtSourceProcessingType"/>
    <xs:element name="Error" type="sdc:ErrorResponseType"/>
    <xs:element name="Success" type="sdc:TaxAtSourceResultSuccessType"/>
  </xs:choice>
</xs:sequence>
</xs:complexType>
```

### Documentation: Schema Component Representation

Warning	Translation: Warnungen
Info	Translation: Informationen

## 2.129 Complex Type: TaxAtSourceSuccessDialogType

Name	TaxAtSourceSuccessDialogType
------	------------------------------

## Schema Component Representation

```
<xs:complexType name="TaxAtSourceSuccessDialogType">
  <xs:complexContent>
    <xs:extension base=" sdc:TaxAtSourceMinimalResultStateType ">
      <xs:sequence>
        <xs:element name="DialogMessages" type=" c:DialogMessagesType " minOccurs="0"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
```

## Documentation: Schema Component Representation

### 2.60 Complex Type: TaxCrossborderReducedSalaryResultType

Name	TaxCrossborderReducedSalaryResultType
------	---------------------------------------

## Schema Component Representation

```
<xs:complexType name="TaxCrossborderReducedSalaryResultType">
  <xs:complexContent>
    <xs:restriction base=" sdc:TaxCrossborderSalaryResultType ">
      <xs:sequence>
        <xs:element name="Warning" type=" c:NotificationsType " minOccurs="0"/>
        <xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
        <xs:choice>
          <xs:element name="CompletionReleasesMissing" type=" sdc:TaxAtSourceMinimalResultStateType "/>
          <xs:element name="Processing" type=" sdc:TaxAtSourceProcessingType "/>
          <xs:element name="Success" type=" sdc:TaxCrossborderResultSuccessType "/>
        </xs:choice>
      </xs:sequence>
    </xs:restriction>
  </xs:complexContent>
</xs:complexType>
```

## Documentation: Schema Component Representation

### 2.88 Complex Type: TaxCrossborderResultSuccessType

Name	TaxCrossborderResultSuccessType
------	---------------------------------

## Schema Component Representation

```
<xs:complexType name="TaxCrossborderResultSuccessType">
  <xs:complexContent>
    <xs:extension base=" sdc:TaxAtSourceMinimalResultStateType ">
      <xs:sequence>
        <xs:element name="TaxCrossborderQuittanceWithoutCompletion" type="
```

```

sd:TaxCrossborderTotalsConsumerType "/>
</xs:sequence>
</xs:extension>
</xs:complexContent>
</xs:complexType>

```

## Documentation: Schema Component Representation

### 2.48 Complex Type: **TaxCrossborderSalaryResultType**

Name	TaxCrossborderSalaryResultType
------	--------------------------------

#### Schema Component Representation

```

<xs:complexType name="TaxCrossborderSalaryResultType">
  <xs:sequence>
    <xs:element name="Warning" type=" c:NotificationsType " minOccurs="0"/>
    <xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
    <xs:choice>
      <xs:element name="NotSupported" type=" sdc:TaxAtSourceMinimalResultStateType "/>
      <xs:element name="CompletionReleaselsMissing" type=" sdc:TaxAtSourceMinimalResultStateType "/>
      <xs:element name="Processing" type=" sdc:TaxAtSourceProcessingType "/>
      <xs:element name="Error" type=" sdc:ErrorResponseType "/>
      <xs:element name="Success" type=" sdc:TaxCrossborderResultSuccessType "/>
    </xs:choice>
  </xs:sequence>
</xs:complexType>

```

#### Documentation: Schema Component Representation

Warning	Translation: Warnungen
Info	Translation: Informationen

### 2.126 Complex Type: **TaxDialogType**

Name	TaxDialogType
------	---------------

#### Schema Component Representation

```

<xs:complexType name="TaxDialogType">
  <xs:sequence>
    <xs:element name="Warning" type=" c:NotificationsType " minOccurs="0"/>
    <xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
    <xs:choice>
      <xs:element name="NotSupported" type=" sdc:TaxNotSupportedType "/>
      <xs:element name="Processing" type=" sdc:TaxProcessingType "/>
      <xs:element name="Error" type=" sdc:ErrorResponseType "/>
      <xs:element name="Success" type=" sdc:TaxSuccessDialogType "/>
    </xs:choice>
  </xs:sequence>

```

---

```
</xs:complexType>
```

## Documentation: Schema Component Representation

Warning

Translation: Warnungen

Info

Translation: Informationen

## 2.82 Complex Type: **TaxNotSupportedType**

Name

TaxNotSupportedType

### Schema Component Representation

```
<xs:complexType name="TaxNotSupportedType">
  <xs:complexContent>
    <xs:extension base="sdc:ResultStateBaseType">
      <xs:sequence>
        <xs:element name="InstitutionCantonID" type="c:CantonAddressType"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
```

### Documentation: Schema Component Representation

---

## 2.81 Complex Type: **TaxProcessingType**

Name

TaxProcessingType

### Schema Component Representation

```
<xs:complexType name="TaxProcessingType">
  <xs:complexContent>
    <xs:extension base="sdc:ResultStateBaseType">
      <xs:sequence>
        <xs:element name="InstitutionCantonID" type="c:CantonAddressType"/>
        <xs:element name="ExpectedAvailability" type="xs:date" minOccurs="0"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
```

### Documentation: Schema Component Representation

---

## 2.30 Complex Type: **TaxQuittanceType**

Name	TaxQuittanceType
------	------------------

### Schema Component Representation

```
<xs:complexType name="TaxQuittanceType">
  <xs:sequence>
    <xs:element name="NumberOf-TaxAnnuity-Tags" type="xs:unsignedInt"/>
    <xs:element name="NumberOf-TaxSalary-Tags" type="xs:unsignedInt"/>
    <xs:element name="NumberOf-OwnershipRightDetail-Tags" type="xs:unsignedInt"/>
  </xs:sequence>
</xs:complexType>
```

### Documentation: Schema Component Representation

NumberOf-TaxAnnuity-Tags	<b>Translation:</b> Anzahl Rentenbescheinigung <b>Short:</b> Anzahl der gemeldeten Rentenbescheinigungen Tags
NumberOf-TaxSalary-Tags	<b>Translation:</b> Anzahl gemeldete Lohnausweise <b>Short:</b> Anzahl der gemeldeten Lohnausweise Tags
NumberOf-Owner-shipRightDetail-Tags	<b>Translation:</b> Anzahl gemeldeteter Mitarbeiterbeteiligungen <b>Short:</b> Anzahl der gemeldeteten Mitarbeiterbeteiligungen Tags

## 2.140 Complex Type: TaxReducedDialogType

Name	TaxReducedDialogType
------	----------------------

### Schema Component Representation

```
<xs:complexType name="TaxReducedDialogType">
  <xs:complexContent>
    <xs:restriction base="sdc:TaxDialogType">
      <xs:sequence>
        <xs:element name="Warning" type="c:NotificationsType" minOccurs="0"/>
        <xs:element name="Info" type="c:NotificationsType" minOccurs="0"/>
        <xs:choice>
          <xs:element name="Processing" type="sdc:TaxProcessingType"/>
          <xs:element name="Success" type="sdc:TaxSuccessDialogType"/>
        </xs:choice>
      </xs:sequence>
    </xs:restriction>
  </xs:complexContent>
</xs:complexType>
```

### Documentation: Schema Component Representation

## 2.58 Complex Type: TaxReducedSalaryResultType

Name	TaxReducedSalaryResultType
------	----------------------------

## Schema Component Representation

```
<xs:complexType name="TaxReducedSalaryResultType">
  <xs:complexContent>
    <xs:restriction base=" sdc:TaxSalaryResultType ">
      <xs:sequence>
        <xs:element name="Warning" type=" c:NotificationsType " minOccurs="0"/>
        <xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
        <xs:choice>
          <xs:element name="CompletionReleasesMissing" type=" sdc:TaxNotSupportedType "/>
          <xs:element name="Processing" type=" sdc:TaxProcessingType "/>
          <xs:element name="Success" type=" sdc:TaxResultSuccessType "/>
        </xs:choice>
      </xs:sequence>
    </xs:restriction>
  </xs:complexContent>
</xs:complexType>
```

## Documentation: Schema Component Representation

### 2.83 Complex Type: TaxResultSuccessType

Name	TaxResultSuccessType
------	----------------------

## Schema Component Representation

```
<xs:complexType name="TaxResultSuccessType">
  <xs:complexContent>
    <xs:extension base=" sdc:ResultStateBaseType ">
      <xs:sequence>
        <xs:element name="InstitutionCantonID" type=" c:CantonAddressType "/>
        <xs:element name="TaxQuittance" type=" sdc:TaxQuittanceType "/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
```

## Documentation: Schema Component Representation

### 2.46 Complex Type: TaxSalaryResultType

Name	TaxSalaryResultType
------	---------------------

## Schema Component Representation

```
<xs:complexType name="TaxSalaryResultType">
  <xs:sequence>
    <xs:element name="Warning" type=" c:NotificationsType " minOccurs="0"/>
    <xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
  </xs:sequence>
</xs:complexType>
```

```

<xs:choice>
  <xs:element name="NotSupported" type=" sdc:TaxNotSupportedType "/>
  <xs:element name="CompletionReleaselsMissing" type=" sdc:TaxNotSupportedType "/>
  <xs:element name="Processing" type=" sdc:TaxProcessingType "/>
  <xs:element name="Error" type=" sdc:ErrorResponseType "/>
  <xs:element name="Success" type=" sdc:TaxResultSuccessType "/>
</xs:choice>
</xs:sequence>
</xs:complexType>

```

## Documentation: Schema Component Representation

Warning	Translation: Warnungen
Info	Translation: Informationen

### 2.31 Complex Type: **TaxStateSuccessType**

Name	TaxStateSuccessType
------	---------------------

## Schema Component Representation

```

<xs:complexType name="TaxStateSuccessType">
  <xs:complexContent>
    <xs:extension base=" sdc:StateSuccessBaseType ">
      <xs:sequence>
        <xs:group ref="sdc:ProcessFlowGroup"/>
        <xs:element name="ProcessFinished" type=" sdc:TaxQuittanceType " minOccurs="0"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>

```

## Documentation: Schema Component Representation

### 2.127 Complex Type: **TaxSuccessDialogType**

Name	TaxSuccessDialogType
------	----------------------

## Schema Component Representation

```

<xs:complexType name="TaxSuccessDialogType">
  <xs:complexContent>
    <xs:extension base=" sdc:ResultStateBaseType ">
      <xs:sequence>
        <xs:element name="InstitutionCantonID" type=" c:CantonAddressType "/>
        <xs:element name="DialogMessages" type=" c:DialogMessagesType " minOccurs="0"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>

```

## Documentation: Schema Component Representation

### 2.32 Complex Type: **TaxWorkingStateType**

Name	TaxWorkingStateType
------	---------------------

#### Schema Component Representation

```
<xs:complexType name="TaxWorkingStateType">
  <xs:choice>
    <xs:group ref="sdc:WorkingStateGroup"/>
    <xs:element name="Success" type="sdc:TaxStateSuccessType"/>
  </xs:choice>
  <xs:attribute name="canton" type="c:CantonAndEXType" use="required"/>
</xs:complexType>
```

## Documentation: Schema Component Representation

### 2.8 Complex Type: **UserNotificationType**

Name	UserNotificationType
------	----------------------

#### Schema Component Representation

```
<xs:complexType name="UserNotificationType">
  <xs:sequence>
    <xs:element name="Name" type="xs:string"/>
    <xs:element name="EmailAddress" type="c:EmailAddressType"/>
    <xs:element name="PhoneNumber" type="xs:string"/>
  </xs:sequence>
</xs:complexType>
```

## Documentation: Schema Component Representation

Name	Translation: Name
EmailAddress	Translation: Email Adresse
PhoneNumber	Translation: Telefonnummer

### 2.118 Complex Type: **UVG-LAA-DialogType**

Name	UVG-LAA-DialogType
------	--------------------

#### Schema Component Representation

```

<xs:complexType name="UVG-LAA-DialogType">
  <xs:sequence>
    <xs:element name="Warning" type=" c:NotificationsType " minOccurs="0"/>
    <xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
    <xs:choice>
      <xs:element name="NotSupported" type=" sdc:UVG-LAA-MinimalResultStateType "/>
      <xs:element name="Processing" type=" sdc:UVG-LAA-ProcessingType "/>
      <xs:element name="Error" type=" sdc:ErrorResponseType "/>
      <xs:element name="Success" type=" sdc:UVG-LAA-SuccessDialogType "/>
    </xs:choice>
  </xs:sequence>
</xs:complexType>

```

## Documentation: Schema Component Representation

Warning	Translation: Warnungen
Info	Translation: Informationen

## 2.69 Complex Type: **UVG-LAA-MinimalResultStateType**

Name	UVG-LAA-MinimalResultStateType
------	--------------------------------

## Schema Component Representation

```

<xs:complexType name="UVG-LAA-MinimalResultStateType">
  <xs:complexContent>
    <xs:extension base=" sdc:ResultStateBaseType ">
      <xs:sequence>
        <xs:element name="Institution" type=" sd:BaseCustomerIdentificationMultiConsumerType "/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>

```

## Documentation: Schema Component Representation

## 2.70 Complex Type: **UVG-LAA-ProcessingType**

Name	UVG-LAA-ProcessingType
------	------------------------

## Schema Component Representation

```

<xs:complexType name="UVG-LAA-ProcessingType">
  <xs:complexContent>
    <xs:extension base=" sdc:UVG-LAA-MinimalResultStateType ">
      <xs:sequence>
        <xs:element name="ExpectedAvailability" type=" xs:date " minOccurs="0"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>

```

---

```
</xs:complexType>
```

---

## Documentation: Schema Component Representation

---

### 2.136 Complex Type: UVG-LAA-ReducedDialogType

Name	UVG-LAA-ReducedDialogType
------	---------------------------

#### Schema Component Representation

```
<xs:complexType name="UVG-LAA-ReducedDialogType">
  <xs:complexContent>
    <xs:restriction base=" sdc:UVG-LAA-DialogType ">
      <xs:sequence>
        <xs:element name="Warning" type=" c:NotificationsType " minOccurs="0"/>
        <xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
        <xs:choice>
          <xs:element name="Processing" type=" sdc:UVG-LAA-ProcessingType "/>
          <xs:element name="Success" type=" sdc:UVG-LAA-SuccessDialogType "/>
        </xs:choice>
      </xs:sequence>
    </xs:restriction>
  </xs:complexContent>
</xs:complexType>
```

## Documentation: Schema Component Representation

---

### 2.54 Complex Type: UVG-LAA-ReducedSalaryResultType

Name	UVG-LAA-ReducedSalaryResultType
------	---------------------------------

#### Schema Component Representation

```
<xs:complexType name="UVG-LAA-ReducedSalaryResultType">
  <xs:complexContent>
    <xs:restriction base=" sdc:UVG-LAA-SalaryResultType ">
      <xs:sequence>
        <xs:element name="Warning" type=" c:NotificationsType " minOccurs="0"/>
        <xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
        <xs:choice>
          <xs:element name="CompletionReleaselsMissing" type=" sdc:UVG-LAA-MinimalResultStateType "/>
          <xs:element name="Processing" type=" sdc:UVG-LAA-ProcessingType "/>
          <xs:element name="Success" type=" sdc:UVG-LAA-SuccessType "/>
        </xs:choice>
      </xs:sequence>
    </xs:restriction>
  </xs:complexContent>
</xs:complexType>
```

## Documentation: Schema Component Representation

### 2.42 Complex Type: UVG-LAA-SalaryResultType

Name	UVG-LAA-SalaryResultType
------	--------------------------

#### Schema Component Representation

```
<xs:complexType name="UVG-LAA-SalaryResultType">
  <xs:sequence>
    <xs:element name="Warning" type="c:NotificationsType" minOccurs="0"/>
    <xs:element name="Info" type="c:NotificationsType" minOccurs="0"/>
    <xs:choice>
      <xs:element name="NotSupported" type="sdc:UVG-LAA-MinimalResultStateType"/>
      <xs:element name="CompletionReleaselsMissing" type="sdc:UVG-LAA-MinimalResultStateType"/>
      <xs:element name="Processing" type="sdc:UVG-LAA-ProcessingType"/>
      <xs:element name="Error" type="sdc:ErrorResponseType"/>
      <xs:element name="Success" type="sdc:UVG-LAA-SuccessType"/>
    </xs:choice>
  </xs:sequence>
</xs:complexType>
```

#### Documentation: Schema Component Representation

Warning	Translation: Warnungen
Info	Translation: Informationen

### 2.119 Complex Type: UVG-LAA-SuccessDialogType

Name	UVG-LAA-SuccessDialogType
------	---------------------------

#### Schema Component Representation

```
<xs:complexType name="UVG-LAA-SuccessDialogType">
  <xs:complexContent>
    <xs:extension base="sdc:UVG-LAA-MinimalResultStateType">
      <xs:sequence>
        <xs:element name="DialogMessages" type="c:DialogMessagesType" minOccurs="0"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
```

#### Documentation: Schema Component Representation

## 2.71 Complex Type: UVG-LAA-SuccessType

Name	UVG-LAA-SuccessType
------	---------------------

### Schema Component Representation

```
<xs:complexType name="UVG-LAA-SuccessType">
  <xs:complexContent>
    <xs:extension base="sdc:UVG-LAA-MinimalResultStateType">
      <xs:sequence>
        <xs:element name="UVG-LAA-QuittanceWithoutCompletion" type="sd:UVG-LAA-TotalsConsumerType" minOccurs="0"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
```

### Documentation: Schema Component Representation

## 2.120 Complex Type: UVGZ-LAAC-DialogType

Name	UVGZ-LAAC-DialogType
------	----------------------

### Schema Component Representation

```
<xs:complexType name="UVGZ-LAAC-DialogType">
  <xs:sequence>
    <xs:element name="Warning" type="c:NotificationsType" minOccurs="0"/>
    <xs:element name="Info" type="c:NotificationsType" minOccurs="0"/>
    <xs:choice>
      <xs:element name="NotSupported" type="sdc:UVGZ-LAAC-MinimalResultStateType"/>
      <xs:element name="Processing" type="sdc:UVGZ-LAAC-ProcessingType"/>
      <xs:element name="Error" type="sdc:ErrorResponseType"/>
      <xs:element name="Success" type="sdc:UVGZ-LAAC-SuccessDialogType"/>
    </xs:choice>
  </xs:sequence>
</xs:complexType>
```

### Documentation: Schema Component Representation

Warning	Translation: Warnungen
Info	Translation: Informationen

## 2.72 Complex Type: UVGZ-LAAC-MinimalResultStateType

Name	UVGZ-LAAC-MinimalResultStateType
------	----------------------------------

### Schema Component Representation

```

<xs:complexType name="UVGZ-LAAC-MinimalResultStateType">
  <xs:complexContent>
    <xs:extension base=" sdc:ResultStateBaseType ">
      <xs:sequence>
        <xs:element name="Institution" type=" sd:BaseCustomerIdentificationMultiConsumerType "/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>

```

## Documentation: Schema Component Representation

### 2.73 Complex Type: **UVGZ-LAAC-ProcessingType**

Name	UVGZ-LAAC-ProcessingType
------	--------------------------

#### Schema Component Representation

```

<xs:complexType name="UVGZ-LAAC-ProcessingType">
  <xs:complexContent>
    <xs:extension base=" sdc:UVGZ-LAAC-MinimalResultStateType ">
      <xs:sequence>
        <xs:element name="ExpectedAvailability" type=" xs:date " minOccurs="0"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>

```

## Documentation: Schema Component Representation

### 2.137 Complex Type: **UVGZ-LAAC-ReducedDialogType**

Name	UVGZ-LAAC-ReducedDialogType
------	-----------------------------

#### Schema Component Representation

```

<xs:complexType name="UVGZ-LAAC-ReducedDialogType">
  <xs:complexContent>
    <xs:restriction base=" sdc:UVGZ-LAAC-DialogType ">
      <xs:sequence>
        <xs:element name="Warning" type=" c:NotificationsType " minOccurs="0"/>
        <xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
        <xs:choice>
          <xs:element name="Processing" type=" sdc:UVGZ-LAAC-ProcessingType "/>
          <xs:element name="Success" type=" sdc:UVGZ-LAAC-SuccessDialogType "/>
        </xs:choice>
      </xs:sequence>
    </xs:restriction>
  </xs:complexContent>
</xs:complexType>

```

## Documentation: Schema Component Representation

### 2.55 Complex Type: UVGZ-LAAC-ReducedSalaryResultType

Name	UVGZ-LAAC-ReducedSalaryResultType
------	-----------------------------------

#### Schema Component Representation

```
<xs:complexType name="UVGZ-LAAC-ReducedSalaryResultType">
  <xs:complexContent>
    <xs:restriction base=" sdc:UVGZ-LAAC-SalaryResultType ">
      <xs:sequence>
        <xs:element name="Warning" type=" c:NotificationsType " minOccurs="0"/>
        <xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
        <xs:choice>
          <xs:element name="CompletionReleaselsMissing" type=" sdc:UVGZ-LAAC-MinimalResultStateType "/>
          <xs:element name="Processing" type=" sdc:UVGZ-LAAC-ProcessingType "/>
          <xs:element name="Success" type=" sdc:UVGZ-LAAC-SuccessType "/>
        </xs:choice>
      </xs:sequence>
    </xs:restriction>
  </xs:complexContent>
</xs:complexType>
```

## Documentation: Schema Component Representation

### 2.43 Complex Type: UVGZ-LAAC-SalaryResultType

Name	UVGZ-LAAC-SalaryResultType
------	----------------------------

#### Schema Component Representation

```
<xs:complexType name="UVGZ-LAAC-SalaryResultType">
  <xs:sequence>
    <xs:element name="Warning" type=" c:NotificationsType " minOccurs="0"/>
    <xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
    <xs:choice>
      <xs:element name="NotSupported" type=" sdc:UVGZ-LAAC-MinimalResultStateType "/>
      <xs:element name="CompletionReleaselsMissing" type=" sdc:UVGZ-LAAC-MinimalResultStateType "/>
      <xs:element name="Processing" type=" sdc:UVGZ-LAAC-ProcessingType "/>
      <xs:element name="Error" type=" sdc:ErrorResponseType "/>
      <xs:element name="Success" type=" sdc:UVGZ-LAAC-SuccessType "/>
    </xs:choice>
  </xs:sequence>
</xs:complexType>
```

## Documentation: Schema Component Representation

Warning                      Translation: Warnungen

Info

Translation: Informationen

**2.121 Complex Type: UVGZ-LAAC-SuccessDialogType****Name****UVGZ-LAAC-SuccessDialogType****Schema Component Representation**

```

<xs:complexType name="UVGZ-LAAC-SuccessDialogType">
  <xs:complexContent>
    <xs:extension base=" sdc:UVGZ-LAAC-MinimalResultStateType ">
      <xs:sequence>
        <xs:element name="DialogMessages" type=" c:DialogMessagesType " minOccurs="0"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>

```

**Documentation: Schema Component Representation****2.74 Complex Type: UVGZ-LAAC-SuccessType****Name****UVGZ-LAAC-SuccessType****Schema Component Representation**

```

<xs:complexType name="UVGZ-LAAC-SuccessType">
  <xs:complexContent>
    <xs:extension base=" sdc:UVGZ-LAAC-MinimalResultStateType ">
      <xs:sequence>
        <xs:element name="UVGZ-LAAC-QuittanceWithoutCompletion" type=" sd:UVGZ-LAAC-TotalsConsumerType "
          minOccurs="0"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>

```

**Documentation: Schema Component Representation****2.27 Complex Type: WorkingStateMultiType****Name****WorkingStateMultiType****Schema Component Representation**

```

<xs:complexType name="WorkingStateMultiType">
  <xs:complexContent>
    <xs:extension base="sdc:WorkingStateType">
      <xs:attribute name="institutionIDRef" type="c:InstanceRefIDType" use="required"/>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>

```

## Documentation: Schema Component Representation

### 2.26 Complex Type: WorkingStateType

Name	WorkingStateType
------	------------------

#### Schema Component Representation

```

<xs:complexType name="WorkingStateType">
  <xs:choice>
    <xs:group ref="sdc:WorkingStateGroup"/>
    <xs:element name="Success" type="sdc:SuccessResponseType"/>
  </xs:choice>
</xs:complexType>

```

## Documentation: Schema Component Representation

### 2.144 Model Group: GetBaseGroup

Name

#### Schema Component Representation

```

<xs:group name="GetBaseGroup">
  <xs:sequence>
    <xs:element name="RequestContext" type="sdc:RequestContextType"/>
    <xs:element name="Domain" type="sdc:DomainIdentificationType"/>
  </xs:sequence>
</xs:group>

```

## Documentation: Schema Component Representation

RequestContext	Translation: Anfrage Kontext
Domain	Translation: Domäne gemäss swissdec

### 2.23 Model Group: ProcessFlowGroup

Name

## Schema Component Representation

```
<xs:group name="ProcessFlowGroup">
  <xs:choice>
    <xs:element name="CompletionAndResult" type=" sdc:CompletionAndResultType "/>
    <xs:element name="DialogAndResult" type=" sdc:ResultType "/>
    <xs:element name="Result" type=" sdc:ResultType "/>
  </xs:choice>
</xs:group>
```

## Documentation: Schema Component Representation

### 2.21 Model Group: **WorkingStateGroup**

Name

## Schema Component Representation

```
<xs:group name="WorkingStateGroup">
  <xs:choice>
    <xs:element name="Ignored" type=" c:EmptyType "/>
    <xs:element name="Processing" type=" c:EmptyType "/>
    <xs:element name="Error" type=" sdc:ErrorResponseType "/>
  </xs:choice>
</xs:group>
```

## Documentation: Schema Component Representation

### 2.92 Simple Type: **JobKeyType**

Name	JobKeyType
Content	Built-in XSD Type: string <i>length</i> >= 10
Documentation	Translation (de): Eindeutiger Bezeichner für den Job

## Schema Component Representation

```
<xs:simpleType name="JobKeyType">
  <xs:restriction base=" xs:string ">
    <xs:minLength value="10"/>
  </xs:restriction>
</xs:simpleType>
```

## Documentation: Schema Component Representation

