



Directives pour les receveurs des donnees salariales

Lohnstandard-CH (ELM) / SalaryDeclaration

Eine Gemeinschaftsarbeit der / En cooperation avec / In collaborazione con eAHV, SUVA,
SSK/Stv-BE, BFS und SVV.

Technical Schemadocumentation (TechDoc)

Filename: SalaryDeclarationContainerTechDoc_fr.pdf

Status: final

Schema: SalaryDeclarationContainer.xsd

Namespace:

<http://www.swissdec.ch/schema/sd/20200220/SalaryDeclarationContainer>

Schemaversion: 20200220 / 0.0 (major / minor)

Generated with an adaption of xs3p (<http://titanium.dstc.edu.au/xml/xs3p/>)

Ausgabe / Edition 30.04.2020 17:22

Table of Contents

1. SchemaDocumentProperties.....	5
3. GlobalDefinitions.....	5
2. 11 Complex Type : AddresseeContextType	5
2. 95 Complex Type : AddresseeDeclareMonthTotalType	6
2. 5 Complex Type : AddresseeType	6
2. 104 Complex Type : AHV-AVS-DeclareMonthTotalSalaryResultType	7
2. 106 Complex Type : AHV-AVS-DeclareMonthTotalSuccessType	8
2. 114 Complex Type : AHV-AVS-DialogType	8
2. 63 Complex Type : AHV-AVS-MinimalResultStateType	8
2. 64 Complex Type : AHV-AVS-ProcessingType	9
2. 110 Complex Type : AHV-AVS-ReducedDeclareMonthTotalSalaryResultType	9
2. 134 Complex Type : AHV-AVS-ReducedDialogType	10
2. 52 Complex Type : AHV-AVS-ReducedSalaryResultType	10
2. 40 Complex Type : AHV-AVS-SalaryResultType	11
2. 115 Complex Type : AHV-AVS-SuccessDialogType	11
2. 65 Complex Type : AHV-AVS-SuccessType	12
2. 124 Complex Type : BVG-LPP-DialogType	12
2. 78 Complex Type : BVG-LPP-MinimalResultStateType	13
2. 79 Complex Type : BVG-LPP-ProcessingType	13
2. 139 Complex Type : BVG-LPP-ReducedDialogType	13
2. 57 Complex Type : BVG-LPP-ReducedSalaryResultType	14
2. 45 Complex Type : BVG-LPP-SalaryResultType	14
2. 125 Complex Type : BVG-LPP-SuccessDialogType	15
2. 80 Complex Type : BVG-LPP-SuccessType	15
2. 25 Complex Type : CompletionAndResultType	16
2. 7 Complex Type : ControlsMultiType	16
2. 6 Complex Type : ControlsType	16
2. 101 Complex Type : DeclareMonthTotalDomainIdentificationType	17
2. 97 Complex Type : DeclareMonthTotalPlausibilityStateType	17
2. 98 Complex Type : DeclareMonthTotalPlausibleNotificationsType	17
2. 103 Complex Type : DeclareMonthTotalSalaryResultType	18
2. 14 Complex Type : DeclareSalaryResponseType	18
2. 18 Complex Type : DelayedResponseType	19
2. 113 Complex Type : DialogType	19
2. 37 Complex Type : DomainIdentificationType	19
2. 17 Complex Type : ErrorResponseType	20
2. 105 Complex Type : FAK-CAF-DeclareMonthTotalSalaryResultType	20
2. 107 Complex Type : FAK-CAF-DeclareMonthTotalSuccessType	21
2. 116 Complex Type : FAK-CAF-DialogType	21
2. 66 Complex Type : FAK-CAF-MinimalResultStateType	22
2. 67 Complex Type : FAK-CAF-ProcessingType	22
2. 111 Complex Type : FAK-CAF-ReducedDeclareMonthTotalSalaryResultType	22
2. 135 Complex Type : FAK-CAF-ReducedDialogType	23
2. 53 Complex Type : FAK-CAF-ReducedSalaryResultType	23
2. 41 Complex Type : FAK-CAF-SalaryResultType	24
2. 117 Complex Type : FAK-CAF-SuccessDialogType	24
2. 68 Complex Type : FAK-CAF-SuccessType	25
2. 12 Complex Type : FaultContextType	25
2. 112 Complex Type : GetDialogResponseType	26
2. 102 Complex Type : GetResultFromDeclareMonthTotalResponseType	26
2. 100 Complex Type : GetResultFromDeclareMonthTotalType	27
2. 38 Complex Type : GetResultFromDeclareSalaryResponseType	27
2. 36 Complex Type : GetResultFromDeclareSalaryType	27
2. 96 Complex Type : GetStatusFromDeclareMonthTotalResponseType	28

2.3	Complex Type: GetStatusFromDeclareSalaryType	28
2.94	Complex Type: JobDeclareMonthTotalType	29
2.99	Complex Type: JobStateMonthTotal	29
2.16	Complex Type: JobStateType	30
2.4	Complex Type: JobType	30
2.122	Complex Type: KTG-AMC-DialogType	31
2.75	Complex Type: KTG-AMC-MinimalResultStateType	32
2.76	Complex Type: KTG-AMC-ProcessingType	32
2.138	Complex Type: KTG-AMC-ReducedDialogType	32
2.56	Complex Type: KTG-AMC-ReducedSalaryResultType	33
2.44	Complex Type: KTG-AMC-SalaryResultType	33
2.123	Complex Type: KTG-AMC-SuccessDialogType	34
2.77	Complex Type: KTG-AMC-SuccessType	34
2.93	Complex Type: MonthTotalDeclarationRequestType	35
2.108	Complex Type: MonthTotalSalaryResultConsumerType	35
2.34	Complex Type: PlausibilityStateType	36
2.35	Complex Type: PlausibleNotificationsType	36
2.109	Complex Type: ReducedDeclareMonthTotalSalaryResultType	36
2.133	Complex Type: ReducedDialogType	37
2.132	Complex Type: ReducedGetDialogResponse	37
2.51	Complex Type: ReducedSalaryResultType	38
2.33	Complex Type: ReducedTaxWorkingStateType	38
2.29	Complex Type: ReducedWorkingStateMultiType	39
2.28	Complex Type: ReducedWorkingStateType	39
2.143	Complex Type: ReplyDialogType	39
2.1	Complex Type: RequestContextType	40
2.10	Complex Type: ResponseContextType	40
2.20	Complex Type: ResponseStateType	41
2.85	Complex Type: ResultCompanyNameType	41
2.62	Complex Type: ResultStateBaseType	42
2.24	Complex Type: ResultType	42
2.13	Complex Type: SalaryDeclarationFaultType	42
2.2	Complex Type: SalaryDeclarationRequestType	43
2.15	Complex Type: SalaryDeclarationStatusResponseType	43
2.50	Complex Type: SalaryResultConsumerType	44
2.39	Complex Type: SalaryResultType	44
2.22	Complex Type: StateSuccessBaseType	45
2.130	Complex Type: StatisticDialogType	45
2.90	Complex Type: StatisticProcessingType	45
2.89	Complex Type: StatisticQuittanceType	46
2.142	Complex Type: StatisticReducedDialogType	46
2.61	Complex Type: StatisticReducedSalaryResultType	47
2.49	Complex Type: StatisticSalaryResultType	47
2.131	Complex Type: StatisticSuccessDialogType	48
2.91	Complex Type: StatisticSuccessType	48
2.9	Complex Type: SubstitutionType	48
2.19	Complex Type: SuccessResponseType	49
2.128	Complex Type: TaxAtSourceDialogType	49
2.84	Complex Type: TaxAtSourceMinimalResultStateType	50
2.86	Complex Type: TaxAtSourceProcessingType	50
2.141	Complex Type: TaxAtSourceReducedDialogType	51
2.59	Complex Type: TaxAtSourceReducedSalaryResultType	51
2.87	Complex Type: TaxAtSourceResultSuccessType	51
2.47	Complex Type: TaxAtSourceSalaryResultType	52
2.129	Complex Type: TaxAtSourceSuccessDialogType	52
2.60	Complex Type: TaxCrossborderReducedSalaryResultType	53
2.88	Complex Type: TaxCrossborderResultSuccessType	53
2.48	Complex Type: TaxCrossborderSalaryResultType	54

2.126	Complex Type : TaxDialogType	54
2.82	Complex Type : TaxNotSupportedType	55
2.81	Complex Type : TaxProcessingType	55
2.30	Complex Type : TaxQuittanceType	55
2.140	Complex Type : TaxReducedDialogType	56
2.58	Complex Type : TaxReducedSalaryResultType	56
2.83	Complex Type : TaxResultSuccessType	57
2.46	Complex Type : TaxSalaryResultType	57
2.31	Complex Type : TaxStateSuccessType	58
2.127	Complex Type : TaxSuccessDialogType	58
2.32	Complex Type : TaxWorkingStateType	59
2.8	Complex Type : UserNotificationType	59
2.118	Complex Type : UVG-LAA-DialogType	59
2.69	Complex Type : UVG-LAA-MinimalResultStateType	60
2.70	Complex Type : UVG-LAA-ProcessingType	60
2.136	Complex Type : UVG-LAA-ReducedDialogType	61
2.54	Complex Type : UVG-LAA-ReducedSalaryResultType	61
2.42	Complex Type : UVG-LAA-SalaryResultType	62
2.119	Complex Type : UVG-LAA-SuccessDialogType	62
2.71	Complex Type : UVG-LAA-SuccessType	63
2.120	Complex Type : UVGZ-LAAC-DialogType	63
2.72	Complex Type : UVGZ-LAAC-MinimalResultStateType	63
2.73	Complex Type : UVGZ-LAAC-ProcessingType	64
2.137	Complex Type : UVGZ-LAAC-ReducedDialogType	64
2.55	Complex Type : UVGZ-LAAC-ReducedSalaryResultType	65
2.43	Complex Type : UVGZ-LAAC-SalaryResultType	65
2.121	Complex Type : UVGZ-LAAC-SuccessDialogType	66
2.74	Complex Type : UVGZ-LAAC-SuccessType	66
2.27	Complex Type : WorkingStateMultiType	66
2.26	Complex Type : WorkingStateType	67
2.144	Model Group : GetBaseGroup	67
2.23	Model Group : ProcessFlowGroup	67
2.21	Model Group : WorkingStateGroup	68
2.92	Simple Type : JobKeyType	68

1. Schema Document Properties

Target Namespace	http://www.swissdec.ch/schema/sd/20200220/SalaryDeclarationContainer
Version	0.0
Element and Attribute Namespaces	Global element and attribute declarations belong to this schema's target namespace. By default, local element declarations belong to this schema's target namespace. By default, local attribute declarations have no namespace.
Schema Composition	This schema imports schema(s) from the following namespace(s): <i>http://www.swissdec.ch/schema/common/20200220/Common</i> (at Common.xsd) <i>http://www.swissdec.ch/schema/sd/20200220/SalaryDeclaration</i> (at SalaryDeclaration.xsd)

Declared Namespaces

Prefix	Namespace
xml	http://www.w3.org/XML/1998/namespace
sd	http://www.swissdec.ch/schema/sd/20200220/SalaryDeclarationContainer
xs	http://www.w3.org/2001/XMLSchema
sd	http://www.swissdec.ch/schema/sd/20200220/SalaryDeclaration
c	http://www.swissdec.ch/schema/common/20200220/Common

Schema Component Representation

```
<xs:schema targetNamespace="http://www.swissdec.ch/schema/sd/20200220/SalaryDeclarationContainer" elementFormDefault="qualified" attributeFormDefault="unqualified" version="0.0">
  <xs:import namespace="http://www.swissdec.ch/schema/common/20200220/Common" schemaLocation="Common.xsd"/>
  <xs:import namespace="http://www.swissdec.ch/schema/sd/20200220/SalaryDeclaration" schemaLocation="SalaryDeclaration.xsd"/>
  ...
</xs:schema>
```

3. Global Definitions

2.11 Complex Type: AddresseeContextType

Name	AddresseeContextType
------	----------------------

Schema Component Representation

```
<xs:complexType name="AddresseeContextType">
  <xs:sequence>
```

```

<xs:element name="UserAgent" type="c:UserAgentType"/>
<xs:element name="InstitutionName" type="c:NotEmptyStringType"/>
<xs:element name="TransmissionDate" type="xs:dateTime"/>
<xs:element name="ResponseID" type="c:IDType"/>
<xs:element name="RequestID" type="c:IDType"/>
<xs:element name="TestCase" type="c:EmptyType" minOccurs="0"/>
</xs:sequence>
</xs:complexType>

```

Documentation: Schema Component Representation

UserAgent	Translation: Informations concernant l'application Short: Description des données essentielles d'identification de système Technical: Pour l'assurance de la qualité, les informations essentielles des participants sont sauvegardées.
InstitutionName	Translation: Nom de l'institution
TransmissionDate	Translation: Date et Temps de transmission
ResponseID	Translation: Identificateur de la réponse
RequestID	Translation: Identificateur de la demande
TestCase	Translation: Cas de test Short: Identificateur pour des cas de test Technical: Reception et quittance des données, mais SANS TRAITEMENT PRODUCTIF!!!

2.95 Complex Type: AddresseeDeclareMonthTotalType

Name	AddresseeDeclareMonthTotalType
------	--------------------------------

Schema Component Representation

```

<xs:complexType name="AddresseeDeclareMonthTotalType">
  <xs:sequence>
    <xs:element name="AHV-AVS" type="sdc:ControlsMultiType" minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="FAK-CAF" type="sdc:ControlsMultiType" minOccurs="0" maxOccurs="unbounded"/>
  </xs:sequence>
</xs:complexType>

```

Documentation: Schema Component Representation

AHV-AVS	Translation: Contrôle AVS
FAK-CAF	Translation: Contrôle CAF

2.5 Complex Type: AddresseeType

Name	AddresseeType
------	---------------

Schema Component Representation

```

<xs:complexType name="AddresseeType">
  <xs:sequence>
    <xs:element name="AHV-AVS" type=" sdc:ControlsMultiType " minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="FAK-CAF" type=" sdc:ControlsMultiType " minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="UVG-LAA" type=" sdc:ControlsMultiType " minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="UVGZ-LAAC" type=" sdc:ControlsMultiType " minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="KTG-AMC" type=" sdc:ControlsMultiType " minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="BVG-LPP" type=" sdc:ControlsMultiType " minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="Tax" type=" sdc:ControlsType " minOccurs="0"/>
    <xs:element name="TaxAtSource" type=" sdc:ControlsMultiType " minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="TaxCrossborder" type=" sdc:ControlsMultiType " minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="Statistic" type=" sdc:ControlsMultiType " minOccurs="0"/>
  </xs:sequence>
</xs:complexType>

```

Documentation: Schema Component Representation

AHV-AVS	Translation: Contrôle AVS
FAK-CAF	Translation: Contrôle CAF
UVG-LAA	Translation: Contrôle LAA
UVGZ-LAAC	Translation: Contrôle LAAC
KTG-AMC	Translation: Contrôle IJM
BVG-LPP	Translation: Contrôle BVG
Tax	Translation: Contrôle autorités fiscales
TaxAtSource	Translation: Contrôle IS (Impôt à la source)
TaxCrossborder	Translation: Contrôle Frontaliers
Statistic	Translation: Contrôle Statistique

2.104 Complex Type: AHV-AVS-DeclareMonthTotalSalaryResultType

Name	AHV-AVS-DeclareMonthTotalSalaryResultType
------	---

Schema Component Representation

```

<xs:complexType name="AHV-AVS-DeclareMonthTotalSalaryResultType">
  <xs:sequence>
    <xs:element name="Warning" type=" c:NotificationsType " minOccurs="0"/>
    <xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
    <xs:choice>
      <xs:element name="NotSupported" type=" sdc:AHV-AVS-MinimalResultStateType "/>
      <xs:element name="CompletionReleaselsMissing" type=" sdc:AHV-AVS-MinimalResultStateType "/>
      <xs:element name="Processing" type=" sdc:AHV-AVS-ProcessingType "/>
      <xs:element name="Error" type=" sdc:ErrorResponseType "/>
      <xs:element name="Success" type=" sdc:AHV-AVS-DeclareMonthTotalSuccessType "/>
    </xs:choice>
  </xs:sequence>
</xs:complexType>

```

Documentation: Schema Component Representation

Warning	Translation: Avertissements
Info	Translation: Informations

2.106 Complex Type: AHV-AVS-DeclareMonthTotalSuccessType

Name	AHV-AVS-DeclareMonthTotalSuccessType
-------------	---

Schema Component Representation

```
<xs:complexType name="AHV-AVS-DeclareMonthTotalSuccessType">
  <xs:complexContent>
    <xs:extension base="sdc:AHV-AVS-MinimalResultStateType">
      <xs:sequence>
        <xs:element name="AHV-AVS-QuittanceWithoutCompletion" type="sd:AHV-AVS-MonthTotalType"
          minOccurs="0" maxOccurs="unbounded"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
```

Documentation: Schema Component Representation**2.114 Complex Type: AHV-AVS-DialogType**

Name	AHV-AVS-DialogType
-------------	---------------------------

Schema Component Representation

```
<xs:complexType name="AHV-AVS-DialogType">
  <xs:sequence>
    <xs:element name="Warning" type="c:NotificationsType" minOccurs="0"/>
    <xs:element name="Info" type="c:NotificationsType" minOccurs="0"/>
    <xs:choice>
      <xs:element name="NotSupported" type="sdc:AHV-AVS-MinimalResultStateType"/>
      <xs:element name="Processing" type="sdc:AHV-AVS-ProcessingType"/>
      <xs:element name="Error" type="sdc:ErrorResponseType"/>
      <xs:element name="Success" type="sdc:AHV-AVS-SuccessDialogType"/>
    </xs:choice>
  </xs:sequence>
</xs:complexType>
```

Documentation: Schema Component Representation

Warning	Translation: Avertissements
Info	Translation: Informations

2.63 Complex Type: AHV-AVS-MinimalResultStateType

Name	AHV-AVS-MinimalResultStateType
-------------	---------------------------------------

Schema Component Representation

```
<xs:complexType name="AHV-AVS-MinimalResultStateType">
  <xs:complexContent>
    <xs:extension base=" sdc:ResultStateBaseType ">
      <xs:sequence>
        <xs:element name="Institution" type=" sd:AHV-AVS-CustomerIdentificationConsumerType "/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
```

Documentation: Schema Component Representation

2.64 Complex Type: AHV-AVS-ProcessingType

Name	AHV-AVS-ProcessingType
------	------------------------

Schema Component Representation

```
<xs:complexType name="AHV-AVS-ProcessingType">
  <xs:complexContent>
    <xs:extension base=" sdc:AHV-AVS-MinimalResultStateType ">
      <xs:sequence>
        <xs:element name="ExpectedAvailability" type=" xs:date " minOccurs="0"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
```

Documentation: Schema Component Representation

2.110 Complex Type: AHV-AVS-ReducedDeclareMonthTotalSalaryResultType

Name	AHV-AVS-ReducedDeclareMonthTotalSalaryResultType
------	--

Schema Component Representation

```
<xs:complexType name="AHV-AVS-ReducedDeclareMonthTotalSalaryResultType">
  <xs:complexContent>
    <xs:restriction base=" sdc:AHV-AVS-DeclareMonthTotalSalaryResultType ">
      <xs:sequence>
        <xs:element name="Warning" type=" c:NotificationsType " minOccurs="0"/>
        <xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
        <xs:choice>
          <xs:element name="CompletionReleaselsMissing" type=" sdc:AHV-AVS-MinimalResultStateType "/>
          <xs:element name="Processing" type=" sdc:AHV-AVS-ProcessingType "/>
        </xs:choice>
      </xs:sequence>
    </xs:restriction>
  </xs:complexContent>
</xs:complexType>
```

```

<xs:element name="Success" type=" sdc:AHV-AVS-DeclareMonthTotalSuccessType "/>
</xs:choice>
</xs:sequence>
</xs:restriction>
</xs:complexContent>
</xs:complexType>

```

Documentation: Schema Component Representation

2.134 Complex Type: **AHV-AVS-ReducedDialogType**

Name	AHV-AVS-ReducedDialogType
------	---------------------------

Schema Component Representation

```

<xs:complexType name="AHV-AVS-ReducedDialogType">
  <xs:complexContent>
    <xs:restriction base=" sdc:AHV-AVS-DialogType ">
      <xs:sequence>
        <xs:element name="Warning" type=" c:NotificationsType " minOccurs="0"/>
        <xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
        <xs:choice>
          <xs:element name="Processing" type=" sdc:AHV-AVS-ProcessingType "/>
          <xs:element name="Success" type=" sdc:AHV-AVS-SuccessDialogType "/>
        </xs:choice>
      </xs:sequence>
    </xs:restriction>
  </xs:complexContent>
</xs:complexType>

```

Documentation: Schema Component Representation

2.52 Complex Type: **AHV-AVS-ReducedSalaryResultType**

Name	AHV-AVS-ReducedSalaryResultType
------	---------------------------------

Schema Component Representation

```

<xs:complexType name="AHV-AVS-ReducedSalaryResultType">
  <xs:complexContent>
    <xs:restriction base=" sdc:AHV-AVS-SalaryResultType ">
      <xs:sequence>
        <xs:element name="Warning" type=" c:NotificationsType " minOccurs="0"/>
        <xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
        <xs:choice>
          <xs:element name="CompletionReleaselsMissing" type=" sdc:AHV-AVS-MinimalResultStateType "/>
          <xs:element name="Processing" type=" sdc:AHV-AVS-ProcessingType "/>
          <xs:element name="Success" type=" sdc:AHV-AVS-SuccessType "/>
        </xs:choice>
      </xs:sequence>
    </xs:restriction>
  </xs:complexContent>
</xs:complexType>

```

```

</xs:restriction>
</xs:complexContent>
</xs:complexType>

```

Documentation: Schema Component Representation

2.40 Complex Type: **AHV-AVS-SalaryResultType**

Name	AHV-AVS-SalaryResultType
-------------	---------------------------------

Schema Component Representation

```

<xs:complexType name="AHV-AVS-SalaryResultType">
  <xs:sequence>
    <xs:element name="Warning" type="c:NotificationsType" minOccurs="0"/>
    <xs:element name="Info" type="c:NotificationsType" minOccurs="0"/>
    <xs:choice>
      <xs:element name="NotSupported" type="sdc:AHV-AVS-MinimalResultStateType"/>
      <xs:element name="CompletionReleaselsMissing" type="sdc:AHV-AVS-MinimalResultStateType"/>
      <xs:element name="Processing" type="sdc:AHV-AVS-ProcessingType"/>
      <xs:element name="Error" type="sdc:ErrorResponseType"/>
      <xs:element name="Success" type="sdc:AHV-AVS-SuccessType"/>
    </xs:choice>
  </xs:sequence>
</xs:complexType>

```

Documentation: Schema Component Representation

Warning	Translation: Avertissements
Info	Translation: Informations

2.115 Complex Type: **AHV-AVS-SuccessDialogType**

Name	AHV-AVS-SuccessDialogType
-------------	----------------------------------

Schema Component Representation

```

<xs:complexType name="AHV-AVS-SuccessDialogType">
  <xs:complexContent>
    <xs:extension base="sdc:AHV-AVS-MinimalResultStateType">
      <xs:sequence>
        <xs:element name="DialogMessages" type="c:DialogMessagesType" minOccurs="0"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>

```

Documentation: Schema Component Representation

2.65 Complex Type: **AHV-AVS-SuccessType**

Name	AHV-AVS-SuccessType
------	---------------------

Schema Component Representation

```
<xs:complexType name="AHV-AVS-SuccessType">
  <xs:complexContent>
    <xs:extension base="sdc:AHV-AVS-MinimalResultStateType">
      <xs:choice>
        <xs:element name="AHV-AVS-QuittanceWithoutCompletion" type="sd:AHV-AVS-TotalsConsumerType" minOccurs="0"/>
        <xs:sequence>
          <xs:element name="ChangesConsideredUpTo" type="xs:date"/>
          <xs:element name="Staff" type="sd:AHV-AVS-PersonsType"/>
          <xs:element name="Summary" type="sd:AHV-AVS-SummaryType"/>
        </xs:sequence>
      </xs:choice>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
```

Documentation: Schema Component Representation

2.124 Complex Type: **BVG-LPP-DialogType**

Name	BVG-LPP-DialogType
------	--------------------

Schema Component Representation

```
<xs:complexType name="BVG-LPP-DialogType">
  <xs:sequence>
    <xs:element name="Warning" type="c:NotificationsType" minOccurs="0"/>
    <xs:element name="Info" type="c:NotificationsType" minOccurs="0"/>
    <xs:choice>
      <xs:element name="NotSupported" type="sdc:BVG-LPP-MinimalResultStateType"/>
      <xs:element name="Processing" type="sdc:BVG-LPP-ProcessingType"/>
      <xs:element name="Error" type="sdc:ErrorResponseType"/>
      <xs:element name="Success" type="sdc:BVG-LPP-SuccessDialogType"/>
    </xs:choice>
  </xs:sequence>
</xs:complexType>
```

Documentation: Schema Component Representation

Warning	Translation: Avertissements
Info	Translation: Informations

2.78 Complex Type: **BVG-LPP-MinimalResultStateType**

Name	BVG-LPP-MinimalResultStateType
------	--------------------------------

Schema Component Representation

```
<xs:complexType name="BVG-LPP-MinimalResultStateType">
  <xs:complexContent>
    <xs:extension base="sdc:ResultStateBaseType">
      <xs:sequence>
        <xs:element name="Institution" type="sd:BVG-LPP-CustomerIdentificationMultiType"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
```

Documentation: Schema Component Representation

2.79 Complex Type: **BVG-LPP-ProcessingType**

Name	BVG-LPP-ProcessingType
------	------------------------

Schema Component Representation

```
<xs:complexType name="BVG-LPP-ProcessingType">
  <xs:complexContent>
    <xs:extension base="sdc:BVG-LPP-MinimalResultStateType">
      <xs:sequence>
        <xs:element name="ExpectedAvailability" type="xs:date" minOccurs="0"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
```

Documentation: Schema Component Representation

2.139 Complex Type: **BVG-LPP-ReducedDialogType**

Name	BVG-LPP-ReducedDialogType
------	---------------------------

Schema Component Representation

```
<xs:complexType name="BVG-LPP-ReducedDialogType">
  <xs:complexContent>
    <xs:restriction base="sdc:BVG-LPP-DialogType">
      <xs:sequence>
        <xs:element name="Warning" type="c:NotificationsType" minOccurs="0"/>
      </xs:sequence>
    </xs:restriction>
  </xs:complexContent>
</xs:complexType>
```

```

<xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
<xs:choice>
<xs:element name="Processing" type=" sdc:BVG-LPP-ProcessingType "/>
<xs:element name="Success" type=" sdc:BVG-LPP-SuccessDialogType "/>
</xs:choice>
</xs:sequence>
</xs:restriction>
</xs:complexContent>
</xs:complexType>

```

Documentation: Schema Component Representation

2.57 Complex Type: **BVG-LPP-ReducedSalaryResultType**

Name	BVG-LPP-ReducedSalaryResultType
------	---------------------------------

Schema Component Representation

```

<xs:complexType name="BVG-LPP-ReducedSalaryResultType">
  <xs:complexContent>
    <xs:restriction base=" sdc:BVG-LPP-SalaryResultType ">
      <xs:sequence>
        <xs:element name="Warning" type=" c:NotificationsType " minOccurs="0"/>
        <xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
        <xs:choice>
          <xs:element name="CompletionReleaselsMissing" type=" sdc:BVG-LPP-MinimalResultStateType "/>
          <xs:element name="Processing" type=" sdc:BVG-LPP-ProcessingType "/>
          <xs:element name="Success" type=" sdc:BVG-LPP-SuccessType "/>
        </xs:choice>
      </xs:sequence>
    </xs:restriction>
  </xs:complexContent>
</xs:complexType>

```

Documentation: Schema Component Representation

2.45 Complex Type: **BVG-LPP-SalaryResultType**

Name	BVG-LPP-SalaryResultType
------	--------------------------

Schema Component Representation

```

<xs:complexType name="BVG-LPP-SalaryResultType">
  <xs:sequence>
    <xs:element name="Warning" type=" c:NotificationsType " minOccurs="0"/>
    <xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
    <xs:choice>
      <xs:element name="NotSupported" type=" sdc:BVG-LPP-MinimalResultStateType "/>
      <xs:element name="CompletionReleaselsMissing" type=" sdc:BVG-LPP-MinimalResultStateType "/>
      <xs:element name="Processing" type=" sdc:BVG-LPP-ProcessingType "/>
    </xs:choice>
  </xs:sequence>
</xs:complexType>

```

```

<xs:element name="Error" type=" sdc:ErrorResponseType "/>
<xs:element name="Success" type=" sdc:BVG-LPP-SuccessType "/>
</xs:choice>
</xs:sequence>
</xs:complexType>

```

Documentation: Schema Component Representation

Warning	Translation: Avertissements
Info	Translation: Informations

2.125 Complex Type: **BVG-LPP-SuccessDialogType**

Name	BVG-LPP-SuccessDialogType
------	---------------------------

Schema Component Representation

```

<xs:complexType name="BVG-LPP-SuccessDialogType">
  <xs:complexContent>
    <xs:extension base=" sdc:BVG-LPP-MinimalResultStateType ">
      <xs:sequence>
        <xs:element name="DialogMessages" type=" c:DialogMessagesType " minOccurs="0"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>

```

Documentation: Schema Component Representation

2.80 Complex Type: **BVG-LPP-SuccessType**

Name	BVG-LPP-SuccessType
------	---------------------

Schema Component Representation

```

<xs:complexType name="BVG-LPP-SuccessType">
  <xs:complexContent>
    <xs:extension base=" sdc:BVG-LPP-MinimalResultStateType ">
      <xs:sequence>
        <xs:element name="ChangesConsideredUpTo" type=" xs:date "/>
        <xs:element name="Staff" type=" sd:ContributionsStaffType " minOccurs="0"/>
        <xs:element name="Warning" type=" c:NotificationsType " minOccurs="0"/>
        <xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>

```

Documentation: Schema Component Representation

2.25 Complex Type: **CompletionAndResultType**

Name	CompletionAndResultType
------	-------------------------

Schema Component Representation

```
<xs:complexType name="CompletionAndResultType">
  <xs:complexContent>
    <xs:extension base="sdc:ResultType">
      <xs:sequence>
        <xs:element name="Completion" type="c:AccessInformationType"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
```

Documentation: Schema Component Representation

2.7 Complex Type: **ControlsMultiType**

Name	ControlsMultiType
------	-------------------

Schema Component Representation

```
<xs:complexType name="ControlsMultiType">
  <xs:complexContent>
    <xs:extension base="sdc:ControlsType">
      <xs:attribute name="institutionIDRef" type="c:InstanceRefIDType" use="required"/>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
```

Documentation: Schema Component Representation

2.6 Complex Type: **ControlsType**

Name	ControlsType
------	--------------

Schema Component Representation

```
<xs:complexType name="ControlsType">
  <xs:sequence>
    <xs:element name="ProcessByDistributor" type="c:SimpleBooleanType"/>
  </xs:sequence>
```

```
</xs:complexType>
```

Documentation: Schema Component Representation

ProcessByDistributor

Translation: Distribution effectuée par le distributeur

2.101 Complex Type: **DeclareMonthTotalDomainIdentificationType**

Name

DeclareMonthTotalDomainIdentificationType

Schema Component Representation

```
<xs:complexType name="DeclareMonthTotalDomainIdentificationType">
  <xs:choice>
    <xs:element name="AHV-AVS-Identification" type="sd:AHV-AVS-IdentificationType"/>
    <xs:element name="FAK-CAF-Identification" type="sd:FAK-CAF-IdentificationType"/>
  </xs:choice>
</xs:complexType>
```

Documentation: Schema Component Representation

2.97 Complex Type: **DeclareMonthTotalPlausibilityStateType**

Name

DeclareMonthTotalPlausibilityStateType

Schema Component Representation

```
<xs:complexType name="DeclareMonthTotalPlausibilityStateType">
  <xs:choice>
    <xs:element name="ValidityPlausibilityChecking" type="c:EmptyType"/>
    <xs:element name="Plausible" type="sdc:DeclareMonthTotalPlausibleNotificationsType"/>
  </xs:choice>
</xs:complexType>
```

Documentation: Schema Component Representation

2.98 Complex Type: **DeclareMonthTotalPlausibleNotificationsType**

Name

DeclareMonthTotalPlausibleNotificationsType

Schema Component Representation

```
<xs:complexType name="DeclareMonthTotalPlausibleNotificationsType">
  <xs:sequence>
```

```

<xs:element name="Warning" type=" c:NotificationsType " minOccurs="0"/>
<xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
<xs:element name="JobStateMonthTotal" type=" sdc:JobStateMonthTotal "/>
</xs:sequence>
</xs:complexType>

```

Documentation: Schema Component Representation

Warning	Translation: Avertissements
Info	Translation: Informations
JobStateMonthTotal	Translation: État de la commande

2.103 Complex Type: **DeclareMonthTotalSalaryResultType**

Name	DeclareMonthTotalSalaryResultType
------	-----------------------------------

Schema Component Representation

```

<xs:complexType name="DeclareMonthTotalSalaryResultType">
  <xs:choice>
    <xs:element name="AHV-AVS" type=" sdc:AHV-AVS-DeclareMonthTotalSalaryResultType "/>
    <xs:element name="FAK-CAF" type=" sdc:FAK-CAF-DeclareMonthTotalSalaryResultType "/>
  </xs:choice>
</xs:complexType>

```

Documentation: Schema Component Representation

2.14 Complex Type: **DeclareSalaryResponseType**

Name	DeclareSalaryResponseType
------	---------------------------

Schema Component Representation

```

<xs:complexType name="DeclareSalaryResponseType">
  <xs:sequence>
    <xs:element name="ResponseContext" type=" sdc:ResponseContextType "/>
    <xs:element name="JobKey" type=" sdc:JobKeyType "/>
  </xs:sequence>
</xs:complexType>

```

Documentation: Schema Component Representation

ResponseContext	Translation: Contexte de la réponse
JobKey	Translation: Clé de la commande

2.18 Complex Type: **DelayedResponseType**

Name	DelayedResponseType
------	---------------------

Schema Component Representation

```
<xs:complexType name="DelayedResponseType">
  <xs:sequence>
    <xs:element name="EndUserInfo" type="xs:string"/>
  </xs:sequence>
</xs:complexType>
```

Documentation: Schema Component Representation

EndUserInfo Translation: Informations pour l'utilisateur final

2.113 Complex Type: **DialogType**

Name	DialogType
------	------------

Schema Component Representation

```
<xs:complexType name="DialogType">
  <xs:choice>
    <xs:element name="AHV-AVS" type="sdc:AHV-AVS-DialogType"/>
    <xs:element name="FAK-CAF" type="sdc:FAK-CAF-DialogType"/>
    <xs:element name="UVG-LAA" type="sdc:UVG-LAA-DialogType"/>
    <xs:element name="UVGZ-LAAC" type="sdc:UVGZ-LAAC-DialogType"/>
    <xs:element name="KTG-AMC" type="sdc:KTG-AMC-DialogType"/>
    <xs:element name="BVG-LPP" type="sdc:BVG-LPP-DialogType"/>
    <xs:element name="Tax" type="sdc:TaxDialogType"/>
    <xs:element name="TaxAtSource" type="sdc:TaxAtSourceDialogType"/>
    <xs:element name="TaxCrossborder" type="sdc:TaxAtSourceDialogType"/>
    <xs:element name="Statistic" type="sdc:StatisticDialogType"/>
  </xs:choice>
</xs:complexType>
```

Documentation: Schema Component Representation

2.37 Complex Type: **DomainIdentificationType**

Name	DomainIdentificationType
------	--------------------------

Schema Component Representation

```
<xs:complexType name="DomainIdentificationType">
  <xs:choice>
    <xs:element name="AHV-AVS-Identification" type="sd:AHV-AVS-IdentificationType"/>
  </xs:choice>
</xs:complexType>
```

```

<xs:element name="FAK-CAF-Identification" type=" sd:FAK-CAF-IdentificationType "/>
<xs:element name="UVG-LAA-Identification" type=" sd:UVG-LAA-IdentificationType "/>
<xs:element name="UVGZ-LAAC-Identification" type=" sd:UVGZ-LAAC-IdentificationType "/>
<xs:element name="KTG-AMC-Identification" type=" sd:KTG-AMC-IdentificationType "/>
<xs:element name="BVG-LPP-Identification" type=" sd:BVG-LPP-IdentificationType "/>
<xs:element name="TaxIdentification" type=" sd:TaxIdentificationType "/>
<xs:element name="TaxAtSourceIdentification" type=" sd:TaxAtSourceIdentificationType "/>
<xs:element name="TaxCrossborderIdentification" type=" sd:TaxAtSourceIdentificationType "/>
<xs:element name="StatisticIdentification" type=" sd:RequestIdentificationBaseType "/>
</xs:choice>
</xs:complexType>

```

Documentation: Schema Component Representation

2.17 Complex Type: **ErrorResponseType**

Name	ErrorResponseType
------	-------------------

Schema Component Representation

```

<xs:complexType name="ErrorResponseType">
  <xs:sequence>
    <xs:element name="EndUserInformation" type=" xs:string "/>
    <xs:element name="DetailInformation" type=" xs:string " minOccurs="0"/>
    <xs:element name="FaultInformation" type=" sdc:SalaryDeclarationFaultType " minOccurs="0"/>
  </xs:sequence>
</xs:complexType>

```

Documentation: Schema Component Representation

EndUserInformation	Translation: Informations pour l'utilisateur final
DetailInformation	Translation: Informations détaillées
FaultInformation	Translation: Informations du receveur concernant l'erreur

2.105 Complex Type: **FAK-CAF-DeclareMonthTotalSalaryResultType**

Name	FAK-CAF-DeclareMonthTotalSalaryResultType
------	---

Schema Component Representation

```

<xs:complexType name="FAK-CAF-DeclareMonthTotalSalaryResultType">
  <xs:sequence>
    <xs:element name="Warning" type=" c:NotificationsType " minOccurs="0"/>
    <xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
    <xs:choice>
      <xs:element name="NotSupported" type=" sdc:FAK-CAF-MinimalResultStateType "/>
      <xs:element name="CompletionReleasesMissing" type=" sdc:FAK-CAF-MinimalResultStateType "/>
      <xs:element name="Processing" type=" sdc:FAK-CAF-ProcessingType "/>
      <xs:element name="Error" type=" sdc:ErrorResponseType "/>
      <xs:element name="Success" type=" sdc:FAK-CAF-DeclareMonthTotalSuccessType "/>
    </xs:choice>
  </xs:sequence>
</xs:complexType>

```

```

</xs:choice>
</xs:sequence>
</xs:complexType>

```

Documentation: Schema Component Representation

Warning	Translation: Avertissements
Info	Translation: Informations

2.107 Complex Type: **FAK-CAF-DeclareMonthTotalSuccessType**

Name	FAK-CAF-DeclareMonthTotalSuccessType
------	--------------------------------------

Schema Component Representation

```

<xs:complexType name="FAK-CAF-DeclareMonthTotalSuccessType">
  <xs:complexContent>
    <xs:extension base="sdc:FAK-CAF-MinimalResultStateType">
      <xs:sequence>
        <xs:element name="FAK-CAF-QuittanceWithoutCompletion" type="sd:FAK-CAF-MonthTotalType"
          minOccurs="0" maxOccurs="unbounded"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>

```

Documentation: Schema Component Representation

2.116 Complex Type: **FAK-CAF-DialogType**

Name	FAK-CAF-DialogType
------	--------------------

Schema Component Representation

```

<xs:complexType name="FAK-CAF-DialogType">
  <xs:sequence>
    <xs:element name="Warning" type="c:NotificationsType" minOccurs="0"/>
    <xs:element name="Info" type="c:NotificationsType" minOccurs="0"/>
    <xs:choice>
      <xs:element name="NotSupported" type="sdc:FAK-CAF-MinimalResultStateType"/>
      <xs:element name="Processing" type="sdc:FAK-CAF-ProcessingType"/>
      <xs:element name="Error" type="sdc:ErrorResponseType"/>
      <xs:element name="Success" type="sdc:FAK-CAF-SuccessDialogType"/>
    </xs:choice>
  </xs:sequence>
</xs:complexType>

```

Documentation: Schema Component Representation

Warning	Translation: Avertissements
---------	-----------------------------

Info

Translation: Informations

2.66 Complex Type: FAK-CAF-MinimalResultStateType**Name****FAK-CAF-MinimalResultStateType****Schema Component Representation**

```

<xs:complexType name="FAK-CAF-MinimalResultStateType">
  <xs:complexContent>
    <xs:extension base="sdc:ResultStateBaseType">
      <xs:sequence>
        <xs:element name="Institution" type="sd:FAK-CAF-CustomerIdentificationConsumerType"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>

```

Documentation: Schema Component Representation**2.67 Complex Type: FAK-CAF-ProcessingType****Name****FAK-CAF-ProcessingType****Schema Component Representation**

```

<xs:complexType name="FAK-CAF-ProcessingType">
  <xs:complexContent>
    <xs:extension base="sdc:FAK-CAF-MinimalResultStateType">
      <xs:sequence>
        <xs:element name="ExpectedAvailability" type="xs:date" minOccurs="0"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>

```

Documentation: Schema Component Representation**2.111 Complex Type: FAK-CAF-ReducedDeclareMonthTotalSalaryResultType****Name****FAK-CAF-ReducedDeclareMonthTotalSalaryResultType****Schema Component Representation**

```

<xs:complexType name="FAK-CAF-ReducedDeclareMonthTotalSalaryResultType">
  <xs:complexContent>
    <xs:restriction base=" sdc:FAK-CAF-DeclareMonthTotalSalaryResultType ">
      <xs:sequence>
        <xs:element name="Warning" type=" c:NotificationsType " minOccurs="0"/>
        <xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
        <xs:choice>
          <xs:element name="CompletionReleaselsMissing" type=" sdc:FAK-CAF-MinimalResultStateType "/>
          <xs:element name="Processing" type=" sdc:FAK-CAF-ProcessingType "/>
          <xs:element name="Success" type=" sdc:FAK-CAF-DeclareMonthTotalSuccessType "/>
        </xs:choice>
      </xs:sequence>
    </xs:restriction>
  </xs:complexContent>
</xs:complexType>

```

Documentation: Schema Component Representation

2.135 Complex Type: **FAK-CAF-ReducedDialogType**

Name	FAK-CAF-ReducedDialogType
------	---------------------------

Schema Component Representation

```

<xs:complexType name="FAK-CAF-ReducedDialogType">
  <xs:complexContent>
    <xs:restriction base=" sdc:FAK-CAF-DialogType ">
      <xs:sequence>
        <xs:element name="Warning" type=" c:NotificationsType " minOccurs="0"/>
        <xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
        <xs:choice>
          <xs:element name="Processing" type=" sdc:FAK-CAF-ProcessingType "/>
          <xs:element name="Success" type=" sdc:FAK-CAF-SuccessDialogType "/>
        </xs:choice>
      </xs:sequence>
    </xs:restriction>
  </xs:complexContent>
</xs:complexType>

```

Documentation: Schema Component Representation

2.53 Complex Type: **FAK-CAF-ReducedSalaryResultType**

Name	FAK-CAF-ReducedSalaryResultType
------	---------------------------------

Schema Component Representation

```

<xs:complexType name="FAK-CAF-ReducedSalaryResultType">
  <xs:complexContent>
    <xs:restriction base=" sdc:FAK-CAF-SalaryResultType ">

```

```

<xs:sequence>
  <xs:element name="Warning" type=" c:NotificationsType " minOccurs="0"/>
  <xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
  <xs:choice>
    <xs:element name="CompletionReleaselsMissing" type=" sdc:FAK-CAF-MinimalResultStateType "/>
    <xs:element name="Processing" type=" sdc:FAK-CAF-ProcessingType "/>
    <xs:element name="Success" type=" sdc:FAK-CAF-SuccessType "/>
  </xs:choice>
</xs:sequence>
</xs:restriction>
</xs:complexContent>
</xs:complexType>

```

Documentation: Schema Component Representation

2.41 Complex Type: **FAK-CAF-SalaryResultType**

Name	FAK-CAF-SalaryResultType
-------------	---------------------------------

Schema Component Representation

```

<xs:complexType name="FAK-CAF-SalaryResultType">
  <xs:sequence>
    <xs:element name="Warning" type=" c:NotificationsType " minOccurs="0"/>
    <xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
    <xs:choice>
      <xs:element name="NotSupported" type=" sdc:FAK-CAF-MinimalResultStateType "/>
      <xs:element name="CompletionReleaselsMissing" type=" sdc:FAK-CAF-MinimalResultStateType "/>
      <xs:element name="Processing" type=" sdc:FAK-CAF-ProcessingType "/>
      <xs:element name="Error" type=" sdc:ErrorResponseType "/>
      <xs:element name="Success" type=" sdc:FAK-CAF-SuccessType "/>
    </xs:choice>
  </xs:sequence>
</xs:complexType>

```

Documentation: Schema Component Representation

Warning	Translation: Avertissements
Info	Translation: Informations

2.117 Complex Type: **FAK-CAF-SuccessDialogType**

Name	FAK-CAF-SuccessDialogType
-------------	----------------------------------

Schema Component Representation

```

<xs:complexType name="FAK-CAF-SuccessDialogType">
  <xs:complexContent>
    <xs:extension base=" sdc:FAK-CAF-MinimalResultStateType ">
      <xs:sequence>

```



```

<xs:element name="DialogMessages" type="c:DialogMessagesType" minOccurs="0"/>
</xs:sequence>
</xs:extension>
</xs:complexContent>
</xs:complexType>

```

Documentation: Schema Component Representation

2.68 Complex Type: **FAK-CAF-SuccessType**

Name	FAK-CAF-SuccessType
------	---------------------

Schema Component Representation

```

<xs:complexType name="FAK-CAF-SuccessType">
  <xs:complexContent>
    <xs:extension base="sdc:FAK-CAF-MinimalResultStateType">
      <xs:choice>
        <xs:element name="FAK-CAF-QuittanceWithoutCompletion" type="sd:FAK-CAF-TotalsConsumerType" minOccurs="0"/>
        <xs:sequence>
          <xs:element name="ChangesConsideredUpTo" type="xs:date"/>
          <xs:element name="Staff" type="sd:AHV-AVS-PersonsType"/>
          <xs:element name="Summary" type="sd:AHV-AVS-SummaryType"/>
        </xs:sequence>
      </xs:choice>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>

```

Documentation: Schema Component Representation

2.12 Complex Type: **FaultContextType**

Name	FaultContextType
------	------------------

Schema Component Representation

```

<xs:complexType name="FaultContextType">
  <xs:sequence>
    <xs:element name="UserAgent" type="c:UserAgentType"/>
    <xs:element name="InstitutionName" type="xs:string"/>
    <xs:element name="TransmissionDate" type="xs:dateTime"/>
    <xs:element name="ResponseID" type="c:IDType"/>
    <xs:element name="RequestID" type="c:IDType"/>
    <xs:element name="TestCase" type="c:EmptyType" minOccurs="0"/>
  </xs:sequence>
</xs:complexType>

```

Documentation: Schema Component Representation

UserAgent	Translation: Informations concernant l'application Short: Description des données essentielles d'identification de système Technical: Pour l'assurance de la qualité, les informations essentielles des participants sont sauvegardées.
InstitutionName	Translation: Nom de l'institution
TransmissionDate	Translation: Date et Temps de transmission
ResponseID	Translation: Identificateur de la réponse
RequestID	Translation: Identificateur de la demande
TestCase	Translation: Cas de test Short: Marquage pour cas de test Technical: Les données sont reçus et acquittés. Mais SANS TRAITEMENT PRODUCTIVE!!!

2.112 Complex Type: GetDialogResponseType

Name	GetDialogResponseType
-------------	------------------------------

Schema Component Representation

```
<xs:complexType name="GetDialogResponseType">
  <xs:sequence>
    <xs:element name="ResponseContext" type="sdc:ResponseContextType"/>
    <xs:element name="Dialog" type="sdc:DialogType"/>
  </xs:sequence>
</xs:complexType>
```

Documentation: Schema Component Representation

ResponseContext	Translation: Contexte de la réponse
Dialog	Translation: Dialog Messages

2.102 Complex Type: GetResultFromDeclareMonthTotalResponseType

Name	GetResultFromDeclareMonthTotalResponseType
-------------	---

Schema Component Representation

```
<xs:complexType name="GetResultFromDeclareMonthTotalResponseType">
  <xs:sequence>
    <xs:element name="ResponseContext" type="sdc:ResponseContextType"/>
    <xs:element name="SalaryResultMonthTotal" type="sdc:DeclareMonthTotalSalaryResultType"/>
  </xs:sequence>
</xs:complexType>
```

Documentation: Schema Component Representation

ResponseContext	Translation: Contexte de la réponse
SalaryResultMonthTotal	Translation: Résultat pour une déclaration mensuelle

2.100 Complex Type: **GetResultFromDeclareMonthTotalType**

Name	GetResultFromDeclareMonthTotalType
-------------	---

Schema Component Representation

```
<xs:complexType name="GetResultFromDeclareMonthTotalType">
  <xs:sequence>
    <xs:element name="RequestContext" type="sdc:RequestContextType"/>
    <xs:element name="DomainMonthTotal" type="sdc:DeclareMonthTotalDomainIdentificationType"/>
  </xs:sequence>
</xs:complexType>
```

Documentation: Schema Component Representation

RequestContext	Translation: Contexte de la demande
DomainMonthTotal	Translation: Domaine selon swissdec

2.38 Complex Type: **GetResultFromDeclareSalaryResponseType**

Name	GetResultFromDeclareSalaryResponseType
-------------	---

Schema Component Representation

```
<xs:complexType name="GetResultFromDeclareSalaryResponseType">
  <xs:sequence>
    <xs:element name="ResponseContext" type="sdc:ResponseContextType"/>
    <xs:element name="SalaryResult" type="sdc:SalaryResultType"/>
  </xs:sequence>
</xs:complexType>
```

Documentation: Schema Component Representation

ResponseContext	Translation: Contexte de la réponse
SalaryResult	Translation: Résultat de la transmission salarial

2.36 Complex Type: **GetResultFromDeclareSalaryType**

Name	GetResultFromDeclareSalaryType
-------------	---------------------------------------

Schema Component Representation

```
<xs:complexType name="GetResultFromDeclareSalaryType">
  <xs:sequence>
    <xs:group ref="sdc:GetBaseGroup"/>
  </xs:sequence>
</xs:complexType>
```

Documentation: Schema Component Representation

2.96 Complex Type: **GetStatusFromDeclareMonthTotalResponseType**

Name	GetStatusFromDeclareMonthTotalResponseType
-------------	---

Schema Component Representation

```
<xs:complexType name="GetStatusFromDeclareMonthTotalResponseType">
  <xs:sequence>
    <xs:element name="ResponseContext" type="sdc:ResponseContextType"/>
    <xs:element name="PlausibilityStateMonthTotal" type="sdc:DeclareMonthTotalPlausibilityStateType"/>
    <xs:element name="JobFinished" type="c:SimpleBooleanType"/>
  </xs:sequence>
</xs:complexType>
```

Documentation: Schema Component Representation

ResponseContext	Translation: Contexte de la réponse
PlausibilityStateMonthTotal	Translation: État de la plausibilité
JobFinished	Translation: Commande terminée

2.3 Complex Type: **GetStatusFromDeclareSalaryType**

Name	GetStatusFromDeclareSalaryType
-------------	---------------------------------------

Schema Component Representation

```
<xs:complexType name="GetStatusFromDeclareSalaryType">
  <xs:sequence>
    <xs:element name="RequestContext" type="sdc:RequestContextType"/>
    <xs:element name="JobKey" type="sdc:JobKeyType"/>
  </xs:sequence>
</xs:complexType>
```

Documentation: Schema Component Representation

RequestContext	Translation: Contexte de la demande
JobKey	Translation: Clé de la commande Short: Clé de la commande pour pouvoir exécuter la deuxième opération: GetStatusFromDeclaration

2.94 Complex Type: **JobDeclareMonthTotalType**

Name	JobDeclareMonthTotalType
-------------	---------------------------------

Schema Component Representation

```
<xs:complexType name="JobDeclareMonthTotalType">
  <xs:sequence>
    <xs:element name="Addressees" type=" sdc:AddresseeDeclareMonthTotalType ">
      <xs:unique name="AHV-AVS-Ctrl2">
        <xs:selector xpath="sdc:AHV-AVS"/>
        <xs:field xpath="@institutionIDRef"/>
      </xs:unique>
      <xs:unique name="FAK-CAF-Ctrl2">
        <xs:selector xpath="sdc:FAK-CAF"/>
        <xs:field xpath="@institutionIDRef"/>
      </xs:unique>
    </xs:element>
    <xs:element name="EndUserNotification" type=" sdc:UserNotificationType " minOccurs="0"/>
  </xs:sequence>
</xs:complexType>
```

Documentation: Schema Component Representation

Addressees	Translation: Adresses Short: Adresses des receveurs
EndUserNotification	Translation: Notification de l'utilisateur final Short: Notification de l'utilisateur final par e-mail, quand la distribution est terminée (distributeur)

2.99 Complex Type: **JobStateMonthTotal**

Name	JobStateMonthTotal
-------------	---------------------------

Schema Component Representation

```
<xs:complexType name="JobStateMonthTotal">
  <xs:sequence>
    <xs:element name="AHV-AVS" type=" sdc:WorkingStateMultiType " minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="FAK-CAF" type=" sdc:WorkingStateMultiType " minOccurs="0" maxOccurs="unbounded"/>
  </xs:sequence>
</xs:complexType>
```

Documentation: Schema Component Representation

AHV-AVS	Translation: AVS
FAK-CAF	Translation: CAF

2.16 Complex Type: **JobStateType**

Name	JobStateType
-------------	---------------------

Schema Component Representation

```
<xs:complexType name="JobStateType">
  <xs:sequence>
    <xs:element name="AHV-AVS" type=" sdc:WorkingStateMultiType " minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="FAK-CAF" type=" sdc:WorkingStateMultiType " minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="UVG-LAA" type=" sdc:WorkingStateMultiType " minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="UVGZ-LAAC" type=" sdc:WorkingStateMultiType " minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="KTG-AMC" type=" sdc:WorkingStateMultiType " minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="BVG-LPP" type=" sdc:WorkingStateMultiType " minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="Tax" type=" sdc:TaxWorkingStateType " minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="TaxAtSource" type=" sdc:WorkingStateMultiType " minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="TaxCrossborder" type=" sdc:WorkingStateMultiType " minOccurs="0" maxOccurs="unbounded"/>
    <xs:element name="Statistic" type=" sdc:WorkingStateType " minOccurs="0"/>
  </xs:sequence>
</xs:complexType>
```

Documentation: Schema Component Representation

AHV-AVS	Translation: AVS
FAK-CAF	Translation: CAF
UVG-LAA	Translation: LAA
UVGZ-LAAC	Translation: LAAC
KTG-AMC	Translation: IJM
BVG-LPP	Translation: LPP
Tax	Translation: Certificat de salaire, Attestation de rente
TaxAtSource	Translation: IS (Impôt à la source)
TaxCrossborder	Translation: Frontaliers
Statistic	Translation: Statistique

2.4 Complex Type: **JobType**

Name	JobType
-------------	----------------

Schema Component Representation

```
<xs:complexType name="JobType">
  <xs:sequence>
    <xs:element name="Addressees" type=" sdc:AddresseeType ">
      <xs:unique name="AHV-AVS-Ctrl">
        <xs:selector xpath="sdc:AHV-AVS"/>
        <xs:field xpath="@institutionIDRef"/>
      </xs:unique>
      <xs:unique name="FAK-CAF-Ctrl">
        <xs:selector xpath="sdc:FAK-CAF"/>
      </xs:unique>
    </xs:sequence>
  </xs:complexType>
```

```

<xs:field xpath="@institutionIDRef"/>
</xs:unique>
<xs:unique name="UVG-LAA-Ctrl">
<xs:selector xpath="sdc:UVG-LAA"/>
<xs:field xpath="@institutionIDRef"/>
</xs:unique>
<xs:unique name="UVGZ-LAAC-Ctrl">
<xs:selector xpath="sdc:UVGZ-LAAC"/>
<xs:field xpath="@institutionIDRef"/>
</xs:unique>
<xs:unique name="KTG-AMC-Ctrl">
<xs:selector xpath="sdc:KTG-AMC"/>
<xs:field xpath="@institutionIDRef"/>
</xs:unique>
<xs:unique name="BVG-LPP-Ctrl">
<xs:selector xpath="sdc:BVG-LPP"/>
<xs:field xpath="@institutionIDRef"/>
</xs:unique>
<xs:unique name="TaxAtSourceCtrl">
<xs:selector xpath="sdc:TaxAtSource"/>
<xs:field xpath="@institutionIDRef"/>
</xs:unique>
<xs:unique name="TaxCrossborderCtrl">
<xs:selector xpath="sdc:TaxCrossborder"/>
<xs:field xpath="@institutionIDRef"/>
</xs:unique>
</xs:element>
<xs:element name="EndUserNotification" type=" sdc:UserNotificationType " minOccurs="0"/>
</xs:sequence>
</xs:complexType>

```

Documentation: Schema Component Representation

Addressees	Translation: Adresses Short: Adresses des receveurs
EndUserNotification	Translation: Notification de l'utilisateur final Short: Notification de l'utilisateur final par e-mail, quand la distribution est terminée (distributeur)

2.122 Complex Type: KTG-AMC-DialogType

Name	KTG-AMC-DialogType
------	--------------------

Schema Component Representation

```

<xs:complexType name="KTG-AMC-DialogType">
  <xs:sequence>
    <xs:element name="Warning" type=" c:NotificationsType " minOccurs="0"/>
    <xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
    <xs:choice>
      <xs:element name="NotSupported" type=" sdc:KTG-AMC-MinimalResultStateType "/>
      <xs:element name="Processing" type=" sdc:KTG-AMC-ProcessingType "/>
      <xs:element name="Error" type=" sdc:ErrorResponseType "/>
      <xs:element name="Success" type=" sdc:KTG-AMC-SuccessDialogType "/>
    </xs:choice>
  </xs:sequence>
</xs:complexType>

```

```
</xs:complexType>
```

Documentation: Schema Component Representation

Warning	Translation: Avertissements
---------	-----------------------------

Info	Translation: Informations
------	---------------------------

2.75 Complex Type: **KTG-AMC-MinimalResultStateType**

Name	KTG-AMC-MinimalResultStateType
------	--------------------------------

Schema Component Representation

```
<xs:complexType name="KTG-AMC-MinimalResultStateType">
  <xs:complexContent>
    <xs:extension base="sdc:ResultStateBaseType">
      <xs:sequence>
        <xs:element name="Institution" type="sd:BaseCustomerIdentificationMultiConsumerType"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
```

Documentation: Schema Component Representation

2.76 Complex Type: **KTG-AMC-ProcessingType**

Name	KTG-AMC-ProcessingType
------	------------------------

Schema Component Representation

```
<xs:complexType name="KTG-AMC-ProcessingType">
  <xs:complexContent>
    <xs:extension base="sdc:KTG-AMC-MinimalResultStateType">
      <xs:sequence>
        <xs:element name="ExpectedAvailability" type="xs:date" minOccurs="0"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
```

Documentation: Schema Component Representation

2.138 Complex Type: **KTG-AMC-ReducedDialogType**

Name	KTG-AMC-ReducedDialogType
------	---------------------------

Schema Component Representation

```
<xs:complexType name="KTG-AMC-ReducedDialogType">
  <xs:complexContent>
    <xs:restriction base="sdc:KTG-AMC-DialogType">
      <xs:sequence>
        <xs:element name="Warning" type="c:NotificationsType" minOccurs="0"/>
        <xs:element name="Info" type="c:NotificationsType" minOccurs="0"/>
        <xs:choice>
          <xs:element name="Processing" type="sdc:KTG-AMC-ProcessingType"/>
          <xs:element name="Success" type="sdc:KTG-AMC-SuccessDialogType"/>
        </xs:choice>
      </xs:sequence>
    </xs:restriction>
  </xs:complexContent>
</xs:complexType>
```

Documentation: Schema Component Representation

2.56 Complex Type: KTG-AMC-ReducedSalaryResultType

Name	KTG-AMC-ReducedSalaryResultType
------	---------------------------------

Schema Component Representation

```
<xs:complexType name="KTG-AMC-ReducedSalaryResultType">
  <xs:complexContent>
    <xs:restriction base="sdc:KTG-AMC-SalaryResultType">
      <xs:sequence>
        <xs:element name="Warning" type="c:NotificationsType" minOccurs="0"/>
        <xs:element name="Info" type="c:NotificationsType" minOccurs="0"/>
        <xs:choice>
          <xs:element name="CompletionReleaselsMissing" type="sdc:KTG-AMC-MinimalResultStateType"/>
          <xs:element name="Processing" type="sdc:KTG-AMC-ProcessingType"/>
          <xs:element name="Success" type="sdc:KTG-AMC-SuccessType"/>
        </xs:choice>
      </xs:sequence>
    </xs:restriction>
  </xs:complexContent>
</xs:complexType>
```

Documentation: Schema Component Representation

2.44 Complex Type: KTG-AMC-SalaryResultType

Name	KTG-AMC-SalaryResultType
------	--------------------------

Schema Component Representation

```
<xs:complexType name="KTG-AMC-SalaryResultType">
  <xs:sequence>
    <xs:element name="Warning" type="c:NotificationsType" minOccurs="0"/>
    <xs:element name="Info" type="c:NotificationsType" minOccurs="0"/>
    <xs:choice>
      <xs:element name="NotSupported" type="sdc:KTG-AMC-MinimalResultStateType"/>
      <xs:element name="CompletionReleaselsMissing" type="sdc:KTG-AMC-MinimalResultStateType"/>
      <xs:element name="Processing" type="sdc:KTG-AMC-ProcessingType"/>
      <xs:element name="Error" type="sdc:ErrorResponseType"/>
      <xs:element name="Success" type="sdc:KTG-AMC-SuccessType"/>
    </xs:choice>
  </xs:sequence>
</xs:complexType>
```

Documentation: Schema Component Representation

Warning	Translation: Avertissements
Info	Translation: Informations

2.123 Complex Type: **KTG-AMC-SuccessDialogType**

Name	KTG-AMC-SuccessDialogType
------	---------------------------

Schema Component Representation

```
<xs:complexType name="KTG-AMC-SuccessDialogType">
  <xs:complexContent>
    <xs:extension base="sdc:KTG-AMC-MinimalResultStateType">
      <xs:sequence>
        <xs:element name="DialogMessages" type="c:DialogMessagesType" minOccurs="0"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
```

Documentation: Schema Component Representation

2.77 Complex Type: **KTG-AMC-SuccessType**

Name	KTG-AMC-SuccessType
------	---------------------

Schema Component Representation

```
<xs:complexType name="KTG-AMC-SuccessType">
  <xs:complexContent>
    <xs:extension base="sdc:KTG-AMC-MinimalResultStateType">
      <xs:sequence>
```

```

<xs:element name="KTG-AMC-QuittanceWithoutCompletion" type="sd:KTG-AMC-TotalsConsumerType" minOccurs="0"/>
</xs:sequence>
</xs:extension>
</xs:complexContent>
</xs:complexType>

```

Documentation: Schema Component Representation

2.93 Complex Type: **MonthTotalDeclarationRequestType**

Name	MonthTotalDeclarationRequestType
------	----------------------------------

Schema Component Representation

```

<xs:complexType name="MonthTotalDeclarationRequestType">
  <xs:sequence>
    <xs:element name="RequestContext" type="sdc:RequestContextType"/>
    <xs:element name="JobMonthTotal" type="sdc:JobDeclareMonthTotalType"/>
    <xs:element name="Substitution" type="sdc:SubstitutionType" minOccurs="0"/>
    <xs:element name="MonthTotalDeclaration" type="sd:MonthTotalDeclarationType"/>
  </xs:sequence>
</xs:complexType>

```

Documentation: Schema Component Representation

RequestContext	Translation: Contexte de la demande
JobMonthTotal	Translation: Ordre de travail Short: Commande pour tous les receveurs (distributeur et institutions)
Substitution	Translation: Substitution Short: Substitution d'un avis valide
MonthTotalDeclaration	Translation: Déclarer le total des salaires mensuels

2.108 Complex Type: **MonthTotalSalaryResultConsumerType**

Name	MonthTotalSalaryResultConsumerType
------	------------------------------------

Schema Component Representation

```

<xs:complexType name="MonthTotalSalaryResultConsumerType">
  <xs:sequence>
    <xs:element name="SalaryResultMonthTotal" type="sdc:ReducedDeclareMonthTotalSalaryResultType"/>
  </xs:sequence>
</xs:complexType>

```

Documentation: Schema Component Representation

SalaryResultMonthTotal	Translation: Résultat salarial Mois Total
------------------------	--

2.34 Complex Type: **PlausibilityStateType**

Name	PlausibilityStateType
------	-----------------------

Schema Component Representation

```
<xs:complexType name="PlausibilityStateType">
  <xs:choice>
    <xs:element name="ValidityPlausibilityChecking" type=" c:EmptyType "/>
    <xs:element name="Plausible" type=" sdc:PlausibleNotificationsType "/>
  </xs:choice>
</xs:complexType>
```

Documentation: Schema Component Representation

2.35 Complex Type: **PlausibleNotificationsType**

Name	PlausibleNotificationsType
------	----------------------------

Schema Component Representation

```
<xs:complexType name="PlausibleNotificationsType">
  <xs:sequence>
    <xs:element name="Warning" type=" c:NotificationsType " minOccurs="0"/>
    <xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
    <xs:element name="JobState" type=" sdc:JobStateType "/>
  </xs:sequence>
</xs:complexType>
```

Documentation: Schema Component Representation

Warning	Translation: Avertissements
Info	Translation: Informations
JobState	Translation: État de la commande

2.109 Complex Type: **ReducedDeclareMonthTotalSalaryResultType**

Name	ReducedDeclareMonthTotalSalaryResultType
------	--

Schema Component Representation

```
<xs:complexType name="ReducedDeclareMonthTotalSalaryResultType">
  <xs:complexContent>
    <xs:restriction base=" sdc:DeclareMonthTotalSalaryResultType ">
```

```

<xs:choice>
  <xs:element name="AHV-AVS" type=" sdc:AHV-AVS-ReducedDeclareMonthTotalSalaryResultType "/>
  <xs:element name="FAK-CAF" type=" sdc:FAK-CAF-ReducedDeclareMonthTotalSalaryResultType "/>
</xs:choice>
</xs:restriction>
</xs:complexContent>
</xs:complexType>

```

Documentation: Schema Component Representation

2.133 Complex Type: **ReducedDialogType**

Name	ReducedDialogType
------	-------------------

Schema Component Representation

```

<xs:complexType name="ReducedDialogType">
  <xs:complexContent>
    <xs:restriction base=" sdc:DialogType ">
      <xs:choice>
        <xs:element name="AHV-AVS" type=" sdc:AHV-AVS-ReducedDialogType "/>
        <xs:element name="FAK-CAF" type=" sdc:FAK-CAF-ReducedDialogType "/>
        <xs:element name="UVG-LAA" type=" sdc:UVG-LAA-ReducedDialogType "/>
        <xs:element name="UVGZ-LAAC" type=" sdc:UVGZ-LAAC-ReducedDialogType "/>
        <xs:element name="KTG-AMC" type=" sdc:KTG-AMC-ReducedDialogType "/>
        <xs:element name="BVG-LPP" type=" sdc:BVG-LPP-ReducedDialogType "/>
        <xs:element name="Tax" type=" sdc:TaxReducedDialogType "/>
        <xs:element name="TaxAtSource" type=" sdc:TaxAtSourceReducedDialogType "/>
        <xs:element name="TaxCrossborder" type=" sdc:TaxAtSourceReducedDialogType "/>
        <xs:element name="Statistic" type=" sdc:StatisticReducedDialogType "/>
      </xs:choice>
    </xs:restriction>
  </xs:complexContent>
</xs:complexType>

```

Documentation: Schema Component Representation

2.132 Complex Type: **ReducedGetDialogResponse**

Name	ReducedGetDialogResponse
------	--------------------------

Schema Component Representation

```

<xs:complexType name="ReducedGetDialogResponse">
  <xs:sequence>
    <xs:element name="Dialog" type=" sdc:ReducedDialogType "/>
  </xs:sequence>
</xs:complexType>

```

Documentation: Schema Component Representation

Dialog

Translation: Résultat de la mise à jour du dialogue

2.51 Complex Type: ReducedSalaryResultType

Name	ReducedSalaryResultType
-------------	--------------------------------

Schema Component Representation

```

<xs:complexType name="ReducedSalaryResultType">
  <xs:complexContent>
    <xs:restriction base=" sdc:SalaryResultType ">
      <xs:choice>
        <xs:element name="AHV-AVS" type=" sdc:AHV-AVS-ReducedSalaryResultType "/>
        <xs:element name="FAK-CAF" type=" sdc:FAK-CAF-ReducedSalaryResultType "/>
        <xs:element name="UVG-LAA" type=" sdc:UVG-LAA-ReducedSalaryResultType "/>
        <xs:element name="UVGZ-LAAC" type=" sdc:UVGZ-LAAC-ReducedSalaryResultType "/>
        <xs:element name="KTG-AMC" type=" sdc:KTG-AMC-ReducedSalaryResultType "/>
        <xs:element name="BVG-LPP" type=" sdc:BVG-LPP-ReducedSalaryResultType "/>
        <xs:element name="Tax" type=" sdc:TaxReducedSalaryResultType "/>
        <xs:element name="TaxAtSource" type=" sdc:TaxAtSourceReducedSalaryResultType "/>
        <xs:element name="TaxCrossborder" type=" sdc:TaxCrossborderReducedSalaryResultType "/>
        <xs:element name="Statistic" type=" sdc:StatisticReducedSalaryResultType "/>
      </xs:choice>
    </xs:restriction>
  </xs:complexContent>
</xs:complexType>

```

Documentation: Schema Component Representation**2.33 Complex Type: ReducedTaxWorkingStateType**

Name	ReducedTaxWorkingStateType
-------------	-----------------------------------

Schema Component Representation

```

<xs:complexType name="ReducedTaxWorkingStateType">
  <xs:complexContent>
    <xs:restriction base=" sdc:TaxWorkingStateType ">
      <xs:choice>
        <xs:element name="Success" type=" sdc:TaxStateSuccessType "/>
      </xs:choice>
    </xs:restriction>
  </xs:complexContent>
</xs:complexType>

```

Documentation: Schema Component Representation

2.29 Complex Type: **ReducedWorkingStateMultiType**

Name	ReducedWorkingStateMultiType
------	------------------------------

Schema Component Representation

```
<xs:complexType name="ReducedWorkingStateMultiType">
  <xs:complexContent>
    <xs:restriction base="sdc:WorkingStateMultiType">
      <xs:choice>
        <xs:element name="Success" type="sdc:SuccessResponseType"/>
      </xs:choice>
    </xs:restriction>
  </xs:complexContent>
</xs:complexType>
```

Documentation: Schema Component Representation

2.28 Complex Type: **ReducedWorkingStateType**

Name	ReducedWorkingStateType
------	-------------------------

Schema Component Representation

```
<xs:complexType name="ReducedWorkingStateType">
  <xs:complexContent>
    <xs:restriction base="sdc:WorkingStateType">
      <xs:choice>
        <xs:element name="Success" type="sdc:SuccessResponseType"/>
      </xs:choice>
    </xs:restriction>
  </xs:complexContent>
</xs:complexType>
```

Documentation: Schema Component Representation

2.143 Complex Type: **ReplyDialogType**

Name	ReplyDialogType
------	-----------------

Schema Component Representation

```
<xs:complexType name="ReplyDialogType">
  <xs:sequence>
```

```

<xs:group ref="sdc:GetBaseGroup"/>
<xs:element name="DialogMessages" type="c:DialogMessagesType"/>
</xs:sequence>
</xs:complexType>

```

Documentation: Schema Component Representation

DialogMessages

Translation: Dialog Messages

2.1 Complex Type: RequestContextType

Name	RequestContextType
------	--------------------

Schema Component Representation

```

<xs:complexType name="RequestContextType">
  <xs:sequence>
    <xs:group ref="c:RequestContextBaseGroup"/>
    <xs:element name="TestCase" type="c:EmptyType" minOccurs="0"/>
  </xs:sequence>
</xs:complexType>

```

Documentation: Schema Component Representation

TestCase

Translation: Cas de test

Short: Marquage pour cas de test

Technical: Les données sont reçus et acquittés. Mais SANS TRAITEMENT PRODUCTIVE!!!

2.10 Complex Type: ResponseContextType

Name	ResponseContextType
------	---------------------

Schema Component Representation

```

<xs:complexType name="ResponseContextType">
  <xs:sequence>
    <xs:element name="UserAgent" type="c:UserAgentType"/>
    <xs:element name="InstitutionName" type="xs:string"/>
    <xs:element name="TransmissionDate" type="xs:dateTime"/>
    <xs:element name="DeclarationID" type="c:IDType"/>
    <xs:element name="ResponseID" type="c:IDType"/>
    <xs:element name="RequestID" type="c:IDType"/>
    <xs:element name="TestCase" type="c:EmptyType" minOccurs="0"/>
  </xs:sequence>
</xs:complexType>

```

Documentation: Schema Component Representation

UserAgent

Translation: Informations concernant l'application

	Short: Description des données essentielles d'identification de système Technical: Pour l'assurance de la qualité, les informations essentielles des participants sont sauvegardées.
InstitutionName	Translation: Nom de l'institution
TransmissionDate	Translation: Date et Temps de transmission
DeclarationID	Translation: DeclarationID Short: Identificateur qui reste le même dans toutes les requêtes (Distributeur -> End-Empfänger), réponses (Distributeur à Transmetteur), masques et Pdf's faisant partie d'une opération commerciale identique. Il peut être utilisé comme numéro de cas pour le support.
ResponseID	Translation: Identificateur de la réponse
RequestID	Translation: Identificateur de la demande
TestCase	Translation: Cas de test Short: Marquage pour cas de test Technical: Les données sont reçus et acquittés. Mais SANS TRAITEMENT PRODUCTIVE!!!

2.20 Complex Type: ResponseStateType

Name	ResponseStateType
------	-------------------

Schema Component Representation

```
<xs:complexType name="ResponseStateType">
  <xs:sequence>
    <xs:element name="Code" type="c:ResponseCodeType"/>
    <xs:element name="Warning" type="c:NotificationsType" minOccurs="0"/>
    <xs:element name="Info" type="c:NotificationsType" minOccurs="0"/>
  </xs:sequence>
</xs:complexType>
```

Documentation: Schema Component Representation

Code	Translation: Code de l'état
Warning	Translation: Avertissements
Info	Translation: Informations

2.85 Complex Type: ResultCompanyNameType

Name	ResultCompanyNameType
------	-----------------------

Schema Component Representation

```
<xs:complexType name="ResultCompanyNameType">
  <xs:sequence>
    <xs:element name="Name" type="c:CompanyNameType" minOccurs="0"/>
    <xs:element name="Owner" type="c:CompanyOwnerType" minOccurs="0"/>
    <xs:element name="UID-BFS" type="c:UID-BFS-UnknownType" minOccurs="0"/>
  </xs:sequence>
</xs:complexType>
```

```
</xs:sequence>
</xs:complexType>
```

Documentation: Schema Component Representation

Name	Translation: Nom Short: Nom de l'entreprise
Owner	Translation: Propriétaire Short: Chef d'entreprise
UID-BFS	Translation: Identification de l'entreprise OFS

2.62 Complex Type: **ResultStateBaseType**

Name	ResultStateBaseType
-------------	----------------------------

Schema Component Representation

```
<xs:complexType name="ResultStateBaseType">
  <xs:sequence>
    <xs:element name="AddresseeContext" type=" sdc:AddresseeContextType "/>
  </xs:sequence>
</xs:complexType>
```

Documentation: Schema Component Representation

AddresseeContext	Translation: Contexte du destinataire
------------------	--

2.24 Complex Type: **ResultType**

Name	ResultType
-------------	-------------------

Schema Component Representation

```
<xs:complexType name="ResultType">
  <xs:sequence>
    <xs:element name="Credentials" type=" c:CredentialsType "/>
  </xs:sequence>
</xs:complexType>
```

Documentation: Schema Component Representation

Credentials	Translation: Preuve d'autorisation
-------------	---

2.13 Complex Type: **SalaryDeclarationFaultType**

Name	SalaryDeclarationFaultType
-------------	-----------------------------------

Schema Component Representation

```
<xs:complexType name="SalaryDeclarationFaultType">
  <xs:sequence>
    <xs:element name="FaultContext" type=" sdc:FaultContextType "/>
    <xs:element name="FaultState" type=" c:FaultStateType "/>
  </xs:sequence>
</xs:complexType>
```

Documentation: Schema Component Representation

FaultContext	Translation: Contexte d'erreur
FaultState	Translation: État de l'erreur

2.2 Complex Type: **SalaryDeclarationRequestType**

Name	SalaryDeclarationRequestType
-------------	-------------------------------------

Schema Component Representation

```
<xs:complexType name="SalaryDeclarationRequestType">
  <xs:sequence>
    <xs:element name="RequestContext" type=" sdc:RequestContextType "/>
    <xs:element name="Job" type=" sdc:JobType "/>
    <xs:element name="Substitution" type=" sdc:SubstitutionType " minOccurs="0"/>
    <xs:element name="SalaryDeclaration" type=" sd:SalaryDeclarationType "/>
  </xs:sequence>
</xs:complexType>
```

Documentation: Schema Component Representation

RequestContext	Translation: Contexte de la demande
Job	Translation: Ordre de travail Short: Commande pour tous les receveurs (distributeur et institutions)
Substitution	Translation: Substitution Short: Substitution d'un avis valide
SalaryDeclaration	Translation: Avis de salaire Short: Données utilitaires de l'avis de salaire

2.15 Complex Type: **SalaryDeclarationStatusResponseType**

Name	SalaryDeclarationStatusResponseType
-------------	--

Schema Component Representation

```
<xs:complexType name="SalaryDeclarationStatusResponseType">
  <xs:sequence>
    <xs:element name="ResponseContext" type=" sdc:ResponseContextType "/>
  </xs:sequence>
</xs:complexType>
```

```

<xs:element name="PlausibilityState" type=" sdc:PlausibilityStateType "/>
<xs:element name="JobFinished" type=" c:SimpleBooleanType "/>
</xs:sequence>
</xs:complexType>

```

Documentation: Schema Component Representation

ResponseContext	Translation: Contexte de la réponse
PlausibilityState	Translation: État de la plausibilité
JobFinished	Translation: Commande terminée

2.50 Complex Type: **SalaryResultConsumerType**

Name	SalaryResultConsumerType
-------------	---------------------------------

Schema Component Representation

```

<xs:complexType name="SalaryResultConsumerType">
  <xs:sequence>
    <xs:element name="SalaryResult" type=" sdc:ReducedSalaryResultType "/>
  </xs:sequence>
</xs:complexType>

```

Documentation: Schema Component Representation

SalaryResult	Translation: Résultat de la déclaration de salaires
--------------	--

2.39 Complex Type: **SalaryResultType**

Name	SalaryResultType
-------------	-------------------------

Schema Component Representation

```

<xs:complexType name="SalaryResultType">
  <xs:choice>
    <xs:element name="AHV-AVS" type=" sdc:AHV-AVS-SalaryResultType "/>
    <xs:element name="FAK-CAF" type=" sdc:FAK-CAF-SalaryResultType "/>
    <xs:element name="UVG-LAA" type=" sdc:UVG-LAA-SalaryResultType "/>
    <xs:element name="UVGZ-LAAC" type=" sdc:UVGZ-LAAC-SalaryResultType "/>
    <xs:element name="KTG-AMC" type=" sdc:KTG-AMC-SalaryResultType "/>
    <xs:element name="BVG-LPP" type=" sdc:BVG-LPP-SalaryResultType "/>
    <xs:element name="Tax" type=" sdc:TaxSalaryResultType "/>
    <xs:element name="TaxAtSource" type=" sdc:TaxAtSourceSalaryResultType "/>
    <xs:element name="TaxCrossborder" type=" sdc:TaxCrossborderSalaryResultType "/>
    <xs:element name="Statistic" type=" sdc:StatisticSalaryResultType "/>
  </xs:choice>
</xs:complexType>

```

Documentation: Schema Component Representation

2.22 Complex Type: **StateSuccessBaseType**

Name	StateSuccessBaseType
------	----------------------

Schema Component Representation

```
<xs:complexType name="StateSuccessBaseType">
  <xs:sequence>
    <xs:element name="AddresseeContext" type=" sdc:AddresseeContextType "/>
    <xs:element name="ResponseState" type=" sdc:ResponseStateType "/>
  </xs:sequence>
</xs:complexType>
```

Documentation: Schema Component Representation

AddresseeContext	Translation: Contexte du destinataire
ResponseState	Translation: État de la réponse

2.130 Complex Type: **StatisticDialogType**

Name	StatisticDialogType
------	---------------------

Schema Component Representation

```
<xs:complexType name="StatisticDialogType">
  <xs:sequence>
    <xs:element name="Warning" type=" c:NotificationsType " minOccurs="0"/>
    <xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
    <xs:choice>
      <xs:element name="NotSupported" type=" sdc:ResultStateBaseType "/>
      <xs:element name="Processing" type=" sdc:StatisticProcessingType "/>
      <xs:element name="Error" type=" sdc:ErrorResponseType "/>
      <xs:element name="Success" type=" sdc:StatisticSuccessDialogType "/>
    </xs:choice>
  </xs:sequence>
</xs:complexType>
```

Documentation: Schema Component Representation

Warning	Translation: Avertissements
Info	Translation: Informations

2.90 Complex Type: **StatisticProcessingType**

Name	StatisticProcessingType
------	-------------------------

Schema Component Representation

```
<xs:complexType name="StatisticProcessingType">
  <xs:complexContent>
    <xs:extension base=" sdc:ResultStateBaseType ">
      <xs:sequence>
        <xs:element name="ExpectedAvailability" type=" xs:date " minOccurs="0"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
```

Documentation: Schema Component Representation

2.89 Complex Type: **StatisticQuittanceType**

Name	StatisticQuittanceType
------	------------------------

Schema Component Representation

```
<xs:complexType name="StatisticQuittanceType">
  <xs:sequence>
    <xs:element name="NumberOf-Person-Tags" type=" xs:unsignedInt "/>
  </xs:sequence>
</xs:complexType>
```

Documentation: Schema Component Representation

NumberOf-Person-Tags	Translation: Nombre de balises statistique des salaires
----------------------	---

2.142 Complex Type: **StatisticReducedDialogType**

Name	StatisticReducedDialogType
------	----------------------------

Schema Component Representation

```
<xs:complexType name="StatisticReducedDialogType">
  <xs:complexContent>
    <xs:restriction base=" sdc:StatisticDialogType ">
      <xs:sequence>
        <xs:element name="Warning" type=" c:NotificationsType " minOccurs="0"/>
        <xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
        <xs:choice>
          <xs:element name="Processing" type=" sdc:StatisticProcessingType "/>
          <xs:element name="Success" type=" sdc:StatisticSuccessDialogType "/>
        </xs:choice>
      </xs:sequence>
    </xs:restriction>
  </xs:complexContent>
```

```
</xs:complexType>
```

Documentation: Schema Component Representation

2.61 Complex Type: **StatisticReducedSalaryResultType**

Name	StatisticReducedSalaryResultType
------	----------------------------------

Schema Component Representation

```
<xs:complexType name="StatisticReducedSalaryResultType">
  <xs:complexContent>
    <xs:restriction base="sdc:StatisticSalaryResultType">
      <xs:sequence>
        <xs:element name="Warning" type="c:NotificationsType" minOccurs="0"/>
        <xs:element name="Info" type="c:NotificationsType" minOccurs="0"/>
        <xs:choice>
          <xs:element name="CompletionReleaselsMissing" type="sdc:ResultStateBaseType"/>
          <xs:element name="Processing" type="sdc:StatisticProcessingType"/>
          <xs:element name="Success" type="sdc:StatisticSuccessType"/>
        </xs:choice>
      </xs:sequence>
    </xs:restriction>
  </xs:complexContent>
</xs:complexType>
```

Documentation: Schema Component Representation

2.49 Complex Type: **StatisticSalaryResultType**

Name	StatisticSalaryResultType
------	---------------------------

Schema Component Representation

```
<xs:complexType name="StatisticSalaryResultType">
  <xs:sequence>
    <xs:element name="Warning" type="c:NotificationsType" minOccurs="0"/>
    <xs:element name="Info" type="c:NotificationsType" minOccurs="0"/>
    <xs:choice>
      <xs:element name="NotSupported" type="sdc:ResultStateBaseType"/>
      <xs:element name="CompletionReleaselsMissing" type="sdc:ResultStateBaseType"/>
      <xs:element name="Processing" type="sdc:StatisticProcessingType"/>
      <xs:element name="Error" type="sdc:ErrorResponseType"/>
      <xs:element name="Success" type="sdc:StatisticSuccessType"/>
    </xs:choice>
  </xs:sequence>
</xs:complexType>
```

Documentation: Schema Component Representation

Warning	Translation: Avertissements
Info	Translation: Informations

2.131 Complex Type: **StatisticSuccessDialogType**

Name	StatisticSuccessDialogType
------	----------------------------

Schema Component Representation

```
<xs:complexType name="StatisticSuccessDialogType">
  <xs:complexContent>
    <xs:extension base="sdc:ResultStateBaseType">
      <xs:sequence>
        <xs:element name="DialogMessages" type="c:DialogMessagesType" minOccurs="0"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
```

Documentation: Schema Component Representation

2.91 Complex Type: **StatisticSuccessType**

Name	StatisticSuccessType
------	----------------------

Schema Component Representation

```
<xs:complexType name="StatisticSuccessType">
  <xs:complexContent>
    <xs:extension base="sdc:ResultStateBaseType">
      <xs:sequence>
        <xs:element name="Process" type="sd:StatisticProcessType"/>
        <xs:element name="ProcessDescriptions" type="sd:StatisticNotification" minOccurs="0"/>
        <xs:element name="CompanyDescription" type="c:CompanyDescriptionType"/>
        <xs:element name="Staff" type="sd:StatisticPersonsType" minOccurs="0"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
```

Documentation: Schema Component Representation

2.9 Complex Type: **SubstitutionType**

Name	SubstitutionType
------	------------------

Schema Component Representation

```
<xs:complexType name="SubstitutionType">
  <xs:sequence>
    <xs:element name="PredecessorDeclarationIDWithAcceptedState" type="c:IDType"/>
  </xs:sequence>
</xs:complexType>
```

Documentation: Schema Component Representation

PredecessorDeclarationID- WithAcceptedState	Translation: Identification du message Short: L'identification du message (MeldungsID) est donnée et administrée par le distributeur. Avec "MeldungsID", plusieurs pas de processus peuvent être enchaînés. Il résulte un numéro de cas ou de support.
--	---

2.19 Complex Type: SuccessResponseType

Name	SuccessResponseType
------	---------------------

Schema Component Representation

```
<xs:complexType name="SuccessResponseType">
  <xs:sequence>
    <xs:element name="AddresseeContext" type="sdc:AddresseeContextType"/>
    <xs:element name="ResponseState" type="sdc:ResponseStateType"/>
    <xs:group ref="sdc:ProcessFlowGroup"/>
  </xs:sequence>
</xs:complexType>
```

Documentation: Schema Component Representation

AddresseeContext	Translation: Contexte du destinataire
ResponseState	Translation: État de la réponse

2.128 Complex Type: TaxAtSourceDialogType

Name	TaxAtSourceDialogType
------	-----------------------

Schema Component Representation

```
<xs:complexType name="TaxAtSourceDialogType">
  <xs:sequence>
    <xs:element name="Warning" type="c:NotificationsType" minOccurs="0"/>
    <xs:element name="Info" type="c:NotificationsType" minOccurs="0"/>
    <xs:choice>
      <xs:element name="NotSupported" type="sdc:TaxAtSourceMinimalResultStateType"/>
      <xs:element name="Processing" type="sdc:TaxAtSourceProcessingType"/>
      <xs:element name="Error" type="sdc:ErrorResponse"/>
      <xs:element name="Success" type="sdc:TaxAtSourceSuccessDialogType"/>
    </xs:choice>
  </xs:sequence>
</xs:complexType>
```

```

</xs:choice>
</xs:sequence>
</xs:complexType>

```

Documentation: Schema Component Representation

Warning	Translation: Avertissements
Info	Translation: Informations

2.84 Complex Type: **TaxAtSourceMinimalResultStateType**

Name	TaxAtSourceMinimalResultStateType
-------------	--

Schema Component Representation

```

<xs:complexType name="TaxAtSourceMinimalResultStateType">
  <xs:complexContent>
    <xs:extension base="sdc:ResultStateBaseType">
      <xs:sequence>
        <xs:element name="Institution" type="sd:TaxAtSourceCustomerIdentificationConsumerType"/>
        <xs:element name="Company" type="sdc:ResultCompanyNameType" minOccurs="0"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>

```

Documentation: Schema Component Representation

2.86 Complex Type: **TaxAtSourceProcessingType**

Name	TaxAtSourceProcessingType
-------------	----------------------------------

Schema Component Representation

```

<xs:complexType name="TaxAtSourceProcessingType">
  <xs:complexContent>
    <xs:extension base="sdc:TaxAtSourceMinimalResultStateType">
      <xs:sequence>
        <xs:element name="ExpectedAvailability" type="xs:date" minOccurs="0"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>

```

Documentation: Schema Component Representation

2.141 Complex Type: **TaxAtSourceReducedDialogType**

Name	TaxAtSourceReducedDialogType
------	------------------------------

Schema Component Representation

```
<xs:complexType name="TaxAtSourceReducedDialogType">
  <xs:complexContent>
    <xs:restriction base="sdc:TaxAtSourceDialogType">
      <xs:sequence>
        <xs:element name="Warning" type="c:NotificationsType" minOccurs="0"/>
        <xs:element name="Info" type="c:NotificationsType" minOccurs="0"/>
        <xs:choice>
          <xs:element name="Processing" type="sdc:TaxAtSourceProcessingType"/>
          <xs:element name="Success" type="sdc:TaxAtSourceSuccessDialogType"/>
        </xs:choice>
      </xs:sequence>
    </xs:restriction>
  </xs:complexContent>
</xs:complexType>
```

Documentation: Schema Component Representation

2.59 Complex Type: **TaxAtSourceReducedSalaryResultType**

Name	TaxAtSourceReducedSalaryResultType
------	------------------------------------

Schema Component Representation

```
<xs:complexType name="TaxAtSourceReducedSalaryResultType">
  <xs:complexContent>
    <xs:restriction base="sdc:TaxAtSourceSalaryResultType">
      <xs:sequence>
        <xs:element name="Warning" type="c:NotificationsType" minOccurs="0"/>
        <xs:element name="Info" type="c:NotificationsType" minOccurs="0"/>
        <xs:choice>
          <xs:element name="CompletionReleaselsMissing" type="sdc:TaxAtSourceMinimalResultStateType"/>
          <xs:element name="Processing" type="sdc:TaxAtSourceProcessingType"/>
          <xs:element name="Success" type="sdc:TaxAtSourceResultSuccessType"/>
        </xs:choice>
      </xs:sequence>
    </xs:restriction>
  </xs:complexContent>
</xs:complexType>
```

Documentation: Schema Component Representation

2.87 Complex Type: **TaxAtSourceResultSuccessType**

Name	TaxAtSourceResultSuccessType
------	------------------------------

Schema Component Representation

```
<xs:complexType name="TaxAtSourceResultSuccessType">
  <xs:complexContent>
    <xs:extension base="sdc:TaxAtSourceMinimalResultStateType">
      <xs:choice>
        <xs:element name="TaxAtSourceQuittanceWithoutCompletion" type="sd:TaxAtSourceTotalsConsumerType"/>
      >
      <xs:sequence>
        <xs:element name="ChangesConsideredUpTo" type="xs:date"/>
        <xs:element name="Staff" type="sd:TaxAtSourcePersonsType"/>
        <xs:element name="Summary" type="sd:TaxAtSourceSummaryType"/>
        <xs:element name="TaxAtSourceDeclarationQuittance" type="sd:TaxAtSourceTotalsConsumerType"/>
      </xs:sequence>
    </xs:choice>
  </xs:extension>
</xs:complexContent>
</xs:complexType>
```

Documentation: Schema Component Representation

2.47 Complex Type: TaxAtSourceSalaryResultType

Name	TaxAtSourceSalaryResultType
------	-----------------------------

Schema Component Representation

```
<xs:complexType name="TaxAtSourceSalaryResultType">
  <xs:sequence>
    <xs:element name="Warning" type="c:NotificationsType" minOccurs="0"/>
    <xs:element name="Info" type="c:NotificationsType" minOccurs="0"/>
  <xs:choice>
    <xs:element name="NotSupported" type="sdc:TaxAtSourceMinimalResultStateType"/>
    <xs:element name="CompletionReleaselsMissing" type="sdc:TaxAtSourceMinimalResultStateType"/>
    <xs:element name="Processing" type="sdc:TaxAtSourceProcessingType"/>
    <xs:element name="Error" type="sdc:ErrorResponseType"/>
    <xs:element name="Success" type="sdc:TaxAtSourceResultSuccessType"/>
  </xs:choice>
</xs:sequence>
</xs:complexType>
```

Documentation: Schema Component Representation

Warning	Translation: Avertissements
Info	Translation: Informations

2.129 Complex Type: TaxAtSourceSuccessDialogType

Name	TaxAtSourceSuccessDialogType
------	------------------------------

Schema Component Representation

```
<xs:complexType name="TaxAtSourceSuccessDialogType">
  <xs:complexContent>
    <xs:extension base=" sdc:TaxAtSourceMinimalResultStateType ">
      <xs:sequence>
        <xs:element name="DialogMessages" type=" c:DialogMessagesType " minOccurs="0"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
```

Documentation: Schema Component Representation

2.60 Complex Type: TaxCrossborderReducedSalaryResultType

Name	TaxCrossborderReducedSalaryResultType
------	---------------------------------------

Schema Component Representation

```
<xs:complexType name="TaxCrossborderReducedSalaryResultType">
  <xs:complexContent>
    <xs:restriction base=" sdc:TaxCrossborderSalaryResultType ">
      <xs:sequence>
        <xs:element name="Warning" type=" c:NotificationsType " minOccurs="0"/>
        <xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
        <xs:choice>
          <xs:element name="CompletionReleaselsMissing" type=" sdc:TaxAtSourceMinimalResultStateType "/>
          <xs:element name="Processing" type=" sdc:TaxAtSourceProcessingType "/>
          <xs:element name="Success" type=" sdc:TaxCrossborderResultSuccessType "/>
        </xs:choice>
      </xs:sequence>
    </xs:restriction>
  </xs:complexContent>
</xs:complexType>
```

Documentation: Schema Component Representation

2.88 Complex Type: TaxCrossborderResultSuccessType

Name	TaxCrossborderResultSuccessType
------	---------------------------------

Schema Component Representation

```
<xs:complexType name="TaxCrossborderResultSuccessType">
  <xs:complexContent>
    <xs:extension base=" sdc:TaxAtSourceMinimalResultStateType ">
      <xs:sequence>
        <xs:element name="TaxCrossborderQuittanceWithoutCompletion" type="
```

```

sd:TaxCrossborderTotalsConsumerType "/>
</xs:sequence>
</xs:extension>
</xs:complexContent>
</xs:complexType>

```

Documentation: Schema Component Representation

2.48 Complex Type: TaxCrossborderSalaryResultType

Name	TaxCrossborderSalaryResultType
------	--------------------------------

Schema Component Representation

```

<xs:complexType name="TaxCrossborderSalaryResultType">
  <xs:sequence>
    <xs:element name="Warning" type=" c:NotificationsType " minOccurs="0"/>
    <xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
    <xs:choice>
      <xs:element name="NotSupported" type=" sdc:TaxAtSourceMinimalResultStateType "/>
      <xs:element name="CompletionReleaselsMissing" type=" sdc:TaxAtSourceMinimalResultStateType "/>
      <xs:element name="Processing" type=" sdc:TaxAtSourceProcessingType "/>
      <xs:element name="Error" type=" sdc:ErrorResponseType "/>
      <xs:element name="Success" type=" sdc:TaxCrossborderResultSuccessType "/>
    </xs:choice>
  </xs:sequence>
</xs:complexType>

```

Documentation: Schema Component Representation

Warning	Translation: Avertissements
Info	Translation: Informations

2.126 Complex Type: TaxDialogType

Name	TaxDialogType
------	---------------

Schema Component Representation

```

<xs:complexType name="TaxDialogType">
  <xs:sequence>
    <xs:element name="Warning" type=" c:NotificationsType " minOccurs="0"/>
    <xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
    <xs:choice>
      <xs:element name="NotSupported" type=" sdc:TaxNotSupportedType "/>
      <xs:element name="Processing" type=" sdc:TaxProcessingType "/>
      <xs:element name="Error" type=" sdc:ErrorResponseType "/>
      <xs:element name="Success" type=" sdc:TaxSuccessDialogType "/>
    </xs:choice>
  </xs:sequence>

```

```
</xs:complexType>
```

Documentation: Schema Component Representation

Warning Translation: Avertissements

Info Translation: Informations

2.82 Complex Type: **TaxNotSupportedType**

Name	TaxNotSupportedType
------	---------------------

Schema Component Representation

```
<xs:complexType name="TaxNotSupportedType">
  <xs:complexContent>
    <xs:extension base="sdc:ResultStateBaseType">
      <xs:sequence>
        <xs:element name="InstitutionCantonID" type="c:CantonAddressType"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
```

Documentation: Schema Component Representation

2.81 Complex Type: **TaxProcessingType**

Name	TaxProcessingType
------	-------------------

Schema Component Representation

```
<xs:complexType name="TaxProcessingType">
  <xs:complexContent>
    <xs:extension base="sdc:ResultStateBaseType">
      <xs:sequence>
        <xs:element name="InstitutionCantonID" type="c:CantonAddressType"/>
        <xs:element name="ExpectedAvailability" type="xs:date" minOccurs="0"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
```

Documentation: Schema Component Representation

2.30 Complex Type: **TaxQuittanceType**

Name	TaxQuittanceType
------	------------------

Schema Component Representation

```
<xs:complexType name="TaxQuittanceType">
  <xs:sequence>
    <xs:element name="NumberOf-TaxAnnuity-Tags" type="xs:unsignedInt"/>
    <xs:element name="NumberOf-TaxSalary-Tags" type="xs:unsignedInt"/>
    <xs:element name="NumberOf-OwnershipRightDetail-Tags" type="xs:unsignedInt"/>
  </xs:sequence>
</xs:complexType>
```

Documentation: Schema Component Representation

NumberOf-TaxAnnuity-Tags	Translation: Nombre d'attestations de rentes notifiées Short: Nombre d'attestations de rentes notifiées Tags
NumberOf-TaxSalary-Tags	Translation: Nombre des certificats de salaire déclarés Short: Nombre des certificats de salaire déclarés Tags
NumberOf-Owner-shipRightDetail-Tags	Translation: Nombre de participations de col-laborateur notifiées Short: Nombre de participations de col-laborateur notifiées Tags

2.140 Complex Type: TaxReducedDialogType

Name	TaxReducedDialogType
------	----------------------

Schema Component Representation

```
<xs:complexType name="TaxReducedDialogType">
  <xs:complexContent>
    <xs:restriction base="sdc:TaxDialogType">
      <xs:sequence>
        <xs:element name="Warning" type="c:NotificationsType" minOccurs="0"/>
        <xs:element name="Info" type="c:NotificationsType" minOccurs="0"/>
        <xs:choice>
          <xs:element name="Processing" type="sdc:TaxProcessingType"/>
          <xs:element name="Success" type="sdc:TaxSuccessDialogType"/>
        </xs:choice>
      </xs:sequence>
    </xs:restriction>
  </xs:complexContent>
</xs:complexType>
```

Documentation: Schema Component Representation

2.58 Complex Type: TaxReducedSalaryResultType

Name	TaxReducedSalaryResultType
------	----------------------------

Schema Component Representation

```
<xs:complexType name="TaxReducedSalaryResultType">
  <xs:complexContent>
    <xs:restriction base=" sdc:TaxSalaryResultType ">
      <xs:sequence>
        <xs:element name="Warning" type=" c:NotificationsType " minOccurs="0"/>
        <xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
        <xs:choice>
          <xs:element name="CompletionReleasesMissing" type=" sdc:TaxNotSupportedType "/>
          <xs:element name="Processing" type=" sdc:TaxProcessingType "/>
          <xs:element name="Success" type=" sdc:TaxResultSuccessType "/>
        </xs:choice>
      </xs:sequence>
    </xs:restriction>
  </xs:complexContent>
</xs:complexType>
```

Documentation: Schema Component Representation

2.83 Complex Type: TaxResultSuccessType

Name	TaxResultSuccessType
------	----------------------

Schema Component Representation

```
<xs:complexType name="TaxResultSuccessType">
  <xs:complexContent>
    <xs:extension base=" sdc:ResultStateBaseType ">
      <xs:sequence>
        <xs:element name="InstitutionCantonID" type=" c:CantonAddressType "/>
        <xs:element name="TaxQuittance" type=" sdc:TaxQuittanceType "/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
```

Documentation: Schema Component Representation

2.46 Complex Type: TaxSalaryResultType

Name	TaxSalaryResultType
------	---------------------

Schema Component Representation

```
<xs:complexType name="TaxSalaryResultType">
  <xs:sequence>
    <xs:element name="Warning" type=" c:NotificationsType " minOccurs="0"/>
    <xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
  </xs:sequence>
</xs:complexType>
```

```

<xs:choice>
  <xs:element name="NotSupported" type=" sdc:TaxNotSupportedType "/>
  <xs:element name="CompletionReleaselsMissing" type=" sdc:TaxNotSupportedType "/>
  <xs:element name="Processing" type=" sdc:TaxProcessingType "/>
  <xs:element name="Error" type=" sdc:ErrorResponseType "/>
  <xs:element name="Success" type=" sdc:TaxResultSuccessType "/>
</xs:choice>
</xs:sequence>
</xs:complexType>

```

Documentation: Schema Component Representation

Warning Translation: Avertissements

Info Translation: Informations

2.31 Complex Type: **TaxStateSuccessType**

Name	TaxStateSuccessType
------	---------------------

Schema Component Representation

```

<xs:complexType name="TaxStateSuccessType">
  <xs:complexContent>
    <xs:extension base=" sdc:StateSuccessBaseType ">
      <xs:sequence>
        <xs:group ref="sdc:ProcessFlowGroup"/>
        <xs:element name="ProcessFinished" type=" sdc:TaxQuittanceType " minOccurs="0"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>

```

Documentation: Schema Component Representation

2.127 Complex Type: **TaxSuccessDialogType**

Name	TaxSuccessDialogType
------	----------------------

Schema Component Representation

```

<xs:complexType name="TaxSuccessDialogType">
  <xs:complexContent>
    <xs:extension base=" sdc:ResultStateBaseType ">
      <xs:sequence>
        <xs:element name="InstitutionCantonID" type=" c:CantonAddressType "/>
        <xs:element name="DialogMessages" type=" c:DialogMessagesType " minOccurs="0"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>

```

Documentation: Schema Component Representation

2.32 Complex Type: **TaxWorkingStateType**

Name	TaxWorkingStateType
------	---------------------

Schema Component Representation

```
<xs:complexType name="TaxWorkingStateType">
  <xs:choice>
    <xs:group ref="sdc:WorkingStateGroup"/>
    <xs:element name="Success" type="sdc:TaxStateSuccessType"/>
  </xs:choice>
  <xs:attribute name="canton" type="c:CantonAndEXType" use="required"/>
</xs:complexType>
```

Documentation: Schema Component Representation

2.8 Complex Type: **UserNotificationType**

Name	UserNotificationType
------	----------------------

Schema Component Representation

```
<xs:complexType name="UserNotificationType">
  <xs:sequence>
    <xs:element name="Name" type="xs:string"/>
    <xs:element name="EmailAddress" type="c:EmailAddressType"/>
    <xs:element name="PhoneNumber" type="xs:string"/>
  </xs:sequence>
</xs:complexType>
```

Documentation: Schema Component Representation

Name	Translation: Nom
EmailAddress	Translation: Adresse mél
PhoneNumber	Translation: Numéro de téléphone

2.118 Complex Type: **UVG-LAA-DialogType**

Name	UVG-LAA-DialogType
------	--------------------

Schema Component Representation

```

<xs:complexType name="UVG-LAA-DialogType">
  <xs:sequence>
    <xs:element name="Warning" type=" c:NotificationsType " minOccurs="0"/>
    <xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
    <xs:choice>
      <xs:element name="NotSupported" type=" sdc:UVG-LAA-MinimalResultStateType "/>
      <xs:element name="Processing" type=" sdc:UVG-LAA-ProcessingType "/>
      <xs:element name="Error" type=" sdc:ErrorResponseType "/>
      <xs:element name="Success" type=" sdc:UVG-LAA-SuccessDialogType "/>
    </xs:choice>
  </xs:sequence>
</xs:complexType>

```

Documentation: Schema Component Representation

Warning	Translation: Avertissements
Info	Translation: Informations

2.69 Complex Type: **UVG-LAA-MinimalResultStateType**

Name	UVG-LAA-MinimalResultStateType
------	--------------------------------

Schema Component Representation

```

<xs:complexType name="UVG-LAA-MinimalResultStateType">
  <xs:complexContent>
    <xs:extension base=" sdc:ResultStateBaseType ">
      <xs:sequence>
        <xs:element name="Institution" type=" sd:BaseCustomerIdentificationMultiConsumerType "/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>

```

Documentation: Schema Component Representation

2.70 Complex Type: **UVG-LAA-ProcessingType**

Name	UVG-LAA-ProcessingType
------	------------------------

Schema Component Representation

```

<xs:complexType name="UVG-LAA-ProcessingType">
  <xs:complexContent>
    <xs:extension base=" sdc:UVG-LAA-MinimalResultStateType ">
      <xs:sequence>
        <xs:element name="ExpectedAvailability" type=" xs:date " minOccurs="0"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>

```

```
</xs:complexType>
```

Documentation: Schema Component Representation

2.136 Complex Type: UVG-LAA-ReducedDialogType

Name	UVG-LAA-ReducedDialogType
------	---------------------------

Schema Component Representation

```
<xs:complexType name="UVG-LAA-ReducedDialogType">
  <xs:complexContent>
    <xs:restriction base=" sdc:UVG-LAA-DialogType ">
      <xs:sequence>
        <xs:element name="Warning" type=" c:NotificationsType " minOccurs="0"/>
        <xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
        <xs:choice>
          <xs:element name="Processing" type=" sdc:UVG-LAA-ProcessingType "/>
          <xs:element name="Success" type=" sdc:UVG-LAA-SuccessDialogType "/>
        </xs:choice>
      </xs:sequence>
    </xs:restriction>
  </xs:complexContent>
</xs:complexType>
```

Documentation: Schema Component Representation

2.54 Complex Type: UVG-LAA-ReducedSalaryResultType

Name	UVG-LAA-ReducedSalaryResultType
------	---------------------------------

Schema Component Representation

```
<xs:complexType name="UVG-LAA-ReducedSalaryResultType">
  <xs:complexContent>
    <xs:restriction base=" sdc:UVG-LAA-SalaryResultType ">
      <xs:sequence>
        <xs:element name="Warning" type=" c:NotificationsType " minOccurs="0"/>
        <xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
        <xs:choice>
          <xs:element name="CompletionReleaselsMissing" type=" sdc:UVG-LAA-MinimalResultStateType "/>
          <xs:element name="Processing" type=" sdc:UVG-LAA-ProcessingType "/>
          <xs:element name="Success" type=" sdc:UVG-LAA-SuccessType "/>
        </xs:choice>
      </xs:sequence>
    </xs:restriction>
  </xs:complexContent>
</xs:complexType>
```

Documentation: Schema Component Representation

2.42 Complex Type: UVG-LAA-SalaryResultType

Name	UVG-LAA-SalaryResultType
------	--------------------------

Schema Component Representation

```
<xs:complexType name="UVG-LAA-SalaryResultType">
  <xs:sequence>
    <xs:element name="Warning" type="c:NotificationsType" minOccurs="0"/>
    <xs:element name="Info" type="c:NotificationsType" minOccurs="0"/>
    <xs:choice>
      <xs:element name="NotSupported" type="sdc:UVG-LAA-MinimalResultStateType"/>
      <xs:element name="CompletionReleaselsMissing" type="sdc:UVG-LAA-MinimalResultStateType"/>
      <xs:element name="Processing" type="sdc:UVG-LAA-ProcessingType"/>
      <xs:element name="Error" type="sdc:ErrorResponseType"/>
      <xs:element name="Success" type="sdc:UVG-LAA-SuccessType"/>
    </xs:choice>
  </xs:sequence>
</xs:complexType>
```

Documentation: Schema Component Representation

Warning	Translation: Avertissements
Info	Translation: Informations

2.119 Complex Type: UVG-LAA-SuccessDialogType

Name	UVG-LAA-SuccessDialogType
------	---------------------------

Schema Component Representation

```
<xs:complexType name="UVG-LAA-SuccessDialogType">
  <xs:complexContent>
    <xs:extension base="sdc:UVG-LAA-MinimalResultStateType">
      <xs:sequence>
        <xs:element name="DialogMessages" type="c:DialogMessagesType" minOccurs="0"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
```

Documentation: Schema Component Representation

2.71 Complex Type: UVG-LAA-SuccessType

Name	UVG-LAA-SuccessType
------	---------------------

Schema Component Representation

```
<xs:complexType name="UVG-LAA-SuccessType">
  <xs:complexContent>
    <xs:extension base="sdc:UVG-LAA-MinimalResultStateType">
      <xs:sequence>
        <xs:element name="UVG-LAA-QuittanceWithoutCompletion" type="sd:UVG-LAA-TotalsConsumerType" minOccurs="0"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
```

Documentation: Schema Component Representation

2.120 Complex Type: UVGZ-LAAC-DialogType

Name	UVGZ-LAAC-DialogType
------	----------------------

Schema Component Representation

```
<xs:complexType name="UVGZ-LAAC-DialogType">
  <xs:sequence>
    <xs:element name="Warning" type="c:NotificationsType" minOccurs="0"/>
    <xs:element name="Info" type="c:NotificationsType" minOccurs="0"/>
    <xs:choice>
      <xs:element name="NotSupported" type="sdc:UVGZ-LAAC-MinimalResultStateType"/>
      <xs:element name="Processing" type="sdc:UVGZ-LAAC-ProcessingType"/>
      <xs:element name="Error" type="sdc:ErrorResponseType"/>
      <xs:element name="Success" type="sdc:UVGZ-LAAC-SuccessDialogType"/>
    </xs:choice>
  </xs:sequence>
</xs:complexType>
```

Documentation: Schema Component Representation

Warning	Translation: Avertissements
Info	Translation: Informations

2.72 Complex Type: UVGZ-LAAC-MinimalResultStateType

Name	UVGZ-LAAC-MinimalResultStateType
------	----------------------------------

Schema Component Representation

```

<xs:complexType name="UVGZ-LAAC-MinimalResultStateType">
  <xs:complexContent>
    <xs:extension base=" sdc:ResultStateBaseType ">
      <xs:sequence>
        <xs:element name="Institution" type=" sd:BaseCustomerIdentificationMultiConsumerType "/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>

```

Documentation: Schema Component Representation

2.73 Complex Type: UVGZ-LAAC-ProcessingType

Name	UVGZ-LAAC-ProcessingType
------	--------------------------

Schema Component Representation

```

<xs:complexType name="UVGZ-LAAC-ProcessingType">
  <xs:complexContent>
    <xs:extension base=" sdc:UVGZ-LAAC-MinimalResultStateType ">
      <xs:sequence>
        <xs:element name="ExpectedAvailability" type=" xs:date " minOccurs="0"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>

```

Documentation: Schema Component Representation

2.137 Complex Type: UVGZ-LAAC-ReducedDialogType

Name	UVGZ-LAAC-ReducedDialogType
------	-----------------------------

Schema Component Representation

```

<xs:complexType name="UVGZ-LAAC-ReducedDialogType">
  <xs:complexContent>
    <xs:restriction base=" sdc:UVGZ-LAAC-DialogType ">
      <xs:sequence>
        <xs:element name="Warning" type=" c:NotificationsType " minOccurs="0"/>
        <xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
        <xs:choice>
          <xs:element name="Processing" type=" sdc:UVGZ-LAAC-ProcessingType "/>
          <xs:element name="Success" type=" sdc:UVGZ-LAAC-SuccessDialogType "/>
        </xs:choice>
      </xs:sequence>
    </xs:restriction>
  </xs:complexContent>
</xs:complexType>

```


Documentation: Schema Component Representation

2.55 Complex Type: **UVGZ-LAAC-ReducedSalaryResultType**

Name	UVGZ-LAAC-ReducedSalaryResultType
------	-----------------------------------

Schema Component Representation

```
<xs:complexType name="UVGZ-LAAC-ReducedSalaryResultType">
  <xs:complexContent>
    <xs:restriction base=" sdc:UVGZ-LAAC-SalaryResultType ">
      <xs:sequence>
        <xs:element name="Warning" type=" c:NotificationsType " minOccurs="0"/>
        <xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
        <xs:choice>
          <xs:element name="CompletionReleaselsMissing" type=" sdc:UVGZ-LAAC-MinimalResultStateType "/>
          <xs:element name="Processing" type=" sdc:UVGZ-LAAC-ProcessingType "/>
          <xs:element name="Success" type=" sdc:UVGZ-LAAC-SuccessType "/>
        </xs:choice>
      </xs:sequence>
    </xs:restriction>
  </xs:complexContent>
</xs:complexType>
```

Documentation: Schema Component Representation

2.43 Complex Type: **UVGZ-LAAC-SalaryResultType**

Name	UVGZ-LAAC-SalaryResultType
------	----------------------------

Schema Component Representation

```
<xs:complexType name="UVGZ-LAAC-SalaryResultType">
  <xs:sequence>
    <xs:element name="Warning" type=" c:NotificationsType " minOccurs="0"/>
    <xs:element name="Info" type=" c:NotificationsType " minOccurs="0"/>
    <xs:choice>
      <xs:element name="NotSupported" type=" sdc:UVGZ-LAAC-MinimalResultStateType "/>
      <xs:element name="CompletionReleaselsMissing" type=" sdc:UVGZ-LAAC-MinimalResultStateType "/>
      <xs:element name="Processing" type=" sdc:UVGZ-LAAC-ProcessingType "/>
      <xs:element name="Error" type=" sdc:ErrorResponseType "/>
      <xs:element name="Success" type=" sdc:UVGZ-LAAC-SuccessType "/>
    </xs:choice>
  </xs:sequence>
</xs:complexType>
```

Documentation: Schema Component Representation

Warning Translation: Avertissements

Info

Translation: Informations

2.121 Complex Type: UVGZ-LAAC-SuccessDialogType

Name	UVGZ-LAAC-SuccessDialogType
------	-----------------------------

Schema Component Representation

```
<xs:complexType name="UVGZ-LAAC-SuccessDialogType">
  <xs:complexContent>
    <xs:extension base=" sdc:UVGZ-LAAC-MinimalResultStateType ">
      <xs:sequence>
        <xs:element name="DialogMessages" type=" c:DialogMessagesType " minOccurs="0"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
```

Documentation: Schema Component Representation**2.74 Complex Type: UVGZ-LAAC-SuccessType**

Name	UVGZ-LAAC-SuccessType
------	-----------------------

Schema Component Representation

```
<xs:complexType name="UVGZ-LAAC-SuccessType">
  <xs:complexContent>
    <xs:extension base=" sdc:UVGZ-LAAC-MinimalResultStateType ">
      <xs:sequence>
        <xs:element name="UVGZ-LAAC-QuittanceWithoutCompletion" type=" sd:UVGZ-LAAC-TotalsConsumerType "
          minOccurs="0"/>
      </xs:sequence>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>
```

Documentation: Schema Component Representation**2.27 Complex Type: WorkingStateMultiType**

Name	WorkingStateMultiType
------	-----------------------

Schema Component Representation

```

<xs:complexType name="WorkingStateMultiType">
  <xs:complexContent>
    <xs:extension base="sdc:WorkingStateType">
      <xs:attribute name="institutionIDRef" type="c:InstanceRefIDType" use="required"/>
    </xs:extension>
  </xs:complexContent>
</xs:complexType>

```

Documentation: Schema Component Representation

2.26 Complex Type: WorkingStateType

Name	WorkingStateType
------	------------------

Schema Component Representation

```

<xs:complexType name="WorkingStateType">
  <xs:choice>
    <xs:group ref="sdc:WorkingStateGroup"/>
    <xs:element name="Success" type="sdc:SuccessResponseType"/>
  </xs:choice>
</xs:complexType>

```

Documentation: Schema Component Representation

2.144 Model Group: GetBaseGroup

Name

Schema Component Representation

```

<xs:group name="GetBaseGroup">
  <xs:sequence>
    <xs:element name="RequestContext" type="sdc:RequestContextType"/>
    <xs:element name="Domain" type="sdc:DomainIdentificationType"/>
  </xs:sequence>
</xs:group>

```

Documentation: Schema Component Representation

RequestContext	Translation: Contexte de la demande
Domain	Translation: Domaine selon swissdec

2.23 Model Group: ProcessFlowGroup

Name

Schema Component Representation

```
<xs:group name="ProcessFlowGroup">
  <xs:choice>
    <xs:element name="CompletionAndResult" type=" sdc:CompletionAndResultType "/>
    <xs:element name="DialogAndResult" type=" sdc:ResultType "/>
    <xs:element name="Result" type=" sdc:ResultType "/>
  </xs:choice>
</xs:group>
```

Documentation: Schema Component Representation

2.21 Model Group: **WorkingStateGroup**

Name

Schema Component Representation

```
<xs:group name="WorkingStateGroup">
  <xs:choice>
    <xs:element name="Ignored" type=" c:EmptyType "/>
    <xs:element name="Processing" type=" c:EmptyType "/>
    <xs:element name="Error" type=" sdc:ErrorResponseType "/>
  </xs:choice>
</xs:group>
```

Documentation: Schema Component Representation

2.92 Simple Type: **JobKeyType**

Name	JobKeyType
Content	Built-in XSD Type: string <i>length</i> >= 10
Documentation	Translation (fr): Identificateur unique pour la commande

Schema Component Representation

```
<xs:simpleType name="JobKeyType">
  <xs:restriction base=" xs:string ">
    <xs:minLength value="10"/>
  </xs:restriction>
</xs:simpleType>
```

Documentation: Schema Component Representation

